ON 1975

SECTION ACT

JUSTER



ACTIVE INGREDIENT

SODIUM DICHEORO SITE AZINETRICIA ITALIE ORALIE

INERT INGREDIENTS

JUNTAMIS TO BERMAN ASTOR AMBOUT AND A

DANGER: KEEP OUT OF REACH OF CHILDREN

CPC

•

STR

DANGER KE

- 14 m - P1 - 3 M - N - 1 m

JUN 8 1975

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER. ED UNDER NO.



ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 49.1%

INERT INGREDIENTS 50.9%

(CONTAINS 27.5% BY WEIGHT AVAILABLE CHLORINE)

DANGER: KEEP OUT OF REACH OF CHILDREN
See additional first aid and precautions on back panel

NO. 300-302

E.P.A. REG. NO. 6284-30

CPC® 2

Used once in new pool or when refilling value —superchlorination and stabilizing—elim START gives protection against dissipation

INSTR

- 1. Clean or backwash filter.
- 2. Using a reliable test kit, test the pH acid; if it is below 7.2, add soda ash)
- 3. Add 2 'N 1 Pool Start slowly through
- 4. Wait two hours and again adjust pH
- 5. Test chlorine residual with a reliable has dropped below 2.0.
- 6. Start regular sanitation program with directions on product labels.

DANGER: KE

Corrosive, causes eye damage. May be I trritating to nose and throat. Avoid breat handling.

FIRST AID: If swallowed feed gruel, code cooking oil. In case of personal contact water for at least 15 minutes. For eyes before reuse.

DANGER: STRONG OXIDIZING AGENT. A moisture, organic matter, or other chem ventilated area away from heat or open gases. In case of decomposition, if pos of water. Keep container tightly closed to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This produ where it will drain into lakes, streams, of equipment or disposal of wastes. App

Distributed by KIEFER McNEIL •

CPC® 2 'N 1 POOL START

Used once in new pool or when refilling with fresh water, CPC 2 'N 1 POOL START combines two steps—superchlorination and stabilizing—eliminates need for two separate chemicals. CPC 2 'N 1 POOL START gives protection against dissipation of chlorine by sunlight and kills algae and bacteria

INSTRUCTIONS FOR USE

- 1. Clean or backwash fifter.
- 2. Using a reliable test kit, test the pH level and adjust it to 7.2 to 7.6 of it is above 7.6, and cry acid; if it is below 7.2, add soda ash). Follow directions on product labels.
- 3. Add 2 'N 1 Pool Start slowly through the surface skimmer at the rate of 5 ounces per 1000 genons.
- 4. Wait two hours and again adjust pH to 7.2 to 7.6.
- 5. Test chlorine residual with a reliable test kit. Do not allow swimmers in pool until chlorine residual has dropped below 2.0.
- 6. Start regular sanitation program with concentrated granular or tabletized stabilized chloring from directions on product labels.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat, Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350°-475°F, with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Distributed by KIEFER McNEIL • Akron, Ohio 44311

E.P.A. Est. 6284-OH-2



ACTIVE PROPREDITOR

AND TO SEE THE PROPERTY OF THE PARTY OF THE

•



UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNIVER NO.



ACTIVE INGREDIENT
SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE
49.1%
INERT INGREDIENTS
(CONTÁINS 27.5% BY WEIGHT AVAILABLE CHLORINE)

DANGER: KEEP OUT OF REACH OF CHILDREN See additional first aid and precautions on back panel

NO. 300-302

E.P.A. REG. NO. 6284-30

CPC® 2 'N 1

Used once in new pool or when refilling with fresh s
—superchlorination and stabilizing—eliminates nee
START gives protection against dissipation of chlorin

INSTRUCTION

- 1. Clean or backwash filter.
- Using a reliable test kit, test the pH level and acid; if it is below 7.2, add soda ash) Follow di
- 3. Add 2 'N 1 Pool Start slowly through the surface
- 4. Wait two flours and again adjust pH to 72 to
- Test chlorine residual with a reliable test kit 0 has dropped below 2.0.
- 6 Start regular sanitation program with concentral directions on product labels.

DANGER: KEEP OUT O

Corrosive, causes eye damage. May be fatal if swill limitating to nose and throat. Avoid breathing dust the handling.

FIRST AID: If swallowed feed gruel, cooked cerest, cooking oil. In case of personal contact, remove water for at least 15 minutes. For eyes get medical before reuse.

DANGER: STRONG OXIDIZING AGENT. Mix only war moisture, organic matter, or other chemicals may it ventilated area eway from heat or open flame. Decay gases. In case of decomposition, if possible, isolate of water. Keep container tightly closed when not in to dissolve all material before discarding.

ENVIRONMENTAL MAZAROS: This product is toxic to where it will drain into takes, streams, ponds, or pu of equipment or disposal of wastes. Apply this prod-

Distributed by KIEFER MCNEIL . Akron, Ohlo

79



HYDRATE . 49.1% 50.9%

ABLE CHLORINE

CH OF CHILDREN ion**s on back panel**

.P.A. REG. NO. 6284-30

CPC® 2 'N 1 POOL START

Used once in new pool or when refilling with fresh water, CPC 2 'N 1 POOL START combines two steps —superchlorination and stabilizing—eliminates need for two separate chemica's, CPC 2 'N 1 POOL START gives protection against dissipation of chlorine by sunlight and fulls algae and bacteria

INSTRUCTIONS FOR USE

- 1. Clean or backwash fifter.
- 2. Using a reliable test kit, test the pH level and adjust it to 7.2 to 7.6 iff it is above 7.6 and 2 acid; If it is below 7.2, add soda ash). Follow directions on product labels.
- 3. Add 2 'N 1 Pool Start slowly through the surface skinimer at the rate of 5 ounces per 1000 Rathons
- 4. Walt two hours and again adjust pH to 7.2 to 7.6
- Test chloring residual with a reliable test kit. Do not allow swimmers in pool until chiorine regional has dropped below 2.0.
- 6. Start regular sanitation program with concentrated granular or tabletized stabilized chlorine. Fetow directions on product labels.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be tatal if swallowed. Do not get in eyes, on skin or on clothing, trritating to nose and throat, Avaid breathing dust. May cause burns to broken skin. Wash hands after

FIRST AID: If swellowed feed gruel, cooked cereal, or bread soaked in milk, followed by playe oil or cooking oil. In case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER: STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensits. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well wentilated area away from heat or open flame. Decomposes at 350° -475°F, with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material sefore discarding the container thoroughly with water to dissolve all material sefore discarding the container should not be discharged where it will of him by takes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipments — "Books of wastes. Apply this product only as specified on the label.

Distributed by NIEFER MCNEIL . Akron, Ohio 44311

E.P.A. Est. 6284-OH-2

44

24A