

DANGER: KEEP OUT OF REACH OF CHILDREN SEE ADDITIONAL PRECAUTIONS AND FIRST AID ON BACK PANEL

No. 300-235

E.P.A. REG. NO. 6284-31

ACCEPTED 2284-31 0CT 10 1975

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER ED UNDER NO.

CPC CONCENTRATED-JUMBO CHLORINE TABLETS

Slow dissolving, completely soluble CPC Concentrated-Chlorine Tablets take the work out of pool care by providing a continuous and economical system of chlorine disinfection. For effective bacteria and algae control, maintain an available chlorine level of 1.0 to 2.0 ppm as determined by appropriate test kit.

POOL START-UP (PRE-CONDITIONING) INSTRUCTIONS

When filling your new pool or refilling with fresh water at any time:

- 1. Super chlorinate pool water by adding CPC Granular Chlorine as prescribed on the labels.
- 2. Bring pool water pH to a range reading between 7.2 and 7.6 on your Test Kit and add CPC Water Conditioner to stabilize the pool water.
 - 3. Start tablet feeding program.

TABLET FEEDING PROGRAM FOR PROPERLY PRE-CONDITIONED POOLS

The number of tablets required for your pool may vary depending on temperature, wind, rain, pool usage and feeding method; float, submersible cage or skimmer.

To start your tablet feeding program put 1 tablet in your feeder for every 10 000 gallons of pool water. TEST YOUR POOL FOR CHLORINE LEVEL DAILY and adjust feeder as required to maintain an available chlorine level of 1 to 2 ppm. DO NOT THROW TABLETS DIRECTLY INTO POOL. SPOTTING WILL OCCUR. FOR MAXIMUM PROTECTION SUPER CHLORINATE YOUR POOL WITH CPC POOL SHOCK EVERY TWO WEEKS AS PRESCRIBED ON THE LABEL.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive, causes eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing, Irritating to nose and throat. Avoid breathing dust. May cause burns to broken skin. Wash hands after handling.

FIRST AID: If swallowed feed gruel, cooked cereal, or bread soaked in milk, followed by olive oil or cooking oil in case of personal contact, remove excess material and flush skin or eyes with cold water for at least 15 minutes. For eyes get medical attention. Remove and wash contaminated clothing before reuse.

DANGER. STRONG OXIDIZING AGENT. Mix only with water. Use clean dry utensils. Contamination by moisture, organic matter, or other chemicals may liberate hazardous gases. Store in a cool, dry, well ventilated area away from heat or open flame. Decomposes at 350° - 475° F. with liberation of harmful gases. In case of decomposition, if possible, isolate container in open air. Flood with large amounts of water. Keep container tightly closed when not in use. Rinse empty container thoroughly with water to dissolve all material before discarding.

ENVIRONMENTAL MAZARDS: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Distributed by KIEFER McNEIL . Akron, Ohio 44311

E.P.A. Est. 6284-0H-2

5,75

300-235/236/237/238/239/

PTED 4/3/ 10 1975

EDERAL INSECTICIDE ID RODENTICIDE ACT

