



Concentrated—100% Soluble



Tri-Chlor Granular

Stabilized—Sun Protected

Active Ingredient		
Trichloro S Triazinetrione	90%	99%
Inert Ingredient		1%
Available Chlorine	90%	100%

DANGER: KEEP OUT OF REACH OF CHILDREN
See additional precautions and first aid on back panel.

NET WT. 20 LB. (9 Kg) E.P.A. Reg. No. 6284-37
405-120



CPC Trichlor Granular

Control bacteria and algae in swimming pools — Concentrated — Stabilized — 100% Soluble

This product contains 90% available chlorine. It is stabilized to protect against chlorine loss due to ultraviolet rays of the sun. 100% soluble, leave no calcium residue—add this product through the skimmer. Use 1 1/2 ounces daily to provide 1 ppm of available chlorine in 10,000 gallons of pool water. High temperatures, dust, rain and number of swimmers can increase chlorine requirements.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

POOL START-UP—

INITIAL TREATMENT

When filling a new pool or refilling with fresh water at any time:

1. Super Chlorinate (shock treat) by adding enough chlorinated granules or liquid to provide approximately 10.0 P.P.M. available chlorine. Follow instructions on label of product used.
2. Bring pool water pH within a range of 7.2 to 7.6.
3. Add Water Conditioner (Cyanuric Acid) as recommended on label.
4. Start chemical maintenance program.

DAILY CHEMICAL MAINTENANCE

To start chlorination, add 1 1/2 ounces of this product for every 10,000 gallons of pool water. Add through the skimmer. Test your pool water frequently and adjust the dosage of this product being used in order to maintain an available chlorine level of 1 to 2 P.P.M. Maintain pH in the 7.2 to 7.6 range where chlorine is most effective.

Do not throw this product directly into pool — spotting or etching will occur.

SUPER CHLORINATE — SHOCK TREAT

Super Chlorinate every two weeks, after a rain or at the first sight of green or cloudy water. Extremes in temperature or swimmer loads can create a demand for more chlorine than your regular daily dosage provides. Add enough chlorinated granules or liquid to provide approximately 10 P.P.M. available chlorine. Follow instructions on label of product used.

STORAGE AND DISPOSAL

Keep product dry in tightly closed container when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition isolate container, if possible, and flood with large amounts of water to dissolve all material before discarding. Place in trash collection or dispose in approved landfill area, or bury in a safe place.

DANGER

KEEP OUT OF REACH OF CHILDREN PRACTICAL TREATMENT: (FIRST AID):

If swallowed: feed bread soaked in milk followed by olive oil or cooking oil. Call a physician immediately.

If on skin: Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists, get medical attention.

If in Eyes: Flush with cold water for at least 15 minutes. Get medical attention.

DANGER

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES Permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT

Strong Oxidizing Agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of contamination or decomposition, do not reseat container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

Sold by
KIEFER McNEIL
AKRON, OHIO 44311
EPA Est No 6284 OH 2

