

CPC Algazine

a wettable powder

FOR PREVENTION AND CONTROL
OF BLACK AND GREEN ALGAE

ACTIVE INGREDIENT:

Simazine (2-chloro-4,6-bis (ethylamino) -s-triazine) 80%


INERT INGREDIENTS: $\frac{20\%}{100\%}$

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See other precautions on back panel.

NET WT. 8 ounces



Directions For Swimming Pool Use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Algae Prevention and Control in Swimming Pools

For prevention and control of green and black algae, pre-mix the desired quantity of Algazine with water. The resulting slurry may be poured into the skimmer or evenly distributed around the edge of the pool. There is no waiting to swim after application. Water temperatures of 80°F. or greater result in faster algae control. The effectiveness of Algazine is not influenced by the normal range of pool water pH.

Preventive Algae Treatment: Apply at the rate of 1 1/2 oz. per 10,000 gallons (0.6 ppm active ingredient) of pool water that is visibly clean. Repeat treatment every 8 to 10 weeks or when algae reappears.

Black Algae Control: Apply first application at the rate of 2-2/3 oz. per 10,000 gallons of pool water (1.6 ppm active ingredient) when algae growth is first visible. For faster results, remove top of algae growth with wire brush daily and vacuum out settled algae. After seven days, begin preventive algae treatment.

Green Algae Control: Apply first application at the rate of 1 1/3 oz. per 10,000 gallons of pool water (1.06 ppm active ingredient) when algae growth is first visible. Seven days after treatment, brush algae growth from walls, vacuum out settled algae and repeat by beginning preventive algae treatment.

S. S. Alshabani et al.

Storage: Store in a dry place. Do not contaminate water, food, or tools by touching, dropping, or leaning equipment.

If off-target spray drift is possible, it is critical to spray mixture or rinse water that cannot be used as fertilizer. Label instructions must be followed according to applicable federal, state, or local procedures. Correctly mix fertilizer by shaking, and applying after and better than mixing particles. Apply to the application site after the spray mixture has dispersed sufficiently to avoid drift. If drift occurs, the fertilizer should be washed off.

1. *What is the relationship between the two concepts?*

and the author's name, and the date of the letter, and the name of the person to whom it was addressed.

1. *W. h. t.* 2. *W. h. t.* 3. *W. h. t.* 4. *W. h. t.*

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN, wash with soap and water.

IF INHALED, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth; get medical attention.

Sold by:

Kiefer McNeil
Medina, Ohio
44258-4997

EPA Reg. No. 6284-G1

EPA Est. No. 6284-2