

MAR 17 1988

Richey Industries, Inc.  
P.O. Box 928  
Medina, OH 44258-0928

Attention: Alan G. Sprague

Gentlemen:

Subject: 2-Inch Fast Dissolving 2-1/2 oz Shock Tabs  
EPA Registration No. 6284-46  
Lithochlor Shock  
EPA Registration No. 6284-50  
Your Amendments Dated June 24, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comment listed below. Five copies of the finished labeling must be submitted.

- Delete the words "General Classification" from under the "Directions for Use" heading.

Sincerely yours,

Jeff Kempter  
Product Manager (32)  
Antimicrobial Program Branch  
Registration Division (H7504C)

57072:I:Pringle:LK-17:KENCO:03/15/89:04/26/89:aw:VO:SG:aw

CONCURRENCES

SYMBOL	W-205C						
SURNAME	Pringle						
DATE	3-16						

2/5

(FRONT PANEL)

2-INCH FAST DISSOLVING 2½ Oz.

SHOCK TABS

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

Shock or Daily Chlorination

MAR 17 1980

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
Registration No. 6284-46

Use 1 a Day To Chlorinate 10,000 Gallons  
10 To Shock Treat 10,000 Gallons

Active Ingredient:

Trichloro-S-Triazinetrione . . . . .	63%
Inert Ingredient . . . . .	37%
Available Chlorine . . . . .	56%

Keep Out Of Reach Of Children


DNAGER

See First Aid and Additional Precautions on Side Panel

Contains approximately -- tablets approximately 2½ ounces each

Net. Wt. --

EPA Reg. No. 6284-46



(SIDE PANEL)

(6284-46)

**Precautionary Statements**

**DANGER**

**Hazards to Humans & Domestic Animals**

**Keep Out Of Reach Of Children**

Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. When handling, wear rubber gloves and goggles or face shield and use only thoroughly clean dry utensils. Irritating to nose and throat. Avoid breathing dust and fumes. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

**PHYSICAL OR CHEMICAL HAZARDS:**

**STRONG OXIDIZING AGENT**

Mix only into water. Use clean dry utensils. Do not add this product to any dispensing device containing the remains of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals will start a chemical reaction and generate heat, chlorine gas (and possible fire and explosion). In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.


**PRACTICAL TREATMENT (FIRST AID)**

**IF SWALLOWED:** Promptly drink large quantities of water. DO NOT induce vomiting. Get medical attention. Avoid alcohol.

**IF ON SKIN:** Brush off excess chemical and flush skin with cold water for at least 15 minutes. If irritation persists get medical attention.

**IF IN EYES:** Flush with cold water for at least 15 minutes. Get medical attention.

**IF INHALED:** Remove person to fresh air. Get medical attention.



(SIDE PANEL)

(6284-46)

Fast dissolving, completely soluble, stabilized 2-inch, 2-1/2 ounce shock tablets provide a convenient pre-measured dosage-act as an algaecide, bactericide and sanitizer.

DIRECTIONS FOR USE

~~General Classification~~

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

POOL START-UP--INITIAL TREATMENT

When first filling your new pool or refilling with fresh water at any time:

1. Shock treat by adding ten 2-inch, 2-1/2 ounce tablets per 10,000 gallons of pool water to provide approximately 10 ppm available chlorine. Use pool skimmer to dissolve tablets (see below). Let chlorine level drop to 3 ppm before entering pool.
2. Bring pool water pH within a range of 7.2 to 7.6. Add dry acid to reduce pH or soda ash to increase pH as prescribed on labels.
3. Add water conditioner (cyanuric acid) as recommended on label.
4. Start maintenance program.


MAINTENANCE PROGRAM

To start chlorination, place tablets in your skimmer. Add one 2-inch, 2-1/2 ounce tablet per 10,000 gallons of pool water every day, or as needed. Use enough tablets to maintain a chlorine residual of 1 to 3 ppm.

Test your pool water daily and make necessary adjustments with appropriate pool chemicals.

Run pump and filter until tablets are dissolved.

Do not throw tablets directly into pool--spotting or etching will occur.



**SHOCK TREAT**

Shock your pool every two weeks, and after a rain or at the first sight of green or cloudy water. Extremes in temperature, swimmer loads, wind and dust can cause bacteria, algae and debris to accumulate in pool water and can require weekly shock treatment. Add 10 tablets to skimmer per 10,000 gallons of water to provide approximately 10 ppm available chlorine. Treat pool at night--do not allow swimmers to enter pool until chlorine level has dropped to 3 ppm.

**STORAGE AND DISPOSAL**

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials before discarding this container. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

Sold By: Richey Industries, Inc.  
Medina, OH 44256

EPA Est. No. 6284-OH-2

EPA Reg. No. 6284-46

