[6294-4]

Ased to contract the office but towns. institution, and attended a

This bearing to so the world of the control of the in a military of the second of the control of the control of the second Mit acts, fixthe of the contracts.

•

Do not remain in treated areas. Vertilate the area after treatment is completed.

Use a good spray or atomizer adjusted to deliver a fine mist. Treat intested areas thoroughly and repeat applications as needed. Remove pets, birds and fish bowls before spraying. Whenever possible keep doors and windows closed for 10 minutes after spraying.

In the control of flying insects, direct the spray toward the upper portions of the enclosure and fill the atmosphere with mist, using 2 to 3 ounces to each 1000 cubic feet of space. Against crawling pests listed, treat all areas where these insects are commonly found, and direct the spra behind baseboards, mouldings, furniture, cabinets, sinks and pipes; toward drains and dark corners, into cracks, crevices, recesses and similar places. For control of crawling insects, use a coarse wetting spray which contacts the insects.

For non-residual space and contact treatments of food processing plants, restaurants or other areas where food is commercially prepared or processed, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

hed he m

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful !f Swallowed.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

C O M E T MANUFACTURING CORPORATION 1381 Dalon brive N. E. Atlanta, George 30306

18 pouls met be m