

[6294-14]

Another Laboratory

Controlled Product by



ACCEPTED

6-9-67

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC CONTROL REGISTERED  
ED UNDER NO. 6294-14

U.S.D.A. Registration No. 6294-14

# CATTLE SPRAY

FOR THE CONTROL OF FLIES IN BARNS,  
POULTRY HOUSES AND STABLES

ACTIVE INGREDIENTS:	100.00 %
Petroleum Distillate	99.688 %
*Piperonyl Butoxide, Technical	.250
Pyrethrins	.0062
	<hr/>
	100.00 %

Equivalent to .200% (butylcarbityl) (6-propylpiperonyl) ether and .050% related compounds.

### DIRECTIONS

Spray animals twice daily for temporary protection from hornflies, stableflies, houseflies, gnats and mosquitoes. Use not more than 1 to 2 ozs. of the spray per animal at one treatment.

FOR DAIRY COWS: Spray each morning before milking, and again in the evening. Take precautions to protect milk and utensils from contamination.

FOR BEEF CATTLE: Apply a light spray over the entire body, including special attention to legs, heads and sides. Do not apply or rub with a cloth or sponge and do not wet too heavily. Apply morning and evening for several days. Repeat treatment as necessary.

FOR HORSES AND MULES: Spray lightly just previous to working.

IN BARNS, POULTRY HOUSES AND STABLES: Remove all filth and dirt. Close doors and windows and spray thoroughly, filling air with a fine mist. Direct spray toward walls and ceilings. Leave building closed 15 minutes or longer. Repeat application as necessary.

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**

Do not spray, store or pour near an open flame. Do not smoke while spraying. Harmful if swallowed.

NET CONTENTS ( ) GALLONS