

# ANSAR<sup>®</sup> DSMA Liquid

Herbicide

**DSMA Liquid Plus  
Surfactant**

**For Selective  
Post-Emergent  
Weed Control**

**ACTIVE INGREDIENT:**

Disodium  
Methanearsonate\* . . . . . 21.76%


**INERT INGREDIENTS:** 78.24%

Total Arsenic (as elemental)  
all in water soluble  
form . . . . . 8.86%

\*Product contains the  
equivalent of 3.60 pounds  
Disodium Methanearsonate  
Hexahydrate per gallon.

**CAUTION:**  
Keep out of the  
reach of children

Read entire label  
before using  
this product



**SPECIFIC LABEL**

## CAUTION: Keep Out of the Reach of Children

**CAUTION:** Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Avoid storage near feed or food products. Keep children and domestic animals off treated areas until this material has been washed into the soil.

**ANTIDOTE:** If taken internally, induce vomiting and call physician at once.

**READ ENTIRE LABEL BEFORE USING THIS PRODUCT.**

**WARRANTY - CONDITION OF SALE:** DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of The Ansul Company or the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result. **ALL SUCH RISKS ARE ASSUMED BY THE BUYER.**

Ansul warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use as modified by the above. Ansul makes no other warranties, express or implied, including FITNESS or MERCHANTABILITY. In no case shall Ansul or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by The Ansul Company and is accepted as such by the Buyer.

**GENERAL INFORMATION:** ANSAR DSMA LIQUID Herbicide is useful for selective post-emergent weed control, particularly for grassy weeds. It is a combination of herbicide and surfactant. **It is unnecessary to add any other surfactant to the spray solution.** Best results are obtained on young, actively growing weeds at air temperatures above 70° F.

**MIXING INSTRUCTIONS:** ANSAR DSMA LIQUID Herbicide is completely water soluble. Fill the spray equipment tank about half full with water and add the required amount of herbicide with agitation. Finish filling the tank with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for a prolonged period. Although ANSAR DSMA LIQUID Herbicide is only moderately corrosive, do not use in galvanized or aluminum equipment.

**CONTAINER DISPOSAL:** Do not reuse container. Wash thoroughly with water and detergent, crush if possible, and discard in a safe place.

**DIRECTIONS FOR USE:**

**COTTON:** ANSAR DSMA LIQUID Herbicide is useful as a directed application in cotton for post-emergent control of weeds and grasses such as johnsongrass, nutsedge, dallisgrass, cocklebur, ragweed, sandbur and puncture vine. Add 1 gallon of ANSAR DSMA LIQUID Herbicide to 40 gallons of water and mix thoroughly. Do not add any surfactant to the spray solution. Apply spray solution at 40 gallons per treated acre. Weed control is most effective at temperatures above 70° F. For band application in 40 inch rows, apply 1 gallon of spray solution per inch of band width per acre of cotton. Direct the spray solution to the base of the cotton plant. Nozzles should be placed so as to avoid spraying the cotton foliage. If regrowth occurs, make a second application 1 to 3 weeks after the first. Slight burning and a reddish discoloration of the cotton leaf may occasionally occur following the recommended treatment, but the cotton plant will develop normally.

Apply only when cotton is 3 inches high to first bloom. Do not apply after first bloom. Do not feed treated foliage to livestock or graze treated areas.

**CITRUS - BEARING AND NON-BEARING (Except Florida):** ANSAR DSMA LIQUID Herbicide is useful as a directed application in citrus orchards, such as orange, grapefruit, tangerine, lemon and lime orchards. It should be applied at the rate of 1 to 2 gallons per acre.

Mix ANSAR DSMA LIQUID Herbicide at the rate of 1 gallon in 50 gallons of water. Apply as a directed spray in interspaces and around base of trees. Spray unwanted vegetation to just short of run-off. If regrowth occurs, reapply as required, however, do not exceed 3 applications per year.

Do not allow spray solutions to contact fruit, leaves, stems or bark. Use a shield, if necessary, for nursery plantings or young trees.

**NON-CROP:** ANSAR DSMA LIQUID Herbicide is useful for controlling johnsongrass, nutsedge, and certain other weeds in drainage ditchbanks, rights-of-way, storage yards, and similar non-crop areas.

Mix ANSAR DSMA LIQUID Herbicide at a rate of 1 to 2 gallons in 100 gallons of water. No additional surfactant is necessary. Spray the unwanted vegetation thoroughly to just short of run-off. Any spray equipment that gives good coverage may be used. If regrowth occurs, reapply as required.

Do not contaminate waters used for domestic consumption, or by animals, wildlife and aquatic life, or for irrigation purposes.

**LAWN AND ORNAMENTAL TURF:** ANSAR DSMA LIQUID Herbicide is useful for control of dallisgrass, crabgrass, sandbur, barngrass, nutsedge, chickweed and wood sorrel with little or no injury to tolerant lawn grasses. On new lawns, do not treat until after three mowings. Tolerant grasses may be temporarily discolored. Zoysia, bluegrasses, and bermuda are quite tolerant. Do not use on St. Augustine or centipede.

Amount of ANSAR DSMA LIQUID Herbicide to be used

4 fluid ounces	5 gallons water	1000 square feet
2 1/2 cups	25 gallons water	5000 square feet

Mow lawns 1 to 1 1/2 inches high before treatment. Spray thoroughly to wet all undesirable plants. Repeat applications 10 to 14 days apart, may be needed for good control.


ANSAR DSMA LIQUID Herbicide is manufactured by The Ansul Company, Marinette, Wisconsin 54143

X, 31. ANSAR and ANSUL are registered trademarks of The Ansul Company

Net Contents 5 Gallons

EPA Reg. No. 6308-33

Form No.



THE ANSUL COMPANY,  
MARINETTE, WISCONSIN

# Silvisar 510

For use on

For use on Forests

ACTIVE INGREDIENTS

1. 2,4-Dichlorophenoxyacetic acid

2. 2,4,5-Trichlorophenoxyacetic acid

INERT INGREDIENTS

1. 2,4-Dichlorophenoxyacetic acid

2. 2,4,5-Trichlorophenoxyacetic acid

3. 2,4,5-Trichlorophenoxyacetic acid

4. 2,4,5-Trichlorophenoxyacetic acid

5. 2,4,5-Trichlorophenoxyacetic acid

6. 2,4,5-Trichlorophenoxyacetic acid

7. 2,4,5-Trichlorophenoxyacetic acid

8. 2,4,5-Trichlorophenoxyacetic acid

9. 2,4,5-Trichlorophenoxyacetic acid

10. 2,4,5-Trichlorophenoxyacetic acid

11. 2,4,5-Trichlorophenoxyacetic acid

12. 2,4,5-Trichlorophenoxyacetic acid

13. 2,4,5-Trichlorophenoxyacetic acid

14. 2,4,5-Trichlorophenoxyacetic acid

15. 2,4,5-Trichlorophenoxyacetic acid

16. 2,4,5-Trichlorophenoxyacetic acid

17. 2,4,5-Trichlorophenoxyacetic acid

18. 2,4,5-Trichlorophenoxyacetic acid

19. 2,4,5-Trichlorophenoxyacetic acid

20. 2,4,5-Trichlorophenoxyacetic acid

21. 2,4,5-Trichlorophenoxyacetic acid

22. 2,4,5-Trichlorophenoxyacetic acid

23. 2,4,5-Trichlorophenoxyacetic acid

24. 2,4,5-Trichlorophenoxyacetic acid

25. 2,4,5-Trichlorophenoxyacetic acid


26. 2,4,5-Trichlorophenoxyacetic acid

27. 2,4,5-Trichlorophenoxyacetic acid

28. 2,4,5-Trichlorophenoxyacetic acid

29. 2,4,5-Trichlorophenoxyacetic acid

SPECIMEN LABEL



## CAUTION: Keep Out of the Reach of Children

Read the entire label carefully before using this product. Do not use if the label is missing or illegible.

### ACCIDENTAL EXPOSURE

IF SWALLOWED: Do not induce vomiting. Give 1-2 glasses of water or milk. If symptoms persist, call a doctor.

IF ON SKIN: Wash with plenty of water. If irritation persists, call a doctor.

IF IN EYES: Flush with water for 15 minutes. Call a doctor.

IF INHALED: Move to fresh air. If symptoms persist, call a doctor.

### GENERAL INFORMATION

This product is a herbicide. It is used to control weeds and brush. It is not intended for use on crops.

Do not use on lawns, lawns, or other areas where children or pets play.

Do not use on water bodies or near water.

Do not use on roads or highways.

Do not use on crops or other plants you want to keep.

Do not use on areas where you will be walking or driving.

Do not use on areas where you will be working.

Do not use on areas where you will be sleeping.

Do not use on areas where you will be eating.

Do not use on areas where you will be drinking.

Do not use on areas where you will be smoking.

Do not use on areas where you will be using a mobile phone.

Do not use on areas where you will be using a laptop.

Do not use on areas where you will be using a tablet.

Do not use on areas where you will be using a smartphone.

Do not use on areas where you will be using a computer.

Do not use on areas where you will be using a television.

Do not use on areas where you will be using a radio.

Do not use on areas where you will be using a camera.

Do not use on areas where you will be using a microphone.

Do not use on areas where you will be using a speaker.

Do not use on areas where you will be using a printer.

Do not use on areas where you will be using a scanner.

Do not use on areas where you will be using a fax machine.

Do not use on areas where you will be using a copier.

Do not use on areas where you will be using a shredder.

