

Broadside®

Herbicide

ACCEPTED
JUL 6 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 6308-65 SUBJECT
TO ATTACHED COMMENTS.

MSMA Sodium Cacodylate
Liquid Plus Surfactant

For General
Post-Emergent
Weed Control

ACTIVE INGREDIENTS:

Monosodium Acid
Methanearsonate 26.02%
Sodium Cacodylate 10.47%
Dimethylarsinic Acid
(Cacodylic Acid) 1.80%


INERT INGREDIENTS: 61.71%

Total Arsenic (as elemental)
all in water soluble
form 17.92%

Product contains 3.00 lbs.
MSMA and 1.25 lbs.
cacodylic acid equivalent
per gallon.

CAUTION:
Keep out of the
reach of children

Read entire label
before using
this product



SPECIMEN LABEL

CAUTION: Keep Out of the Reach of Children

CAUTION: Harmful if swallowed. Avoid contact with skin. Avoid breathing spray mist. Wash hands after using. Avoid storage near feed or food products. Keep children and domestic animals off treated areas until this material has been washed into the soil.

ANTIDOTE: If taken internally, induce vomiting and call physician at once.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

WARRANTY - CONDITION OF SALE: DIRECTIONS FOR USE of this product are based on field use and tests believed reliable and should be followed carefully. It is however impossible to eliminate all risks associated with use of this product. Because such factors as weather conditions, foreign material and manner of use for application are all beyond the control of The Ansul Company or the Seller of this product, such things as crop injury, ineffectiveness or other unintended consequences may result. **ALL SUCH RISKS ARE ASSUMED BY THE BUYER.**

Ansul warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use as modified by the above. Ansul makes no other warranties, express or implied, including **FITNESS** or **MERCHANTABILITY**. In no case shall Ansul or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by The Ansul Company and is accepted as such by the Buyer.

GENERAL INFORMATION: BROADSIDE Herbicide is a special formulation of herbicides in combination with a surface-active (wetting) agent, for general post-emergent weed control. It is unnecessary to add any other surfactant to the spray solution. This product is effective on both broadleaf weeds and grasses. The phytotoxic properties of these materials are quickly inactivated on contact with the soil. Best results are obtained on young actively growing weeds at air temperatures above 70° F.

MIXING INSTRUCTIONS: BROADSIDE Herbicide is completely water soluble. Fill the spray equipment tank about half full with water and add the required amount of herbicide with agitation. Finish filling the tank with water and apply. After use, clean equipment thoroughly by flushing with water. Do not store spray solution in tank for a prolonged period. Although BROADSIDE Herbicide is only moderately corrosive, do not use in galvanized or aluminum equipment.

CONTAINER DISPOSAL: Do not reuse empty container. Perforate, crush and bury in a safe place. Drums may be returned to a drum reconditioner.

DIRECTIONS FOR USE:

BROADSIDE Herbicide is a post-emergent herbicide useful for controlling broadleaf weeds and grasses, such as puncture vine, wild mustard, wild oats, chickweed, sandbur, common ragweed, pigweed, crabgrass, lambsquarter, common plantain, prostrate spurge, giant foxtail and yellow foxtail; and to top-kill certain perennials such as johnsongrass, dallisgrass and nutsedge.

BROADSIDE Herbicide is useful for general weed control on drainage ditchbanks, rights-of-way, fence rows, and storage yards; along highways, utility lines and pipe lines; around power plants and buildings, and on similar non-crop areas.

Use BROADSIDE Herbicide at the rate of 1 to 2 gallons per acre in sufficient water to get full coverage. Ground application normally requires 40 to 100 gallons of spray solution per acre. Any spray equipment that gives good coverage may be used. If regrowth occurs, reapply as required.

Bindweed (Morningglory) control: Use 1½ to 2 gallons BROADSIDE Herbicide in 50 to 100 gallons of water per acre. Make first application at first bloom, wetting foliage just short of run-off. Repeat application as needed for top-kill, but limit to three applications per year.

Do not contaminate waters used for domestic consumption, or by animals, wildlife and aquatic life, or for irrigation purposes. Avoid spray contact with foliage on fruit or food crops and ornamentals. Do not pasture livestock on treated areas.

BROADSIDE Herbicide is manufactured by The Ansul Company, Marinette, Wisconsin 54143.

X, ®, BROADSIDE, ANSUL are registered trademarks of The Ansul Company.

Net Contents 5 gallons Patent Pending EPA Reg. No. 6308-65
Form No.



THE ANSUL COMPANY
MARINETTE, WISCONSIN