

BEST DOCUMENT AVAILABLE

Do not use within 09 days of spray.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. Do not contaminate food or feed products. Keep out of reach of children.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this label in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Do not enter treated area without protective clothing and respiratory protection for 24 hours following application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. Dispose of empty bags according to approved Federal, State or local procedures under the Resource Conservation and Recovery Act.

GENERAL INFORMATION

Apply this product only as specified on this label. Do not use this product for any uses other than those specified on this label.

Yellow Jacket Air Heated Dusting Sulfur is formulated for use as a dust on fruit, vegetable and ornamental crops for the control of certain fungus diseases and mites.

For best results, apply when air is calm, just often enough to keep foliage and fruit covered with a light uniform coating.

NOTE TO USER: Do not use sulfur in combination with oil or within two weeks of an oil spray. Do not use sulfur on apples or other sensitive crops when shade temperatures exceed, or are likely to exceed, 90°F. Do not apply or allow sulfur to drift to Cucurbits (cucumber, cantaloupe, melon, squash) or lung. To do so may result in severe leaf and fruit damage.



For Spraying Fruits  
Vegetables & Ornamentals

ACTIVE INGREDIENT

Sulfur 93.0%

INERT INGREDIENTS

7.0%

TOTAL 100.0%

FINENESS Not less than 93% passing 325 mesh

KEEP OUT OR REACH OF CHILDREN

CAUTION

If on skin, wash immediately with soap and water.

If in eyes, immediately flush eyes with plenty of clear water for at least 15 minutes.

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

See Side Panel For Additional Precautionary Statements.

GEORGIA GULF SULFUR CORPORATION

P. O. Box 1165 • Valdosta, GA • 31623-1165

RECOMMENDATIONS

Application rates for Yellow Jacket Air Heated Dusting Sulfur will vary according to crop and pest. For specific recommendations, consult the Yellow Jacket Air Heated Dusting Sulfur label.

IMPORTANT: Use the highest and heaviest rainfall. Dust often covered. This may require weeding periods of rapid growth and if

Apple, Pear: Powdery Mildew, in the pre-bloom, blight, in the cover sprays.

Cherry: Brown Rot, Leaf Spot in pink, bloom, petal fall, etc.

Citrus: Rust Mite - Use 25 lb. applications at first signs of damage should be controlled at all times of fruit and greasy spot on leaves.

Peach: Brown Rot, Scab - Use in pink, bloom, shuck, cover and pre-bloom.

Plum, Prune: Brown Rot, Leaf Spot in pink, bloom, shuck.

Beans, Peas: Powdery Mildew for thorough coverage.

Roses: Black Spot, Powdery Mildew.

Application prior to first signs of disease throughout the season, repeating as new growth protected.

Perennials, Shrubs: Powdery Mildew.

Application prior to first signs of disease throughout the season, repeating as new growth protected.

WARRANTY

GEORGIA GULF SULFUR CORPORATION's unopened package conforms to label and is reasonably fit for the purpose specified according to directions under the label. There are no other warranties for the use of this product other than those stated on the label. The label does not extend to the handling of the product or under abnormal conditions.

**STATEMENTS  
DOMESTIC ANIMALS**

vapors or spray mist.  
skin. Avoid contact  
contaminate food or  
children.

**HAZARDS**

Do not apply directly  
apply where runoff is  
weather conditions favor  
contaminate water by  
wastes.

**USE**

Apply this label in a manner

**MENT**

Without protective  
protection for  
ation.

**DISPOSAL**

Do not feed by storage or  
insate that cannot be  
must be disposed of  
procedures under the  
Act. Dispose of empty  
eral, State or local  
ervation and Recovery

**ATION**

Apply this label.  
her than those specified on  
formulated for use  
ental crops for the control

is calm, just  
Fruit covered

with oil or within two  
pples or other sensitive  
or are likely to exceed,  
Cucurbits (cucumber,  
so may result in severe



**For Spraying Fruits  
Vegetables & Ornamentals**

**ACTIVE INGREDIENT:**

Sulfur.....

**INERT INGREDIENTS:**

TOTAL .....

75.0  
7.5  
100.0

**FINENESS:** Not less than 93% passing 325 mesh

**KEEP OUT OR REACH OF CHILDREN**

**CAUTION**

If on skin, wash immediately with soap and water.  
If in eyes, immediately flush eyes with plenty of clear water  
for at least 15 minutes.  
If swallowed, drink 1 or 2 glasses of water and induce  
vomiting by touching back of throat with finger. Do not in-  
duce vomiting or give anything by mouth to an unconscious  
person. Get medical attention.  
See side Panel For Additional Precautionary Statements.

**GEORGIA GULF SULFUR CORPORATION**

P.O. Box 1165 • Vidalia, GA • 31603-1165

**RECOMMENDATIONS**

Consult State Agricultural Experiment Stations or the State Agricultural  
Extension Service for additional information as the timing and number  
of applications needed will vary with local conditions. When  
growing crops for processing, consult the canner  
or processor before applying sulfur.

**IMPORTANT:** Use the higher dosage during periods of frequent  
and heavy rainfall. Dust often enough to keep susceptible growth  
covered. This may require weekly or bi-weekly applications during  
periods of rapid growth and frequent rainfall.

**Apple, Pear: Powdery Mildew, Scab—** Use 30 to 40 lbs. per  
acre in the pre-bloom, bloom and petal fall sprays. Use 20 to 30  
lbs. in the cover sprays.

**Cherry: Brown Rot, Leaf Spot—** Use 30 to 40 lbs. per acre  
in pink, bloom, petal fall, shuck, cover and post-harvest sprays.

**Citrus: Rust Mite—** Use 25 lbs. per acre. Begin ap-  
plications at first signs of damage and repeat as necessary. Rust mites  
should be controlled at all times of the year in order to prevent russetting  
of fruit and greasy spot on leaves.

**Peach: Brown Rot, Scab—** Use 30 to 40 lbs. per acre in  
pink, bloom, shuck, cover and pre-harvest sprays.

**Plum, Prune: Brown Rot, Leaf Spot—** Use 30 to 40 lbs. per  
acre in pink, bloom, shuck, cover and pre-harvest sprays.

**Beans, Peas: Powdery Mildew, Rust—** Use 15 lbs. per acre  
for thorough coverage. Repeat applications in 7 to 14

day intervals as necessary. Sulfur may injure some bean  
varieties.

**Roses: Black Spot, Powdery Mildew—** Use 6 to 8 lbs. per  
acre. Make first ap-  
plication prior to first signs of disease and maintain preventive schedule  
throughout the season, repeating applications every 7 to 14 days. Keep  
new growth protected.

**Perennials, Shrubs: Powdery Mildew, Rust—** Use 6 to 8 lbs. per  
acre. Make first  
application prior to first signs of disease and maintain preventive  
schedule throughout the season, repeating applications every 7 to 14  
days. Keep new growth protected.

**WARRANTY STATEMENT**

GEORGIA GULF SULFUR CORPORATION warrants that this product  
in its unopened package conforms to the chemical description on the  
label and is reasonably fit for the purposes set forth on the label when  
used according to directions under normal use conditions on the crops  
specified. There are no other warranties, expressed or implied, concern-  
ing the use of this product other than indicated on the label. This war-  
ranty does not extend to the handling or use of this product contrary to  
label instructions or under abnormal conditions or under conditions not  
controllable by the manufacturer.

