

6325-15

12/21/84

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 6325-15	DATE OF ISSUANCE
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Yellow Jacket Flowable Sulfur	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Georgia Gulf Sulfur Corporation
 P.O. Box 1165
 Valdosta, GA 31603-1165

16/ 132956
 18/ 1

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered in accordance with FIFRA sec. 3(c)(5) provided that you:

1. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 6325-15."
 - b. In the Environmental Hazardous Statement, delete "or wetlands."
2. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

A stamped copy of the label is enclosed for your records.

Henry M. Jacoby
 Product Manager 21
 Fungicide-Herbicide Branch
 Registration Division (WH-707C)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>Henry M. Jacoby</i>	DATE 12/21/84
---	------------------

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid breathing vapor mist. May cause irritation of nose, throat or lungs. Avoid contact with eyes, skin and clothing. Do not breathe dust or fumes.

ENVIRONMENTAL HAZARDS

This product is a mixture not in accordance with the provisions of this label may cause damage to plants, animals or property.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

Read a warning label on this product or a similar one with its labeling.

RE-ENTRY STATEMENT

(See attached statement)

(See attached statement)

STORAGE AND DISPOSAL

Product should be stored and disposed of in accordance with the labeling and mixing. Do not use if container is damaged or leaking.

PRODUCT INFORMATION

Yellow Jacket is a sulfur... Sulfur is a wettable salt formulation that may be applied as a powder or liquid spray.

USE ONLY ON CROPS LISTED AND ONLY AS SPECIFIED ON THIS LABEL. EXCEPT ON CROPS, do not apply when temperatures exceed 90 degrees Fahrenheit.

NOTE: Sulfur will cause injury to and leaf injury to sulfur sensitive crops. Do not spray or apply to plants in the family of Anjou and Comice pears, cranberries, cucurbits, tomatoes, pumpkins, melons, squash, alfalfa, spinach, lung trees, walnuts or other sensitive plants.

Sulfur can be mixed and applied with liquid fertilizer or water. DO NOT STOP APPLICATION WITH SULFUR IN SPRAY EQUIPMENT. SULFUR IS HIGHLY CORROSIVE AND EQUIPMENT SHOULD BE CLEANED THOROUGHLY AFTER EACH DAILY SPRAYING.

RECOMMENDATIONS:

Apply to trees. For specific crops, dosage rates are given as pints of Yellow Jacket per 100 gallons water for use in a thorough coverage spray. The total amount of Yellow Jacket Sulfur per acre should be 4 gallons depending on the size of the trees.

NET CONTENTS 50 LBS



see ACCEPTED ATTACHED STATEMENTS re: EPA Letter Dated

DEC 27 1984

FLOWABLE SULFUR

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 6325-13

ACTIVE INGREDIENT:	Sulfur as S	53.0%
INERT INGREDIENTS:		47.0%
TOTAL:		100.0%

This product contains 8 lbs. of Sulfur per gallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If on skin, wash thoroughly with soap and water.

If in eyes, wash eyes with plenty of clear water for at least 15 minutes.

See side panel for additional precautionary statements.

E.P.A. Est. No. 6325-GA-1

E.P.A. Reg. No. 6325-13

GEORGIA GULF SULFUR CORPORATION

P.O. Box 1165 • Valdosta, GA • 31603-1165

NET CONTENTS 50 LBS

APPLE, PEAR (See label)

Pre-bloom thru Cover Sprays

Prunus, Malus, Pre-bloom thru Cover Sprays

CHERRY, PLUM, PEACH, BROWN ROT, LEAF SPOT, PINK AND BLOOM, PETAL FALL, SHOOT

CITRUS

Rust, Mite, clover mite

Apply sprays N

THRIPS (Early season 2 gallons per acre in spring flush has max 21 days of control)

PEACH, NECTARINE, CHERRY, BLOOM, PINK AND BLOOM, PETAL FALL, SHOOT

FIELD AND VINE CROPS (unless otherwise specified)

Apply sprays N

COTTON (Atlantic 1 to late season control)

GRAPES (Powdery mildew, black rot, etc.)

Apply sprays N

PEANUTS (For rust control, enough water for 9 intervals as long as possible)

POTATOES (Powdery mildew, late blight, etc.)

SUGAR BEETS (Apply at the first sign of disease)

Apply sprays N

STRAWBERRIES (repeat at 3 week intervals)

Apply sprays N

TOMATOES (For control of plants, use label)

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

Apply sprays N

AVAILABLE COPY

RE-ENTRY STATEMENT

Do not enter treated area without protective clothing and respiratory protection for 24 hours following application.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information:

CAUTION: Area treated with YELLOW JACKET FLOWABLE SULFUR on (date of application) .
Do not enter without appropriate protective clothing for 24 hours following application.
In case of accidental exposure, see the Statement for Practical Treatment on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store undisturbed product in original container in a cool, dry area out of reach of children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.