

DANGER

Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USES

FOR THE PREVENTION OF BACTERIAL PUTREFACTION AND MILDEW INFESTATION IN TANNING LIQUORS, AND WASHING OPERATIONS IN THE LEATHER INDUSTRY.

CONTAINER DISPOSAL

Do not reuse empty container. Wash thoroughly with water and biogradable detergent. Discard in safe place.

For Manufacturing Process Use Only

CRYSTICIDE P-47 PRESERVATIVE

ACTIVE INGREDIENTS

Sodium 2, 4, 5 - Trichlorophenate 46%

INERT INGREDIENTS..... 54%

100%

This Product Contains 4.45 lbs. Minimum Active Ingredient Per Gallon

DANGER—CORROSIVE—KEEP OUT OF THE REACH OF CHILDREN

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water. For eyes, call a physician. Remove and wash contaminated clothes before reuse.

If swallowed, drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water.

Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN

If swallowed, probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

General: Recommend metered pumping directly into gudgeons or feed tank; also, dilution before introduction into process.

Hide Soaking: Add diluted to vats, drums or hide processors, using 10 weight ounces of liquid preservative per 1000 lbs. of hides or 500 gallons of water.

Pickling: Add diluted to vats, drums or hide processors, using one pound of liquid preservative per 1000 lbs. of original hides put into process. Add 30 minutes before end of pickling operation.

Chrome Tannage: Add diluted to vats, drums or hide processors at the end of chrome tannage during neutralization, using 10 weight ounces of liquid preservative per 1000 lbs. of original hides put into process. For export chrome stock, increase dosage as needed up to 1½ pounds liquid per 1000 lbs. of original hides.

Color and Fatliquoring: Add diluted to drums or Concentrics during fatliquoring step, using 5 ounces of liquid preservative per 1000 lbs. of wet blue stock.

PACKED FOR

CRYSTAL EXTRACT & CHEMICAL COMPANY,

INCORPORATED

MILWAUKEE, WISCONSIN

NEWARK, NEW JERSEY

ESTABLISHMENT NO. 2391