

EPA Establishment No. 06381M001

GENERAL DIRECTIONS

- Before beginning chemical treatment, a thorough mechanical cleaning to remove 1. -lime and inorganic debris is recommended. Badly fouled systems must be leaned before treatment is begun.
- 2. Apply an initial charge of 6 to 12 ounces by weight for each 1000 gallons of water in the system. Repeat dosage until control is evident. When control is evident, add 3 to 6 ounces every week or as needed to maintain control. Apply Slime-X at a point in the system where it will be uniformly mixed.
- 3. An occasional "shock" application of twice the normal maintenance dose will help prevent organisms from developing a tolerance for the treatment.
- 4. Intermittent or periodic applications, without continuous maintenance of a high treatment concentration in the circulating water, will successfully control bacterial slime and algae in many systems. But the best control program is one which is fitted to individual conditions. The frequency of treatment will vary with conditions of temperature, organic and inorganic content of the water, and kind of microbial content present.

This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DANGER: Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful or fatal if swallowed, inhaled or abrorbed through skin. Do not breathe dust.

Aid: In case of eye contact, flush eyes immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash with soap and plenty of water. Wash contaminated clothing before reuse. If swallowed, induce vomiting by sticking finger down the throat or by giving an emetic such as two tablespoons full of salt in a glass of warm water. Call a physician.

Do not reuse empty container. Destroy it by perforating or crushing and discard in a safe place.

Note to Physician: This product is a metabolic stimulant, causes hyperthermia. Treat symptomatically.

Sodium Pentachlorophenate 79% Sodium Salts of other INERT INGREDIENTS10%

The GARMAN Co., Inc., ST. LOUIS, MO. 63125 U.S.A,

ACCEPTED

NET WT. 30 LBS.

EPA Reg. No. 6381-5