Net Contents:

Lot #

VIKOL #AF-25

DURABLE BACTERIOSTATIC AND FUNGISTATIC AGENT FOR THE TEXTILE INDUSTRY

FOR MANUFACTURING USE ONLY

Active Ingredient:

Bis (tri-n-butyltin) oxide

25%

Inert Ingredients:

75%

1-7-74.

VIKON CHEMICAL COMPANY, INC.

P. O. BOX 1520 BURLINGTON, NORTH CAROLINA 27215 4312-11

WARNING:

KEEP OUT OF REACH OF CHILDREN.

May Be Fatal If Swallowed. May Be Absorded Through The Skin. Causes Skin Irritation.

Do not get on skin, in eyes or on clothing In case of contact remove contaminated clothing and immediately wash skin with soap and water. If irritation persists get medical attention. In case of contact with eyes immediately flush with water and get medical attention. Wash contaminated clothing before reuse.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and bigging in a safe place

Directions:

Apply to leave 0.1-0.2% of VIKOL* = AF-25 on the weight of the fiber by padding or by exhaustion. For further details see our Technical Bulletin # 100-63

EPA Reg. No. 6390-11
EPA Establishment No. 6390-N^ ?

Lot #

VIKOL #PX-15

DURABLE BACTERIOSTATIC AND FUNGISTATIC AGENT FOR THE TEXTILE INDUSTRY FOR MANUFACTURING USE ONLY

Active Ingredient:

Bis (tri-n-butyltin) oxide

15.0%

Inert Ingredients:

85.0%

1-7-76

VIKON CHEMICAL COMPANY, INC.

P. O. BOX 1520 BURLINGTON, NORTH CAROLINA 27215

6376-15

WARNING:

KEEP OUT OF REACH OF CHILDREN.

May Be Fatal If Swallowed. May Be Absorded Through The Skin. Causes Skin Irritation.

Do not get on skin, in eyes or on clothing In case of contact remove contaminated clothing and immediately wash skin with soap and water. If irritation persists get medical attention. In case of contact with eyes immediately flush with water and get medical attention. Wash contaminated clothing before reuse

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place

Directions:

Add 0.33% of VIKOL* == PX-15 on the weight of the total vinyl mix before blending. For further details consult our Technical Representative.

EPA Reg. No. 6390-15
EPA Establishment No. 6390-NC-2