

Net Contents:

Lot No.

VIKON CHEMICAL COMPANY, INC.

P. O. BOX 277

ELON COLLEGE, NORTH CAROLINA 27244

VIKOL[®] TBS-98

ACCEPTED
Nov-23-1970
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 6390-29

BACTERIOSTAT FOR PLASTICS

Active Ingredient:

3, 4', 5-tribromosalicylanilide	97%
3, 5-dibromosalicylanilide	2%

Inert Ingredients:

1%

USE:

Incorporate 0.2% VIKOL[®] TBS-98 on total weight of resin. See Technical Bulletin No. 821.

USDA Reg. No. 6390-29

WARNING:

Avoid contact with eyes. Causes eye irritation. Avoid contamination of food. May be fatal if swallowed.

Keep out of the reach of children.

ACE-M-ALL SANITIZER

A BACTERICIDE — DISINFECTANT

TABLE OF DOSAGE

Parts per Million of Chlorine	Ounces per Gallon of Water	Level Table-spoon per Gallon of Water
50	1/4	1/2
100	1/2	1
200	1	2
500	2	5
1000	4	10

**KEEP CONTAINER CLOSED
STORE IN COOL, DRY PLACE**

Active Ingredients:

Sodium Hypochlorite	Over 3.25%
Sodium Phosphate Expressed as $Na_3PO_4 \cdot 12H_2O$	Over 91.75%

Inert Ingredients:

Sodium Chloride	Under 5.00%
Total	100.00%

ACCEPTED
JUL 15 1968
OFFICE OF THE FEDERAL INSPECTOR
FOR ECONOMIC PROTECTION
REGISTERED UNDER NO. 6481-1
SUBJECT TO ATTACHED COMMENTS.

USDA REG. NO. 6481-1

LBS. NET

ACE CHEMICAL PRODUCTS, INC.

622 W. OREGON STREET MILWAUKEE, WIS. 53204
Phone 272-3087

WARNING - - Harmful if swallowed. May cause burns or damage to the eyes. Do not get on skin or in eyes. If contact with eyes occurs flush with plenty of water for 15 minutes and get medical attention. If contact with skin occurs flush with water. Avoid contamination of food and avoid inhalation of dust.

DANGER: KEEP OUT OF REACH OF CHILDREN

DIRECTI

1. All equipment should be cleaned and rinsed, after use and then disinfected with this sanitizer. Use 1 ounce per gallon solution for all equipment used or at the farm.
2. When used as a milking machine sanitizer, use 1 ounce per 3 1/2 gallons of water frequently to maintain 50 ppm. If facilities are not available, use 1 ounce per 5 gallons of water for at least 10 minutes.
3. When used as a disinfectant in food and beverage preparation, use 1 ounce per 10 gallons of water and apply in solution on all surfaces and equipment.
4. For domestic use, use 1 ounce per gallon solution for glasses, dishes, and other surfaces such as sink and toilet. Use 1 ounce per 5 gallons solution of 1 ounce per gallon.
5. Rinse thoroughly with water.