

6401 14 179 15 12/1/51 13 9

ENVIRONMENTAL HAZARDS

" This pesticide is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area."

"This pesticide is highly toxic to birds, fish, and wildlife including waterfowl. Birds and waterfowl feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product in Nassau County, New York between November 1 and May 20. Do not exceed maximum permitted label rates. Rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping of sprays. Where irrigation (watering) is recommended apply a minimum of 0.25 inch of water immediately after application. Stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries (except for effluence from treated watercress beds). Do not apply to water that will be used for recreational purpose and human and livestock consumption. Shrimp and crab may be killed at applications rates recommended on this label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources.

CHEMICAL HAZARDS
Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.

STORAGE:Keep container closed. Store in original container inaccessible to children. Do not store near heat or open flame.

PESTICIDE DISPOSAL:Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:Do not reuse container. Rinse thoroughly before discarding in trash, recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedure approved by state and local authorities.

2

**PRECAUTIONARY
STATEMENTS
CAUTION
HAZARDOUS TO HUMANS
AND DOMESTIC ANIMALS**

Harmful if swallowed or inhaled. Contact with skin can cause toxic symptoms. Do not swallow or inhale. Avoid contact with skin, eyes, and clothing. Avoid contamination of feed and foodstuffs.

"May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result consult a physician".

"Causes substantial but temporary eye damage. Do not get into eyes or on clothing. Wear goggles or safety glasses".

"Use only in well-ventilated areas. If clothing is sprayed during application, remove clothing immediately after spraying and launder before wearing again."

"All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use."

"Do not allow children or pets to contact treated areas until spray has dried."

"Spray with the wind to your back. If clothing becomes wet from spray during use, remove clothing after spraying, wash affected body areas thoroughly with soap and water, and launder clothing before wearing again."

"Do not allow children or pets onto a treated area until the treated area such as grass or soil has dried."

KEEP CAP ON

FOR ROACHES, ANTS, FLEAS, WATER BUGS, SILVERFISH, SPIDERS, WASPS, CRICKETS, CARPET BEETLES, FLYING MOTHS, CHIGGERS AND BROWN DOG TICKS.

It is in violation of Federal Law to use this product in a manner inconsistent with its labeling.

DIRECTIONS FOR USE:

Spray infested surfaces only until slightly wet. Do not use excessive amounts, wipe spillage off asphalt tile immediately.

ROACHES, ANTS, WATERBUGS, SILVERFISH, SPIDERS, CRICKETS: Spray heavily in all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, and stoves. Use on other localized areas infested with these pests. Repeat treatment as required.

CARPET BEETLES: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks, or closets and infested areas of shelving. Repeat as necessary.

BROWN DOG TICKS: Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters and household pets and localized areas of floors and floor coverings. Applications should be repeated as infestations warrant and as re-infestation occur. Fresh bedding should be placed in animal quarters following treatment. Do not treat animal with this formulation.

FLEAS, CHIGGERS, ANTS and BROWN DOG TICKS, OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there is no vegetation, spray infested area thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as re-infestations occur. Wasp and flying moths, outdoors: Spray screens, doors, window frames and surfaces around light fixtures.

NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and/or handling of this material when such use and/or handling is contrary to label information.



REG. U. S. PAT. OFF.

Active Ingredients

DIAZINON (O-Diethyl O-(2-isopropyl-6-r. ethyl-4-pyrimidinyl) phosphorothioate)	0.500%
N-octyl bicyclohexane bicarbamate (imidate)	0.166%

Contains 0.102% (butylcarbitol) (8-propylpiperonyl) CONTAINS PESTICIDE DISTILLATE

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICE

IF SWALLOWED — Call a physician or Poison Control Center. Drink glasses of water and induce vomiting. If possible, vomit into a container. DO NOT induce vomiting in an unconscious person.

IF INHALED — Remove victim to fresh air.

IF ON SKIN — Remove contaminated clothing. Wash with water.

IF IN EYES — Flush eyes with plenty of water.

SEE SIDE PANEL FOR ADDITIONAL INFORMATION

Manufactured by

U. S. MARK

408 WEST EL SEGUNDO BLVD.

EPH. EST. NO. 6409-CA-0

NET CONTENTS: 1 U.S. GALLON

Not Reviewed.

Reregistration of

Response. Page

BEST AVAILABLE COPY