[6414-3]

DIRECTIONS FOR LSE

+261 833

ITAEII)

Remove pets, birds and cover fish aquariums be-" fore spraying.

For most effective results against the active stages of flying, running and crawling insects, use in a good sprayer adjusted to deliver a fine mist.

Treat infested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying.

FLYING INSECTS: For control of <u>flies</u>, including fruit flies, mosquitoes, gnats, sand flies, wasps and hornets, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to each 1,000 cubic feet of space.

CRAWLING INSECTS: To control roaches, silverfish, crickets, and spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

In controlling fleas and Brown Dog ticks in houses, direct the application toward the Tower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints

BRAND

PYRENONE (R) **GENERAL PURPOSE** HOUSEHOLD SPRAY EPA Reg. No. 6414-3

Effective, Fast Acting Insecticide. For Use in Homes, Institutions, Restaurants, and Food Processing Plants. stages of: rpet Beetles

Kills	on contact expo	sed or accessib	le st
Roaches	Flour Beetles	Wasps	Car
Silverfish	Mosquitoes	Hornets	Fle
Crickets	Skippers	Sand Flies	Bro
Spiders	Grain Moths	Clothes Moth	s i
Ants	Gnats	Bedbugs	Cad
Weevils	Grain Beetles	Meal Moths	Spi
Flies	Meal Worms	Grain Mites	Che

ACTIVE INGREDIENTS:

Pyrethrins 0.1 % Piperonyl Butoxide, Technical* 0.5 % Petroleum Distillate 99.4 % *Equivalent to 0.4% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.1% of related compounds.

KEEP OUT OF REACH OF CHILDREN

"See other precaution on the back/side panel"

MANUFACTURED BY



BAIN pest control service



as. own Dog Ticks in Buildings delles oider Beetles

eese Mites 100 %

and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth-tight containers.

In home and institutional food storage area, to control granary weevil, rice weevil, rust red flour beetle, saw-toothed grain beetle, cigarette bestle and drug store beetle; Remove and destroy any infected food products before treatment. Spray thoroughly all surfaces of shelves, bins, cabinets and similar storage areas with parti- lar attention to cracks, crevices and other hiding places.

Pyrenone General Purpose Household Spray is an excellent insecticide for use as a vapor, fog or mist spray in special generators. Regulate dosage in accordance with equipment manufacturers' directions for the particular type of applicator employed. Application should be sufficient to fill the enclosure with the fog, mist or vapor.

CAUTION **KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed.

Avoid contamination of feed and foodstuffs.

Do not remain in treated areas and ventilate the area after treatment is completed.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Do not reuse empty containers. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

Reg. U. S. Pat. Office - FMC Corporation

NET CONTENTS - 1 QUART 347 CENTRAL ST. ACCEPTED 3-15-74 UNDER THE FEDERAL INJECTICIDE

FUNGINDE AND R D NTICHE ACT FOR ECONOMIC DESDI REGISTER-