

## **FEATURES:**

MC-20 has been designed as a multi-purpose, multi-action product-detergent, sanitizer, deodorant, and disinfectant. MC-20 is highly effective against antibiotic-resistant Staphylococcus aureus and S. typhosa. Users of MC-20 can be assured of effective cleaning and disinfecting qualities when MC-20 is used as directed. When MC-20 is regularly used, it destroys odors and prevents the formation of new odors. Ineffective against PS, aeruginosa at a 1-64 dilution.

## WHERE TO USE:

MC-20 should be used at regular intervals to thoroughly clean, deodorize, sanitize, and disinfect floors, lavatories, urinals, walls, telephones, furniture, garbage pails, refrigerators, diaper pails, shower stalls, locker benches, venetian blinds, and other similar articles and areas that require general cleaning.

DETERGENT

SANITIZER

DEODORANT / DISINFECTANT

100.0%

\* .

ACTIVE INGREDIENTS:	
n-Alkyl (60%C14, 30%C16, 5%C12, 5%C18)	
Dimethyl Benzyl Ammonium Chloride	3.1%
Sodium Carbonate	3-1%
INERT INGREDIENTS	93.8%

PHENOL COEFFICIENTS: S. Typhosa 13

Staphylococcus Aureus 22

Use 3 ounces MC-20 per gallon of water for disinfecting hard surfaces. Where infectious disease germs may have been present, a second rinse after cleaning, using 4 ounces MC-20 per gallon of water, is suggested. FOR DEODORIZING use 2 ounces MC-20 per gallon of water, and thoroughly clean all surfaces. FOR GENERAL CLEAN-ING AND SANITIZING OF HARD SURFACES use 1 ounce MC-20 per galion of water. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

# DANGER

- (I) KEEP OUT OF REACH OF CHILDREN
- (II) SEE OTHER WARNING ON RIGHT SIDE OF PANEL

#### **DANGER:**

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

\* ....

## FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatine solution or if these are not available, drink large quantities of water, Avoid alcohol, Call a physician immediately.

### NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

MAGEE CHEMICAL COMPANY


415 W. TOUHY AVENUE

**DES PLAINES, ILLINOIS 60018** 

MC-156

(Suburb of Chicago)

USDA Reg. No. 6418-1




## **FEATURES:**

MC-20 has been designed as a multi-purpose, multi-action product-detergent, sanitizer, deodorant, and disinfectant. MC-20 is highly effective against antibiotic-resistant Staphylococcus aureus and S. typhosa. Users of MC-20 can be assured of effective cleaning and disinfecting qualities when MC-20 is used as directed. When MC-20 is regularly used, it destroys odors and prevents the formation of new odors. Ineffective against PS. aeruginosa at a 1-64 dilution.

#### WHERE TO USE:

MC-20 should be used at regular intervals to thoroughly clean, deodorize, sanitize, and disinfect floors, lavatories urinals, walls, telephones, furniture, garbage pails, refrigerators, diaper pails, shower stalls, locker benches, venetian blinds, and other similar articles and areas that require general cleaning.



Staphylococcus Aureus 22
Use 3 ounces MC-20 per gallon of water for disinfecting hard surfaces. Where infectious disease germs may have been present, a second rinse after cleaning, using 4 ounces MC-20 per gallon of water, is suggested. FOR

been present, a second rinse after cleaning, using 4 ounces MC-20 per gallon of water, is suggested. FOR DEODORIZING use 2 ounces MC-20 per gallon of water, and thoroughly clean all surfaces. FOR GENERAL CLEANING AND SANITIZING OF HARD SURFACES use 1 ounce MC-20 per gallon of water. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

## **DANGER**

- (I) KEEP OUT OF REACH OF CHILDREN
- (II) SEE OTHER WARNING ON RIGHT SIDE OF PANEL

## **DANGER:**

Keep Out of Reach of Children. Corrosiva. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### FIRST AID:

In case of contact, immediately flush eyes or skin with pienty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk eggi whites, gelatine solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## NOTE TO PHYSICIAN:

Probable mulosal damage may contraindicate the use of jastric lavage. Measures against circulatory crock, respiratory depression and convulsion may be needed.

MAGEE CHEMICAL COMPANY

415 W. TOUHY AVENUE

DES PLAINES, ILLINOIS 60018

MC-156

(Suburb of Chicago)

USDA Reg. No. 6418-1