
FEATURES:

MC 20 has been designed as a multi-purpose, multi-action product-detergent, samitizer, deodorant, and disinfectant. MC-20 is highly effective against antiobiotic resistant Staphylococcus aureus and Sityphosa. Users of MC-20 can be assumed of effective cleaning and disinfecting qualities when MC-20 is used as directed. When MC-20 is regularly used, it destroys odors and prevents the formation of new odors. Ineffective against PS, aeruginosa at a 1-64 dilu-1000

WHERE TO USE:

MC-20 should be used at regular intervals to thoroughly clean, condonize, samitize, and disinfect floors, lavatories, urinals, walls, telephones, urniture, garbage pails, refingerators, diaper pails, shower stalls, tocker benones iveretian clinds, and other similar articles and areas that require general cleaning.



MC-20 WITH MINT ODOR

DETERGENT SANITIZER

DEODORANT

DISINFECTANT

ACTIVE INGREDIENTS n-Alkyl (60%C14, 30% C16, 5% C12, 5% C18) INERT INGREDIENTS 93.8% 100.0%

PHENOL COEFFICIENTS: S. Typhosa 13 Staphylococcus Aureus 22

Use 3 ounces MC-20 per gallon of water for disinfecting hard surfaces. Where infectious disease germs may have been present, a second rinse after cleaning, using 4 ounces MC 20 per gallon of water, is suggested. FOR DEODORIZING use 2 ounces MC 20 per gallon of water, and thoroughly clean all surfaces, FOR GENERAL CLEANING AND SAN ITIZING OF HARD SURFACES use 1 ounce MC 20 per gallon of water. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

DANGER

(I) KEEP OUT OF REACH OF CHILDREN (II) SEE OTHER WARNING ON RIGHT SIDE OF PANEL

MAGEE CHEMICAL COMPANY

315 W TOURLY AVENUE

DESPEAINES HULLNOIS 60018

DANGER Keep Out o tion. Do no and rubber tamination of

FIRST AL In case of c Jeast 15 mil clothing bef egg whites, c of water. Av

NOTE TO Probable mu ures against 110000 1000



MC-20 with mint odor

DETERGENT

SANITIZER

DEODORANT

DISINFECTANT

FEATURES:

MC-20 has been designed as a multi-purpose, multi-action product-detergent, sanitizer, deodorant, and disinfectant. MC-20 is highly effective against antiobiotic-resistant Staphylococcus aureus and S. typhosa. Users of MC-20 can be assured of effective cleaning and disinfecting qualities when MC-20 is used as directed. When MC-20 is regularly used, it destroys odors and prevents the formation of new odors. Ineffective against PS. aeruginosa at a 1-64 dilution.

WHERE TO USE:

MC-20 should be used at regular intervals to thoroughly clean, deodorize, sanitize, and disinfect floors, lavatories, urinals, walls, telephones, furniture, garbage pails, refrigerators, diaper pails, shower stalls, locker benches, venetian blinds, and other similar articles and areas that require general cleaning.

PHENOL COEFFICIENTS: S. Typhosa 13 Staphylococcus Aureus 22

Use 3 ounces MC-20 per gallon of water for disinfecting hard surfaces. Where infectious disease germs may have been present, a second rinse after cleaning, using 4 ounces MC-20 per gallon of water, is suggested. FOR DEODORIZING use 2 ounces MC-20 per gallon of water, and thoroughly clean all surfaces. FOR GENERAL CLEANING AND SANITIZING OF HARD SURFACES use 1 ounce MC-20 per gallon of water. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT.

DANGER

(I) KEEP OUT OF REACH OF CHILDREN

(II) SEE OTHER WARNING ON RIGHT SIDE OF PANEL

DANGER: Keep Out of tion. Do not and rubber of tamination of

In case of colleast 15 min

clothing beforeg whites, g of water. Av

NOTE TO Probable mu ures against

needed.



415 W. TOUHY AVENUE

DES PLAINES, ILLINOIS 60018



MC-157

DANGER:

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goygles or face shield and rubber gloves vises handling. Harmful or fatal if swallowed. Avoid contamination of food

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatine solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.



EPA Reg. No. 6418-10

