

Cross-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. MC-256 is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-contamination from environmental surfaces.

When used as directed, MC-256 will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and will inhibit the growth of mold and mildew and their odors when used as directed.

This product is economical to use because it is highly concentrated and should be handled with care.

#### Precautionary Statements

Hazards to Humans and domestic animals

### DANGER

Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

#### STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

#### PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

#### CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

#### GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

## MC-256

Highly Concentrated  
Germicide Based on a Unique Blend  
of Quaternaries with Organic  
Soil Load Tolerance

Disinfectant-Cleaner-Sanitizer  
Fungicide-Mildewstat-Virucide\*  
— Deodorizer for Hospitals  
Institutional and Industrial Use

#### Active Ingredients

Octyl Decyl Dimethyl Ammonium Chloride	3.750%
Dioctyl Dimethyl Ammonium Chloride	1.875%
Didecyl Dimethyl Ammonium Chloride	1.875%
Alkyl (C <sub>12</sub> , 50%; C <sub>14</sub> , 40%; C <sub>16</sub> , 10%)	
Dimethyl Benzyl Ammonium Chloride	5.000%

#### Inert Ingredients

87.500%  
100.000%

### KEEP OUT OF REACH OF CHILDREN DANGER

#### Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

#### SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No. 6418-14

EPA Establishment No. 6418-IL-1

Net Contents: 1 gallon

MANUFACTURED BY:

MAGEE INDUSTRIES INC., 415 W. Touhy Ave., Des Plaines, IL 60018

For Sale For Use And Storage By Maintenance Personnel Only

It is a violation of  
MC-256 is a p  
presence of mo  
Apply MC-256 to  
chairs, counter  
as to thorough  
Prepare a fresh  
Chlorination—t  
surfaces must  
fungicidal.

Sanitizing—To  
gallon of water  
1/2 oz. per gallo  
presence of 5"  
Dilution test

Pseudomonas  
Staphylococcus  
Salmonella  
Escherichia  
Klebsiella  
Enterobacter  
Salmonella  
Streptococcus  
Shigella  
Brenbacteria

AOAC Fungicide  
MC-256 is effe  
used on surfa  
dressing room

Mildewstat  
mold and milc  
(as indicated)  
growth return

Virucidal Part  
At 1/2 oz. pe  
found to be e  
family that c  
and Influenza

Sanitizing—No  
gallon use-le  
up to 600 ppi  
presence of