

ACCEPTED

DEC 6 1974

UNDER THE FADELAL INSTULICIDE FUNGICIDE AND AUDENTICIDE ACT FOR ECONOMIC POISON REGISTER ED UNDER NO. 669

for Professional

CARPET CLEANING AND SANITIZING


for hospital use on synthetic carpets

DANGER

KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and Other Precautions on Left Side Panel.

Active Ingredients	24.18%
-Sodium Lauryl Sulfate	11.2
rtsopropyl Alcohol	7.98
4-Chloro-2-Cyclopentylphenol	2.774
o-Phenylphenol	1.560
4-Chloro-2-Phenylphenol	0.333
6-Chloro-2-Phenylphenol	0.333
Inert Ingredients	75.82%
Contents 1 gal. 3.78 Liters	E.P.A. Reg. No. 6469-4



DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food

First Aid

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physici Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, geiatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

Note to Physician

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse Empty Container Thoroughly with Water and Detergent and Discard It.

E.P.A. Est. 6469

Litho U.S.A.

CHEMICAL & EQUIPMENT CO. 5366 ST. CLAIR AVENUE, CLEVELAND, OHIO 44103

PHONE: (216) 361-7811

DIRECTIONS

Certi-Foam "S" should be diluted with no more than 3 parts of water to provide sanitizing action and aid in reduction of the number of bacteria.

Prepare rug for shampooing by pile brushing and/or vacuuming. Remove all spots prior to shampooing.

Note: For proper use, 1 gallon of diluted 8:1 stock solution should be applied so that it covers 80 to 100 square feet of carpet. To promote even, thorough, streak-free cleaning, use a circular scrubbing action about 1 and ½ times the diameter of the brush on the shampooer and feed the solution as needed to produce an even film of suds.

FOR HOSPITAL USE — Follow rotary shampooing with a wet vaccum pick up.

Use Hand Nap Brush to lay the nap in the same direction.