

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WATER PURIFICATION FOR FARM, INSTITUTION, CAMPS AND HOME WATER SUPPLIES — To disinfect water from unprotected supplies, such as, wells, springs, and lakes, add 1/8 ounce Climaco SX-5 to each 150 gallons of water or three drops to each gallon, let stand for 15 to 30 minutes. This is a strength of about 1 PPM available chlorine.

AUTOMATIC CHLORINATORS — The use of Climaco SX-5 in the new automatic water supply chlorinators will insure non-clogging trouble free operation and absolutely uniform purity of the water.

SWIMMING POOLS — Private pools without chlorinating devices should have 2 oz. Climaco SX-5 per each 1000 gallons of water per day added in the evening. For disinfecting and algae control, maintain residual chlorine from 0.6 to 1.0 PPM.

DAIRY USES — All utensils and equipment must be physically clean before applying Climaco SX-5 solutions.

FARM DAIRY UTENSILS — Just before using, rinse all utensils including can covers with 200 PPM solution.

MILK PLANT EQUIPMENT — Flow Method: Pump 100 PPM solution from weigh vat through to filler, draining solution through valves. Maintain solution above .50 PPM. Spray Method: Spray surfaces with 200 PPM solution.

CLEAN-IN-PLACE MILK LINES — Circulate 100 PPM solution for at least 5 minutes through properly cleaned lines in the morning before use. Use enough solution to completely fill all pipe lines in the system.

CONTENTS ONE U. S. GALLON

climaco®

INDUSTRIAL-CHEMICALS

SX-5

CONCENTRATED

LIQUID-BACTERICIDE

DISINFECTANT and SANITIZER

ACTIVE INGREDIENTS: SODIUM HYPOCHLORITE 10%

INERT INGREDIENTS: 90%

CAUTION

FIRST AID • EXTERNAL — Flood with water, then wash with vinegar. **EYES** — Flood with water, call physician. **INTERNAL** — Drink mucilage, raw egg-white, milk, or rice gruel; follow with emetic (tablespoonful of mustard in a tumbler of warm water); call physician.

KEEP OUT OF REACH OF CHILDREN

SEE ADDITIONAL PRECAUTIONS ON SIDE PANEL

ACCEPTED
6545-1
JUN 15 1976
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO.

IMPORTANT

This bactericide, like all good chemical sanitizing agents, can be completely effective only when the utensils or equipment on which it is used is physically clean.

To prepare a sanitizing solution containing 200 parts per million available chlorine add 1 oz. Climaco SX-5 to each 4 gallons of water; mix well. This strength solution is recommended by many Health Departments for sanitizing thoroughly cleansed surfaces.

TABLE OF AVAILABLE CHLORINE

FOR PPM	SX-5	PLUS WATER
1000 ppm	— 5 oz. to	4 Gals. Water
500 ppm	— 5 oz. to	8 Gals. Water
200 ppm	— 1 oz. to	4 Gals. Water
100 ppm	— 1 oz. to	8 Gals. Water
50 ppm	— 1 oz. to	16 Gals. Water
10 ppm	— 1 oz. to	80 Gals. Water
5 ppm	— 1 qt. to	160 Gals. Water

Degrades with age. Use a test kit and increase dosage as necessary to obtain required level of available chlorine.

CAUTION

HARMFUL IF SWALLOWED. DO NOT BREATHE VAPORS OR FUMES. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

CLIMACO CORPORATION
CANTON, OHIO 44707

EPA Reg.
No. 6545-1

EPA
No. 1155 11-1