

Perf

DIRECTIONS FOR SANITIZING GLASSES - DISHES - KITCHEN AFTER CLEANING

Use ½ oz. of GERM-X to each 6 gallons of water (100 parts per million) and immersion time of utensils should be a minimum of 2 minutes.

Silverware should be sanitized in a metal sink or container; do not allow to soak.

Care should be exerted to change water periodically so that concentration of available chlorine does not fall below 50 PPM or else a starting solution of at least 200 PPM should be employed. Follow recommendations of local health departments.

PLEX CHEMICAL CORPORATION
Union City, California 94587

GERM-X

BACTERICIDE DISINFECTANT
GERMICIDE • DEODORANT

Active Ingredient:

Sodium Dichloro-s-
triazinetriene 26.6%

Inert Ingredients 73.4%

Available Chlorine - 16%

CAUTION

KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY
PERF PRODUCTS
UNION CITY CALIF 94587

DAIRY PROCESSING AND BEVERAGE AND FOOD EQUIPMENT SANITIZING AFTER CLEANING

Sanitizing should be done immediately before using equipment.

Use ½ oz. of GERM-X to 6 gallons of water (100 parts per million of available chlorine) for immersion or CIRCULATION SANITIZING. DOUBLE concentration for SPRAY SYSTEM.

Avoid contamination of foodstuffs. The undiluted sanitizer is a strong disinfectant and may cause irritation or be harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention.

500
Net Weight - 4 Lbs.

USDA REG. NO. 6550-5

8/68

ACCEPTED WITH COMMENTS

DIRECTIONS FOR CLEANING MILKING EQUIPMENT AND UTENSILS

Immediately after use, thoroughly flush all utensils and milking machines with cool water. Immerse milking machine parts, air hoses, inflations, pails and utensils in a solution of 1 oz. IOZELL to each 5 Gallons of warm water in wash tank. Brush parts and rinse with warm water. Follow directions for sanitizing immediately before next use. Regular use of IOZELL will prevent the formation of Milkstone.

CAUTION

Avoid contamination of foodstuffs. The undiluted sanitizer is a strong disinfectant and may cause irritation or be harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention.

U S D. A. Reg. No. 6550-12



Z. NET CONTENTS ONE GALLON

V. S.

IOZELL

AN IODINE DETERGENT · GERMICIDE

UDDER WASH

Cleaner — Sanitizer — Milkstone Preventive

ACTIVE INGREDIENTS:

Nonylphenoxypoly(ethyleneoxy)ethanol-iodine complex	26.5%
(1.75% available iodine)	
Glycolic Acid	12.5%
INERT INGREDIENTS	61.0%
TOTAL	100.0%

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Cautions

ZELL VETERINARY SUPPLY

118 North First St. Mt. Vernon, Washington

NET CONTENTS FIVE GALLONS

DIRECTIONS

FOR UDDER
Use a clean brush in a solution of warm water available in wash tank.

FOR FARM
Brush or wash with a solution of warm water. Must be at least 100°F.

FOR MILK
Use 1 oz. (90 F) water. Wash utensils and milkers for not less than 10 minutes. Immerse pails.

Perf

DIRECTIONS FOR SANITIZING GLASSES - DISHES - KITCHEN AFTER CLEANING

Use 1/2 oz. of GERM-X to each 6 gallons of water (100 parts per million) and immersion time of utensils should be a minimum of 2 minutes.

Silverware should be sanitized in a metal sink or container; do not allow to soak.

Care should be exerted to change water periodically so that concentration of available chlorine does not fall below 50 PPM or else a starting solution of at least 200 PPM should be employed. Follow recommendations of local health departments.

PLEX CHEMICAL CORPORATION
Union City, California 94587

GERM-X

BACTERICIDE DISINFECTANT
GERMICIDE • DEODORANT

Active Ingredient:

Sodium Dichloro-s-
triazine-trione 26.6%

Inert Ingredients 73.4%

Available Chlorine - 16%

DAIRY PROCESSING AND BEVERAGE AND FOOD EQUIPMENT SANITIZING AFTER CLEANING

Sanitizing should be done immediately before using equipment.

Use 1/2 oz. of GERM-X to 6 gallons of water (100 parts per million of available chlorine) for immersion or CIRCULATION SANITIZING. DOUBLE concentration for SPRAY SYSTEM.

Avoid contamination of foodstuffs. The undiluted sanitizer is a strong disinfectant and may cause irritation or be harmful if swallowed. Avoid contact with skin and eyes. In case of contact, flush with plenty of water. If irritation persists, get medical attention.

500

Net Weight - 4 Lbs.

CAUTION

KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY
PERF PRODUCTS
UNION CITY, CALIF. 94587

ACCEPTED
10-9-68

6550-5

(1/1/68)