



# Quatabs

## SANITIZING TABLETS

### 100 TABLETS

Net Weight 8 Oz.

**CAUTION:**  
Keep out of the reach  
of children  
See right side panel for  
additional cautions →



When diluted as directed these tablets fulfill the criteria of Appendix F as revised March 12, 1953, of the Milk Ordinance and Code, 1953 recommendations of the U. S. Public Health Service as being effective in waters up to 750 ppm of hardness.

USDA Reg. No. 6530-6

### CAUTION

Do not use with soap or synthetic detergent. Do not take internally. Avoid contamination of food. Objects to be treated must be thoroughly cleaned and rinsed. Solution must wet all infected surfaces. Harmful if swallowed. Avoid contact with skin and eyes. In case of contact flush with plenty of water.

#### ACTIVE INGREDIENTS

n-Alkyl (C <sub>12</sub> -98% and C <sub>14</sub> -2%)	
Dimethyl (1-Naphthylmethyl)	
Ammonium Chloride	50.0%
Ethylene diamine tetra-	
acetic acid	9.0%
<b>INERT INGREDIENTS</b>	<b>41.0%</b>
	<b>100.0%</b>

### DIRECTIONS

For Sanitizing Eating and Cooking Utensils in Restaurants, Soda Fountains, Taverns, etc., thoroughly clean dishes, glasses and flatware in a suitable detergent solution. Rinse thoroughly. Dip in solution containing 1 Quatab per 1 1/2 gallons of water for 1-2 minutes. Allow to air dry. Do not use towel. 2 Quatabs per 3 gallons of water makes a 200 ppm solution.

After sanitizing, rinse in potable water or as directed by local Health Department.

For General Sanitizing of Equipment, Restrooms, Hospital Rooms, Floors, Refrigerators, Cabinets, etc., thoroughly clean and rinse surface to be treated. Apply freely solution of 2 Quatabs per gallon of water.

To make solution dissolve tablet in hot water, stir well and do not use until solution is complete.

ACCEPTED  
JUN 1 1954  
6530-6

Cameraman's Note  
Poor Copy