

**ACTIVE INGREDIENTS:**

Toxaphene (Technical Chlorinated Camphene containing 67 to 69% Chlorine)	45.00%
Gamma Isomer of Benzene Hexachloride from Lindane	1.06%
Kerosene (deodorized)	38.04%
Xylene Range Solvent	5.00%
<b>INERT INGREDIENTS:</b>	<b>10.00%</b>
<b>Total</b>	<b>100.00%</b>

**DIRECTIONS FOR USE**

**Dilute With Fuel Oil For Backrubbers**

**BACKRUBBERS:** Beef Cattle and Swine: For both fly control and as an aid in the reduction of lice, dilute 1 pint with 1 1/2 gallon of fuel oil. Apply the diluted material to saturate the backrubber mechanism. Recharge the backrubber every two weeks or as necessary for control. Locate backrubber to give beef cattle or hogs free access to it. **FACE FLIES:** To aid in the reduction of face flies on beef cattle, one end of the backrubber should be no more than 15-20 inches above the ground. Charge as for backrubber. **DO NOT** allow dairy animals or calves under 6 months of age or swine under 3 months of age access to backrubbers. **DO NOT** permit meat animals access within 30 days of slaughter.

**Dilute With Water For Dip or Spray**

**HORSES AND BEEF CATTLE:** Horn flies, Lice, Ticks, Sarcopic and Psoroptic mange, mix 1 gallon with 150 gallons of water. Dip or spray. Hold each animal in dip vat at least two minutes and submerge at least twice. When spraying use two quarts per each mature animal, and proportionally less for smaller animals. Repeat at 14 day intervals or as needed for control. For mange repeat treatment at 7-10 day intervals for two or more applications. **DO NOT** use on dairy animals nor on calves under 6 months of age. **DO NOT** dip infested calves. Spray sparingly. **DO NOT** add infested animals to the herd. **DO NOT** spray meat animals within 30 days of dip within 60 days of slaughter. **DO NOT** use in milk rooms, or in dairy barns.

**HOGS:** Sarcopic and Psoroptic mange, Lice. Mix 1 gallon with 150 gallons of water. A single application will control lice. Repeat at 7-10 day intervals for mange for two or more applications as needed. Spray sows 2 weeks before farrowing and not for 3 weeks thereafter. **DO NOT** spray pigs under weaning age. **DO NOT** spray within 30 days of slaughter.

**SHEEP AND GOATS:** Lice and Sheep Ticks, Keds. Mix 1 gallon with 500 gallons water. Dip or Spray. Hold each animal in dip vat at least two minutes and submerge at least twice. For ticks spray early during warm weather after shearing or before wool is 2 inches long. Sarcopic and psoroptic mange, sheep scab, mix 1 gallon with 100 gallons water. Repeat treatment at 7-10 day intervals for two or more applications. **DO NOT** use on dairy goats or in dairy barns. **DO NOT** dip animals under 6 months of age. **DO NOT** spray animals under 3 months of age. **DO NOT** spray within 30 days of dip. **DO NOT** dip within 60 days of slaughter.

**UTILITY SPRAY:** Mosquitoes, Fleas, Goats. Mix 1 gallon with 40

Continued on other panel



# KAY DEE TOX II

(LIVESTOCK SPRAY CONCENTRATE)

For Use as a Dip or Spray to Aid in the Control of Horn Flies, Lice, Sarcopic and Psoroptic Mange, and Ticks.

NOT FOR USE OR STORAGE IN OR AROUND THE HOME

## WARNING

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Precautions

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

NET CONTENTS 1 GALLON

Manufactured For:

### KAY DEE VETERINARY

SIOUX CITY, IOWA 51107

yellow water. Make applications to walls, doors, ground areas of out buildings, sheds, barns, and manure piles. Repeat applications as needed for control. For flies, treat bedding and replace. **DO NOT** use in dairy barns, milk houses, or poultry houses. **DO NOT** use utility spray on animals or in dwellings.

### WARNING

**DO NOT** use in any form on dairy animals or on calves under 6 months of age. **DO NOT** use on newborn (very young) animals. **DO NOT** spray meat animals within 30 days of slaughter, or dip within 60 days of slaughter. **DO NOT** use in milk rooms. Avoid treating animals in cold, stormy weather. Avoid treating sick or over heated animals. Animals should be sprayed or dipped on a warm sunny day during winter months to give the animals time to dry before nightfall.

For control of horn flies and ticks on beef cattle, sarcopic mange on beef cattle, sheep, and hogs, and psoroptic mange on beef cattle and sheep, and to aid in the reduction of lice on beef cattle, sheep and hogs.

**SPRAYERS:** High pressure sprayers give better results if large numbers of animals are to be treated. Low pressure and hand spraying are satisfactory for small groups of animals if the spray solution is kept thoroughly mixed.

**DIPPING VATS:** Dipping vats are effective for treating large groups of animals in one location. Dipping is most effective against mange or scabies where complete coverage of the animal is essential. **DO NOT** dip meat animals within 60 days of slaughter.

### WARNING

May be fatal if swallowed. **DO NOT** use on dogs, cats or other household pets or humans not on poultry. Avoid contact with eyes, skin or clothing. **DO NOT** breathe spray mist. In case of contact wash thoroughly with soap and water. Wash thoroughly after using.

**ANTIDOTE:** One table-spoon of table salt in a glass of water and repeat until vomit is clear. **CALL A PHYSICIAN.**

**DO NOT** contaminate or store near feed or foodstuffs. **DO NOT** use or store near heat or open flame.

This product is toxic to fish and wildlife. Keep out of any body of water. **DO NOT** contaminate water by cleaning of equipment, or disposal of waste. Apply this product only as specified on this label. Birds feeding on treated areas may be killed. **DO NOT** apply when weather conditions favor drift from areas treated. **DO NOT** apply where runoff is likely to occur.

**DO NOT** reuse this container. Destroy by crushing or perforating and burying with waste in non-crop lands away from water supplies.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

EPA Reg. No. 63-225

1-5069A-E

1532-5  
 ACCY  
 Jul 26, 1972  
 UNIFORM  
 FUNGICIDE  
 FOR EC  
 ED UNDER  
 TO ATTACHED