 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460</p> <p><b>NOTICE OF PESTICIDE Registration</b></p> <p>(under FIFRA, as amended)</p>	EPA Reg. No.: <b>6552-14</b>	Date of issuance: <b>AUG 19 1999</b>
	Term of Issuance: <b>Unconditional Registration</b>	
	Name of Pesticide Product: <b>KayDee Rabon Block 10 With Rabon Oral Larvacide</b>	
Name and Address of Registrant (include ZIP Code): <b>Marvin DeVos KayDee Feed Company 1919 Grand Ave. Sioux City, Iowa 51107</b>		
<p><b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p>		

Based on your response to the Reregistration Eligibility Documents, EPA has reregistered the subject product. This action is taken under the authority of § 4 (g) (2) (c) of the Federal Insecticide, Fungicide and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of this product. With regards to labeling, you must make the labeling changes listed below.

1) Based on the Acute Toxicology profile for this product you must include a heading of "First Aid" or "Statements of Practical Treatment". The statements of first aid/ practical treatment should be placed directly below the header "Precautionary Statements". First Aid statements should read as follows:


#### FIRST AID

**"IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

**IF ON EYES:** Flush with plenty of water. Call a physician if irritation persists."

Your product is required to have a "Note to Physicians." This should be located directly below your "First Aid" Statement and should contain the following information:

Signature of Approving Official: 	Date: <b>AUG 19 1999</b>
---	-----------------------------

- Technical Information on symptomatology;
- Use of supportive treatments to maintain life functions;
- Medicine that will counteract the specific physiological effects of the pesticide;
- Company telephone number to specific medical personnel who can provide specialized medical advice;

2) The "HAZARDS TO HUMANS" statement must be modified to read as follows:

"Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction to some individuals.

Personal Protective Equipment (PPE)

- long-sleeved shirt and long pants
- shoes and socks
- chemical resistant gloves

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry."

3) The header "User Safety Recommendations" must be placed in a box. The recommendations should read as follows: "Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing."

4) This compound is toxic to fish, however, due to this formulation, it is not necessary to have the statement "Do not contaminate water when disposing of equipment rinse water".

Enclosed is a copy of your most recently submitted label stamped "Accepted with Comments." Please submit two (2) copies of your final printed label before you release the product for shipment. I'll be happy to answer any questions you may have regarding this issue.

Sincerely,



George LaRocca  
 Product Manager 13  
 Insecticide Branch  
 Registration Division (7505C)

enclosure  
 md:a:6552-14.wpd

Signature of Approving Official:	Date: AUG 19 1999
----------------------------------	----------------------



# RABON® BLOCK 10

With Rabon® Oral Larvacide

LOT NO. \_\_\_\_\_

For control of fecal flies in the manure of treated cattle. Prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

Active Ingredient	BY WEIGHT
Tetrachlorovinphos: 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	1.25%*
Inert Ingredients	98.75%**
Total	100.00%

\* Rabon Insecticide - Contains 5.625 g of Rabon per lb.  
\*\* Refers only to ingredients which aren't larvicidal.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

See side panel for additional precautionary statements

### GUARANTEED ANALYSIS

Calcium (Ca), not less than	10.0%
Calcium (Ca), not more than	12.0%
Phosphorus (P), not less than	10.0%
Salt (NaCl), not less than	9.0%
Salt (NaCl), not more than	10.8%
Magnesium (Mg), not less than	1.0%
Copper (Cu), not less than	100 ppm
Selenium (Se), not less than	6.2 ppm
Zinc (Zn), not less than	100 ppm
Vitamin A, not less than	300,000 IU/lb.
Vitamin D <sub>3</sub> , not less than	45,000 IU/lb.
Vitamin E, not less than	150 IU/lb.

### FEED INGREDIENTS

Dicalcium Phosphate, Cane Molasses, Salt, Processed Grain-By-Products, Dried Molasses, Iron Oxide, Bentonite, Sodium Selenite, Iron Carbonate, Zinc Oxide, Manganous Oxide, Copper Oxide, Cobalt Carbonate, Magnesium Oxide, Vitamin A Acetate, D-Activated Animal Sterol (source of Vitamin D3), Vitamin E Supplement, Lignin Sulfonate.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Provide 1 block per 10-15 head of cattle. Add an additional block when each block has been 1/2 consumed. Cattle should consume an average 6 oz. of the block per 100 pounds of body weight per month. This will supply the recommended average intake of 70 mg. RABON® Oral Larvacide per 100 pounds of body weight. Animals should not be starved for mineral before initiation of the Rabon® Block 10 program, but omit all salt from other feed after the program is started. Do not feed free choice sources of salt or mineral containing salt in any form. Place near watering and loafing areas. Protect from rain. If consumption of Rabon® Block 10 is above 6 oz. of the block per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 6 oz. of the block per 100 lbs. per month increase the number of feeding locations. Start feeding Rabon® Block 10 early in the spring

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

"This product may cause skin sensitization reactions in certain individuals."  
Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water. If irritation persists, see a physician. Wear long-sleeved shirt and pants; chemical resistant gloves; shoes and socks for protection when handling.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
**Storage:** Store in a dry place in original container.  
**Disposal:** Completely empty container into application (mixer/feeder) equipment. Then dispose of empty bag in a sanitary landfill or by incineration or if allowed, by state and local authorities by burning. If burned, stay out of smoke. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

before flies begin to appear, and continue feeding throughout the summer and into fall.

Rabon® Block 10 may be fed up to slaughter and to lactating dairy cows.

Rabon® Block 10 prevents the development of horn flies, face flies, house flies, and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure, but in other decaying vegetable matter or silage on the premises. In order to achieve optimum fly control the Rabon® Block 10 should be used in conjunction with other good management and sanitation practices.

**NET WEIGHT 50 POUNDS (22.68 kg)**

Manufactured for

**KAY DEE FEED COMPANY**

P.O. BOX 2334 SIOUX CITY, IOWA 51107-0334

EPA Reg. No. 6552-14-7696

3-97

EPA Est. No. 6552-1A-1

RBON10BL (1695)

**ACCEPTED**  
**with COMMENTS**  
**In EPA Letter Dated**

**AUG 19 1999**

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

6552-14