U.S. ENVIORMENTAL PROTECTION AGENCY . . . OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION TH 14" TERM OF SSUANCE -----HAME OF PESTICIDE PRODUCT MOTICE OF PESTICIDE STILL " 41 . Under the Federa wire te Final to and Rodenti ide 4 MAME AND ADDRESS OF REGISTRANT Include EIP unte NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any corresponding product always refer to the above U.S. EPA registration number. On the basis of information furnished by the registrant, the above named posticide is hereby Registered/Reregistered under the Federal Insecticide, Fungacide, and Rodenticide Act. A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith. Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cascel the registration of a peaticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the same or to its use if it has been covered by others. This product is noncitionally requstered in accordance with FIFFA sect. 3(c)(7)(A) provided that your 1. Submit and/or cite all data required for registration/reresistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all reconstraints of similar products to submit such data. 2. Add the phrase "EPA Registration No. 6557-2" to your label before you release the product for shipment. Submit five (5) copies of your final printed labeling before you release the product for shipment. Lefer to the A-79 Enclosure for a further description of final printed labeling. If these conditions are not complied with, the requstration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Henry M. Jacoby Product Manager (21) Fungicioe-Herbicide Pranch Registration Division (TS-767) Enclosure ATTACHMENT IS APPLICABLE SIGNATURE OF APPROVING OFFICIAL

EPA Form 6579-4 (Rev. 5-74)

PREVIOUS ENTION MAX BE USED UNDEL SUPPLY IS EXHAUSTED.

DRAFT LABEL

Front Panel

CORONADO

Semi-Transparent

WOOD STAIN AND

PRESERVATIVE

PENETRATES DEEPLY

Active Ingredient:

Bis(Tributyltin) Oxide 1.05%

Inert Ingredients:

98.95% 100.00% EPA Reg. No.

6557-G

EPA Est. No. 06557-FL-01

Weight per gallon 8.50 ± 0.20 lbs.

KEEP OUT OF REACH OF CHILDREN.

92-XXXX color name

CAUTION!

See Back Panel for

Additional Precautionary

Statements

128 FL.Oz. (1 Gallon)

3.785 Liters

MCCEPTED
with COMMENTS
in EPA Letter Delege

MAY 1 4 1985

Under the Federal Insecticide, Pangicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No.

6557-3

Back Panel

Semi-Transparent Wood Stain and Preservative

- o Soap and Water Clean-up;
- o Penetrates Deeply to Preserve and Protect
- o Repels Damaging Moisture
- o Retards Rot, Warping, Swelling
- o True to Nature...Wood Grain and Texture Show

DIRECTIONS FOR USE GENERAL CLASSIFICATION

Note: It is a violation of Federal Law to use this product in a manner inconsistant with its labeling.

Product Description:

Coronado Exterior Wood Stains preserve and protect the natural wood fibers and repel damaging moisture, providing dimensional stability against swelling and warping plus offering protection from rot and decay. Sun's harmful ultra-violet rays are screened out by the protective film providing longer color retention of the stain. Coronado stains are true to nature and accentuate the natural beauty of wood, letting nature's wood grain and texture show through -- beautifully.

Where to Apply: Use for exterior applications. Can be applied to all new or unsealed wood surfaces, such as rough-sawn siding, shakes, shingles, fencing, decks and patios. It is not intended for use on wood that will come into contact with the ground or will be used as structural members.

Preparing the Surface: Surface must be thoroughly clean and dry. Dirt, dust, loose material should be removed. If mildew is present, remove it by washing with a solution of one part liquid bleach and three parts water followed by a thorough rinsing. Do not prime. Coronado Wood Stain and Preservative is self-priming.

Application: Mix thoroughly before and during application. Stir with a circular lifting motion. Apply stain liberally with a good quality brush, roller or spray. The more stain absorbed by the wood, the greater the protection. Thinning is not recommended, if desired only sparingly with water. Stain when temperature is above 40 degrees F, and when other conditions are favorable. Applying stain in direct, hot sunlight should be avoided. The final color will vary depending on the type of wood, its grain and its. :: texture. Stain a test panel to determine actual finished color.

This product may injure living plants if it contacts them during application. Cover plants with plastic or dropcloth during use. If the product does contact plants, it should be removed with water while it is still wet:::

Spreading Capacity: Up to 300 square feet per gallon, one coat, depending on type and porosity of wood.

Dry Time: Dries to touch in three to four hours. Allow 24 hours before is using surface for walking, such as decks and patios.

Clean-Up: Clean applicators, tools and spills easily with soap and water.

Coronado Paint Company Edgewater, Florida 32032

Back Panel, page 2

7

1

. (

PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION! Keep Out Of Reach Of Children. Contains Petroleum Distillate, Harmful or fatal if swallowed. Use only in well ventilated areas. Do not breathe vapor or spray mist. Do not get in eyes, or on skin or clothing! Wear rubber gloves and protective clothing when applying or handling freshly treated lumber. Treated wood should not be used where it can come into contact with food, feed, livestock, or potable water.

FIRST AID: If on skin, wash with soap and water. Remove and wash contaminated clothing before reuse. If in eyes, immediately flood with water for fifteen minutes. Call a physician. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, or gelatin solution. If it these are not available, drink large quantities of water. Call a physician.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS: Avoid storage near feed or food products.

STORAGE AND DISPOSAL: Do not store at temperatures below 40 degrees F or above 90 degrees F. Avoid storage in areas exposed to direct sunlight. Do not stack over five high. Open container only with tool designed as a paint can opener. Do not pry open with nails, coins, keys, or other substitutes for a paint can opener. Wipe liquid stain from rim of container when reclosing in order to avoid spattering. If this container leaks, remove contents to a clean container, remove label and secure label onto new can. Securely wrap original container in several layers of newspaper and discard in trash. Wipe up spilled material with absorbent cloth, wrap in newspaper and discard in trash. Store in original container in locked storage area. Do not reuse container. Rinse thoroughly before discarding in trash. Securely wrap original container in several layers of newspaper and discard in trash.

1

BEST AVAILABLE CUPY