MOSQUITO FOG CONCENTRATE

For control of mosquitoes larvae, control applications should be made to standing pools of water, marshes and swamp areas where mosquitoes breed. For adult mosquito control, applications should be made to wet grassy bushy or wooded areas.

DIRECTIONS FOR USE. READ THE ENTIRE LABEL BEFORE USING THIS PRODUCT.

FOGGING: For thermal fog application, mix 1 gallon of this product with 10 gallons of fuel oil, diesel oil, kerosene, or other base oils suitable for this use. Apply with a standard fogging machine calibrated to deliver 40 gallons per hour at a machine speed of 5 miles per hour to cover a swath width of up to 350 feet. Repeat as necessary.

AIRPLANE APPLICATION: For airplane application, mix 1 gallon of this product with 7 gallons of oil as above. Apply 1 gallon of the diluted mixture per acre treated. Allow at least three weeks between applications.

LARVAE CONTROL: Apply 1/2 pint per acre undiluted or in sufficient oil (1 part product + 1 part oil or a total volume of 1% gallons of diluted spray per acre) to obtain uniform coverage as a light spray. Allow at least 3 weeks between applications.

Kerosene-type oils, fuel oil, diesel oil or other base oils suitable for insecticides.

MIXING: To mix with oil, pour the required amount of this product into full amount of oil and then agitate.

FISH AND WILD LIFE CAUTIONS: This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams or ponds. Shrimp and crab may be killed at application rates recommended on the label. Do not apply where these are important resources. Do not contaminate water by cleaning of equipment, or disposal of wastes. Keep out of tidal marshes and estuaries. Apply this product only as specified on this label.

MOSQUITO FOG CONCENTRATE

6621-38

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-

TO ATTACHED COMMENTS.

ED UNDER NO.

MOSQUITO FOG CONCENTRATE

FOR USE ONLY BY TRAINED PERSONNEL! CONTAINS BAYTEX.

ACTIVE INGREDIENTS Fenthion (0,0-Dimethyl 0-(4-Methylthio)-M-Totyl) Phosphorothioate)++. 10% 100%

*BAYTEX IS A REGISTERED TRADEMARK OF FARBENFABRIKEN BAYER, AG., CHEMAGRO CORPORATION LISENSEE.

++U.S. PATENT No. 3,042,703 CANADIAN PATENT No. 631,472

WARNING KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANELS FOR! OTHER WARNING STATEMENTS.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

> **NET CONTENTS 1 GALLON** E.P.A. REG NO. 6621-38

MANUFACTURED BY

EAGLE CHEMICAL COMPANY

2819 WEST LAKE STREET CHICAGO, ILLINOIS 60612

OTHER USE RESTRICTIONS

Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies.

Do not use inside homes, in dairy barns, poultry houses or in buildings where food is processed.

Do not apply directly to animals.

Do not use on crops used for food, forage or pasture.

WARNING: may be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. Do not breath spray mist. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before reuse.

Avoid contamination of feed or food, Keep out of reach of children.

TO PHYSICIAN: ANTIDOTE - administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

CONTAINER DISPOSAL: Do not reuse empty dium. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies. Do not reuse empty container Destroy it by perforating or crushing, Bury or discard in a safe place away from water supplies.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.