

[6626-26]

PYRENONE® SPRAY INDUSTRIAL EMULSIFIABLE CONCENTRATE

ACCEPTED
 NOV 2 1972
 UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 6626-26



Industrial Spray Emulsifiable Concentrate contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted with water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions, and in other situations where an effective fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

A FOOD INDUSTRY INSECT SPRAY

EPA Reg. No. 6626-26

VAPOR SPRAY

Rapid control of all flying insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in special electric, steam or compressed air applicators, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 9 gallons of water or oil and use in accordance with manufacturers' direction for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8,000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for 4 to 6 hours for best control. Do not remain in treated areas and ventilate the area after treatment is completed.

DIRECTIONS

AS A CONTACT SPRAY

For best application for an initial clean-up with Industrial Spray Emulsifiable Concentrate, dilute 1 gallon of concentrate with four gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon of diluted material to each 750 square feet of surface. This dilution should not be applied in the edible products areas of federally inspected meat, poultry and egg packing plants. Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found, including walls, baseboards, molding, floors, cabinets, shelves, sinks and pipes, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, runs and nest. Repeat treatment at a dilution of 1 to 9 at the same rate of application after an interval of a month or repeat as needed.

SPACE SPRAY

For rapid control of flies, moths, wasps, hornets, skipper flies, mosquitoes and gnats, dilute 1 gallon of Industrial Spray Emulsifiable Concentrate with 39 gallons of water and apply in a good sprayer adjusted to deliver a fine mist. Direct the diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approximately 2 ounces of diluted material for each 1,000 cubic feet of space. Whenever practicable, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is completed.

Properly diluted with water and applied. Industrial Spray Emulsifiable Concentrate kills on contact the exposed stages of:

<u>Roaches</u>	<u>Spiders</u>	<u>Gnats</u>	<u>Skipper Flies</u>
<u>Silverfish</u>	<u>Flies</u>	<u>Mosquitoes</u>	<u>Cheese Mites</u>
<u>Crickets</u>	<u>Hornets</u>	<u>Wasps</u>	<u>Scorpions</u>
<u>Ants</u>	<u>Flying Moths</u>	<u>Boxelder Bugs</u>	<u>Clover Mites</u>

Industrial Spray Emulsifiable Concentrate can be used around food, food products, utensils and food handling equipment, but should not be applied directly to uncovered food or food products.

ACTIVE INGREDIENTS:

Pyrethrins	100%
Piperonyl Butoxide, Technical*	1.0%
Polyoxyethylene sorbitol mixed ether ester	10.0%
Petroleum Distillate	79.0%

*Equivalent to 8.0% of (butylcarbityl) (6-propylpiperonyl) ether and to 2.0% of related compounds.

© Reg. U. S. Pat. Office - FMC Corporation

SOLD BY
ATLANTIC RESEARCH LABORATORIES CORPORATION

29-05 - 40th ROAD
 Long Island City, N.Y. 11101

CAUTION
KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when plant is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

Net Contents _____