

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

pm 11

6626-28

107

OCT 30 1989

300  
A | 238933

Mr. Ronald Harding  
Atlantic Research Laboratories  
29-05 40th Road  
Long Island City, NY 11101

Dear Mr. Harding:

Subject: Label Update  
ARLCO Pyrethroid Insecticide  
EPA Registration No. 6626-28

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the following comments.

- 1. Replace the statement:

Thoroughly wash dishes and food handling utensils if contaminated with this product.

with:

Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment.

- 2. Delete the statement "Do not spray air in rooms or use on plants" as discussed with Mike Mendelsohn of my staff.
- 3. Add the statement "Do not remain in treated areas and ventilate the area after treatment is completed" after the statement "Treat infested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying."

50522:I:Mendelsohn:C.Disk:KENCO:10/04/89:DD:sw:vo:ek:dg


CONCURRENCES

SYMBOL								
SURNAME								
DATE								

2003

- 4. Qualify your site designation to exclude U.S. Department of Agriculture meat and poultry processing plants.

Sincerely yours,



Phil Hutton  
Product Manager (17)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure



# ARLCO PYRENONE® INSECTICIDE GENERAL PURPOSE OR INDUSTRIAL SPRAY

Effective, Fast Acting Insecticide. For Use in Home, Institutions, Restaurants and Food Processing Plants.  
Kills on contact exposed or accessible stages of:

Roaches	Flies	Hornets	Fleas	Flour Beetles
Silverfish	Mosquitoes	Sand Flies	Brown Dog Ticks	Wasps
Crickets	Skippers	Clothes Moths	in Buildings	Carpet Beetles
Spiders	Gnats	Bedbugs	Cadellae	Cheese Mites
Ants	Meal Worms	Grain Mites	Spider Beetles	

ACTIVE INGREDIENTS: ..... 100%

Pyrethrins	0.1%	
Piperonyl Butoxide, Technical*	0.5%	*Equivalent to 0.4% of (butylcarbityl) (6-propylpiperonyl)
Petroleum Distillate	99.4%	ether and to 0.1% of related compounds.

PYRENONE - Registered Trademark of Fairfield American Corporation.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
See rear panel for additional precautions

**STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

ATLANTIC RESEARCH LABORATORIES CORP.  
29-05 40 Road, Long Island City, N.Y. 11101

EPA Reg. No. 6626-28

EPA EST 6626-NY-1

NET CONTENTS \_\_\_\_\_

BATCH \_\_\_\_\_



### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For most effective results against the active stages of flying, running and crawling insects, use in a good sprayer adjusted to deliver a fine mist. Remove pets, birds and cover fish aquariums before spraying. Treat infested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying.

**FLYING INSECTS:** For control of flies, including fruit flies, mosquitoes, gnats, and bees, wasps, hornets and certain other flying pests, direct the spray toward the upper portions of the room and saturate the atmosphere with the mist, using 1 to 2 ounces to each 1000 cubic feet of space.

**CRAWLING INSECTS:** To control roaches, silverfish, crickets and spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

In controlling fleas and Brown Dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storage, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth-tight containers. Allow treated fabrics to dry before using.

Home and institutional pantries and food storages frequently become infested with various stored food pests including flour beetles, cadellae, meal worms, spider beetles, skippers, grain and cheese mites. To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, linens, cupboards, cabinets, pantries, lockers and similar storages, with particular attention to cracks, niches, crevices and other hiding places.

ARLCO PYRENONE INSECTICIDE is an excellent insecticide for use as a vapor, fog or mist spray in special generators. Regulate dosage in accordance with equipment manufacturer's directions for the particular type of applicator employed. Application should be sufficient to fill the enclosure with the fog, mist or vapor.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:**  
Harmful if swallowed. Avoid breathing vapors or mists. Avoid contact with feedstuffs and domestic animals. Do not allow children to handle. Do not allow children to play with until spray has dried. Do not spray air in rooms where only as specified on this label. Do not allow spray to contact food. Thoroughly wash dishes and glassware with this product. Do not use in edible products, restaurants or other areas where food is processed. Do not use in schools. Remove pets and cover fish tanks.

### ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish. Do not use in conditions favor drift from water. Do not use near any body of water. Do not use near equipment by cleaning of equipment.

### PHYSICAL AND CHEMICAL PROPERTIES

Do not use or store near

### STORAGE

Do not contaminate water. PESTICIDE STORAGE AND DISPOSAL: Store at room temperature. Avoid spillage or leakage. Do not use near food, feed, or animal waste. PESTICIDE DISPOSAL: Do not use according to label or by an approved waste disposal method. CONTAINER DISPOSAL: recycling or reconditioning, landfill, or by other approved means. CONTAINERS ONE GALLON OR LESS: Wrap container in newspaper and discard in trash. Containers one gallon or less: Do not use. STORAGE: Store in original container, inaccessible to children and animals. DISPOSAL: Wrap container in newspaper and discard in trash.

Buyer assumes all risks. Material not in strict accordance with label.

NET CONTENTS \_\_\_\_\_  
BATCH \_\_\_\_\_