[6626-33]

ACCEPTED EPA Reg. No. 6626-33

JUNI 1973

UNDER THE ASSESSMENTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTER-ED UNLER NO.

WOUSTRIAL CHEMIO FOOD PLANT FOGGING INSECTICIDE

A Concentrated PYRENONE® Product

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist,

ACTIVE INGREDIENTS:

Py rethrins			*****	••••
*Piperonyl	Butoxide,	, Technical	* • • • • • • • • • • • • • • • • • • •	•••
Petroleum	Distillate	•••••	*****	• •••

*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and to 1.0% of related compounds,

DIRECTIONS FOR USE

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using,

Keep the area closed for at least 15 minutes, Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible, exposed stages of flies, including fruit flies, mosquitoes, silver fish, flying moths, gnats, crickets, roaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers, and these common stored product pests; granary weevils, rice weevils, confused flour beetles,, sew-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediteranneen flour moths, Indian meel moths, Tobecco moths, meal worms, and grain mites.

systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns), Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and behind obstructions.

Close windows and doors and shut off ventilating

Spray into corners, under pallets and around stacks of packaged goods, hitting as many of the crawling insects as possible, and then treat area with space spray.

PYRENONE - Registered Trademark of FMC Corporation

CAUTION: Keep Out Of Reach Of Children

CAUTION: Harmful if swallowed. Avoid contamination of feed and food-stuffs. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on the label. Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

> ATLANTIC RESEARCH LABORATORIES CORP. 29-06 40 floed, Long Island City, N.Y. 11101

NET CONTENTS.



	100%
**********	0.5%
	5.0%
	94.5%