

345 / 320, 419
38

FEB 13 1991

300 / 381, 362
18

Mr. Ronald O. Harding
Atlantic Research Laboratories
2905 40th Road
Long Island City, NY 11101

Dear Mr. Harding:

Subject: Revised Label and Confidential Statement of Formula
EPA Registration No. 6626-33
Your Submissions Dated November 30, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you modify the statement "to exclude use in U.S. Department of Agriculture Meat and Poultry Processing Plants" to read "Do not use in U.S. Department of Agriculture Meat and Poultry Processing Plants."

A stamped copy of the label is enclosed for your records. Submit five (5) final printed labels.

Your Confidential Statement of Formula (CSF) dated November 30, 1989 needs to be revised by listing the lower certified limits of the pure active ingredients rather than the concentrate. Please submit a revised CSF.

Sincerely yours,

PH
Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

51288: I:WP5.0:Mendelsohn:C.Disk:KEVRIC:01/28/91:CL:WO:tlc

CONCURRENCES

SYMBOL								
SURNAME								
DATE								



FOOD PLANT FOGGING INSECTICIDE

A Concentrated PYRENONE® Product

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist, to exclude use in U.S. Department of Agriculture meat and poultry processing plants.

ACTIVE INGREDIENTS:	100%
Pyrethrins	0.5%
*Piperonyl Butoxide, Technical	5.0%
Petroleum Distillate	94.5%

*Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and to 1.0% of related compounds.

PYRENONE - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

ATLANTIC RESEARCH LABORATORIES CORP.
29-05 40 Road, Long Island City, N.Y. 11101

NET CONTENTS _____

EPA Reg. No. 6626-33
EPA EST NO. 6626-NY-1

6626 153

BATCH _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation.

Foods should be removed or covered in such a way as to prevent contamination prior to treatment. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment.

Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and behind obstructions.

Spray into corners under pallets and around stacks of packaged goods, hitting as many of the crawling insects as possible, and then treat area with space spray.

Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before re-occupying. Repeat treatment as necessary.

The above described application will kill accessible, exposed stages of flies, including fruit flies, mosquitoes, silver fish, flying moths, gnats, crickets, roaches, spiders, scorpions, wasp, hornets, clover mites, cheese mites, cheese skippers, and other common stored product pests; granary weevils, rice weevils, confused flour beetles, sawtoothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms, and grain mites.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMAN

CAUTION:

Harmful if swallowed. Avoid breathing vapors, feedstuffs and domestic handling. Do not allow until spray has dried.

only as specified on this Do not allow spray to co

Food contact surf washed with an ef followed by a pot treatment.

Do not use in edible pro restaurants or other are processed. Do not use Remove pets and cover

ENVIRONMENTAL

This product is toxic to conditions favor drift fr any body of water. Do by cleaning of equipm

PRECAUTIONS

Do not use or store ne

STORAGE

Do not contaminate wa PESTICIDE STORAGE at room temperature. A case of spill or leakage, sand, sawdust, earth, F waste.

PESTICIDE DISPOSAL cannot be used accordi at or by an approved wa CONTAINER DISPOSAL recycling or recondition landfill, or by other app CONTAINERS ONE GA container. Wrap contain discard in trash.

Containers one gallon o STORAGE: Store in orig inaccessible to children DISPOSAL: Wrap conta discard in trash.

Buyer assumes all ris material not in strict a