



# INDUSTRIAL SPRAY 0.25

## LIQUID INSECTICIDE

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not spray near or toward an open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal, state or local disposal authorities for approved alternative procedures.

Contains SYNTHRIN®  
New Highly Active Synthetic Pyrethroid

Kills flies, mosquitoes, gnats, flying moths (millers), wasps, roaches, waterbugs, earwigs, grain mites, sowbugs, spiders and centipedes. For use in Bakeries, Food Plants, Restaurants, Motels, Schools, Motels, Office Buildings, Hospitals and Food Handling Plants

#### ACTIVE INGREDIENTS

*(5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate . . . . .		0.250%
Related compounds . . . . .		0.034%
Aromatic petroleum hydrocarbons . . . . .		0.329%
Petroleum distillate . . . . .		99.375%
INERT INGREDIENTS . . . . .		0.012%
* Resmethrin)		100.000%
*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans. U.S. Patent No. 3,465,007		

SYNTHRIN - Fairfield American trademark

**KEEP OUT OF REACH OF CHILDREN.**

### CAUTION

Harmful if swallowed.  
May be absorbed through the skin. Do not breathe spray mist. Avoid contact with skin, eyes, or clothing.

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes and skin call a physician

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

**ATLANTIC RESEARCH LABORATORIES CORPORATION**

29 05 40th ROAD

Stillwell 4-8825

LONG ISLAND CITY, N. Y. 11101

Reg. No. 6626-19  
EPA Est. No. 6626 NY-2

NET CONTENTS \_\_\_\_\_

#### DIRECTIONS FOR USE

Mosquitoes, Flies, Gnats, Flying Moths (Millers): Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Roaches, Waterbugs, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BATCH \_\_\_\_\_

RECEIVED  
03 JUL 1979  
U.S. Environmental Protection Agency  
Office of Pesticide Programs  
Washington, D.C. 20460

20