

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed.

May be absorbed through the skin. Do not breathe spray mist. Avoid contact with skin, eyes, or clothing. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

STORAGE AND DISPOSAL

Prohibition: Do not contaminate water, food or feed by storage or disposal. Open burning is prohibited.

Pesticide Disposal: Pesticide spray mixture or residue water that cannot be used according to label directions must be disposed of according to applicable Federal, State or local procedures.

Container Disposal: Triple rinse (or equivalent) then offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and local procedures.



ROACH & ANT LIQUID SPRAY

ACTIVE INGREDIENTS

*o-Isopropoxyphenyl methyl-carbamate	0.500%
Pyrethrins	0.052%
**Piperonyl Butoxide, Technical	0.262%
Petroleum Distillate	90.208%
INERT INGREDIENTS	9.978%
	100.000%

U.S. Patent No. 3,111,539

**Equivalent to 0.210% (butylcarbityl) (6-propylpiperonyl) ether and 0.052% related compounds.

***PYRENONE - Fairfield American trademark

*BAYGON - Reg. U.S. Pat. Off. Farbenfabriken Bayer A.G., Chemagro Corp.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Statement of Practical Treatment

If Swallowed: Do not induce vomiting because of possible aspiration hazard. Call a physician.

If In Eyes: Flush eyes with plenty of water.

If On Skin: Wash thoroughly with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MANUFACTURED BY

ATLANTIC RESEARCH LABORATORIES CORPORATION

29-05 - 40th ROAD

ST. WEL 4-8825

LONG ISLAND CITY, N. Y. 11101

Net Wt. 16.25 Oz.
Net Wt. 453.6 Grams

NET CONTENTS _____

Contains PYRENONE[®] & BAYGON[®]

Kills Resistant Roaches!

A Quick Acting Surface Spray for Indoor and Outdoor Use.

Kills Roaches, Ants, Brown Dog Ticks, Silverfish, Spiders and Crickets

Residual Deposit Remains Effective on Roaches up to Two Weeks

...
...
...
...
...

Spray infested surface until wet.

ROACHES, ANTS, SILVERFISH, SPIDERS, CRICKETS: Spray heavily into all cracks, around baseboards and other places where these insects hide. Also behind and beneath cabinets, refrigerators, sinks, stoves, etc. Spray other localized areas infested with these pests. Repeat treatment as required.

CARPET BEETLES: Make localized application to the floor and baseboards. Spray directly into cracks, closets and infested areas of shelvings. Repeat as necessary.

BROWN DOG TICKS: Thoroughly spray infested areas around baseboards, window and door frames, wall coverings. Applications should be repeated as necessary. Fresh bedding should be placed in animal quarters following treatment. **DO NOT TREAT ANIMALS WITH THIS FORMULATION.**

FLIES, MOSQUITOES, WASPS AND FLYING MOTHS OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.

FLEAS, ANTS, BROWN DOG TICKS, CLOVER MITES, CRICKETS, EARWIGS, MILIPEDES OUTDOORS: For treatment of localized infestations of these insects in outdoor areas or where these insects may enter the dwelling, spray infested areas thoroughly. For Ants, thoroughly wet hills and runways. Repeat treatment as necessary. Do not spray vegetation.

BATCH _____

BEST DOCUMENT AVAILABLE

**CONTACT
LIQUID ROACH AND ANT KILLER
(WITH RESIDUAL ACTION)**

**Ready to Use Spray-Residually Kills:
Roaches, Ants, Ticks, Fleas, and others listed.**

For use in Homes and Non-Food Areas of Kennels,
Commercial Buildings: Warehouses, Theatres, Office
Buildings, Schools, Motels, Hotels, Restaurants and
Food Processing Facilities.

ACTIVE INGREDIENTS	
d-trans Allethrin (allyl homolog of Cinerin I)	0.050%
Related compounds	0.004%
N-Octyl-bicycloheptene dicarboximide	0.400%
Chlorpyrifos (0,0-diethyl 0-3,5,6-trichloro-2-pyridyl) phosphorothioate	0.500%
Aromatic oil	0.282%
Petroleum distillate	0.002%
INERT INGREDIENTS	98.762%
	100.000%

MGK 264 Insecticide Synergist
*U.S. Patent No. 3,244,586 — Dow Chemical Company

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements

EPA REG. No. 10806-44 EPA EST. No. 10806-NJ-1

Net Contents: 64 Fl. Ozs. (1.89 litres)

CONTACT INDUSTRIES, INC. ELIZABETH, NEW JERSEY 07201

**CONTACT
LIQUID ROACH AND ANT KILLER
(WITH RESIDUAL ACTION)**

Precautionary Statements

CAUTION

HAZARDS TO HUMANS & DOMESTIC ANIMALS

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting because of possible aspiration hazard. Get medical attention immediately.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection, is antidote of choice.

Do not use in food areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying. Do not allow children or pets to contact treated surface until spray has dried.

Physical Hazards

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.