

**PRECAUTIONARY STATEMENTS**  
**Hazards To Human & Domestic Animals**

**WARNING**

If later swallowed, irritant to absorbed on the skin.

Caution: Avoid contact with eyes. May produce severe irritation.

Do not get on your skin or clothing. Wash immediately with plenty of water. Wash your hands thoroughly with soap and water. Avoid contact with food, drink, and clothing. Avoid contact with children and pets.

**Environmental Hazards**

This product is a toxic waste. Do not dump or discharge into water. Do not contaminate water by cleaning equipment or disposal work.

**DIRECTIONS FOR USE**

This product is a Federal law controlled product. See the general use instructions below.

**Storage and Disposal**

Do not contaminate water, food, or feed by storage or disposal. Open containers should be kept tightly closed when not in use. Do not use if contents are not as directed. Do not mix with other chemicals. Do not be disposed of into municipal sewerage or drainage. Follow state and local regulations for disposal.

Respiratory protection is not required. However, if you experience breathing difficulty, stop work immediately and get fresh air. If you experience any other symptoms, get medical attention immediately.

**Key Points on Safety and Use**

- Keep out of reach of children and pets.
- Do not breathe dust.
- Do not get on your skin or clothing.
- Wash your hands thoroughly with soap and water.
- Avoid contact with food, drink, and clothing.
- Avoid contact with children and pets.
- Do not dump or discharge into water.
- Do not contaminate water, food, or feed by storage or disposal.

**For Control of**  
**Brown Mold**  
**(Cephalosporium fragrans)**  
**In Freshly Cut**  
**Lumbers and Timbers**

**Read Entire Label Carefully and Use Only as Directed**

Active ingredient	1.00 lb
Inert ingredients	1.00 lb
Total weight of product	2.00 lb
Net weight of product	1.95 lb
Net weight of active ingredient	0.95 lb
Net weight of inert ingredients	0.95 lb
Net weight of product	1.90 lb

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**

**Statement of Practical Treatment**

**If swallowed** - If swallowed, do not induce vomiting. Give water to drink. If symptoms persist, get medical attention immediately.

**If in eyes** - Flush eyes with water for at least 15 minutes. Get medical attention immediately.

**If on skin** - Wash with plenty of water. Get medical attention if irritation persists.

SONFORD PRODUCTS CORPORATION  
JACKSON MS 39208

**APPLY ONLY AS SPECIFIED ON THIS LABEL**

**General**

Use only on freshly cut lumber and timbers. Do not use on finished wood. Do not use on wood that has been treated with a preservative. Do not use on wood that has been painted.

**Lumber Treatment**

For lumber, apply 1.00 lb of product per 100 sq ft of surface. For timbers, apply 1.00 lb of product per 100 sq ft of surface. Apply to all surfaces of the wood. Do not use on wood that has been treated with a preservative.

**Timber Treatment**

For timbers, apply 1.00 lb of product per 100 sq ft of surface. Apply to all surfaces of the timber. Do not use on timber that has been treated with a preservative.

**Proper Handling of Treated Lumber and Timbers**

Do not use treated lumber and timbers for food or feed. Do not use treated lumber and timbers for animal bedding. Do not use treated lumber and timbers for mulch. Do not use treated lumber and timbers for playground equipment.

ACCEPTED

MAY 6 1982

**WARRANTY**

This product is warranted to be free from defects in material and workmanship for a period of 12 months from the date of purchase. The warranty does not cover damage caused by misuse or neglect.

**SONFORD PRODUCTS CORPORATION**



**PRECAUTIONARY STATEMENTS**  
**Hazards To Human & Domestic Animals**

**WARNING**

May be fatal if swallowed, inhaled or absorbed through the skin.

Causes eye and skin irritation. May produce delayed chemical burns.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Lumber wet with solution should be handled with rubber gloves. Avoid contamination of feed or foodstuff.

**Environmental Hazards**

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its label.

**Storage and Disposal**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, diluted solution or rinsate that cannot be used should be disposed of according to procedures approved by Federal, state or local disposal authorities.

Reseal container and offer for reconditioning or triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place.

**Key Points on Safety and Use**

- KEEP OUT OF REACH OF CHILDREN
- Causes eye irritation
- Do Not Take Internally
- Do Not Store Near Foodstuffs
- This Product is Toxic to Fish
- Furnish Protective Clothing and Goggles to Workers
- Instruct Workers to Use Good Hygiene and Always Wash Hands Before Eating or Drinking

**For Control of**  
**Brown Mold**  
**(Cephalosporium fragrans)**  
**In Freshly Cut**  
**Lumbers and Timbers**  
**Read Entire Label Carefully and**  
**Use Only as Directed**

Active Ingredients:	
Sodium tetrachlorophenate	17.96%
Sodium salts of other chlorophenols	4.85%
Sodium metaborate anhydrous	6.33%
Phenylmercuric acetate	0.40%
Inert Ingredients	70.46%
Total	100.00%

**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**

See Side Panel for Additional Precautionary Statements

**Statement of Practical Treatment**

**If swallowed,** drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink several glasses of water and induce vomiting. Avoid alcohol and consult a doctor.

**If in eyes,** immediately flush with large quantity of water for at least 15 minutes and get medical attention.

**If on skin,** flush with water. Remove and wash contaminated clothing before reuse.

EPA Reg. No. 6651-31      EPA Est. No. 6651 MS 1  
Contents: 550 lbs. (250 kg)

**SONFORD PRODUCTS CORPORATION**  
**JACKSON, MS 39208**

**APPLY ONLY AS SPECIFIED ON THIS LABEL**

**General:**

Sta-Brite M is a liquid formulation to be mixed with water for the control of Brown mold (Cephalosporium fragrans) on freshly sawed lumber and timbers. The solution may be applied by dip or a coarse spray.

**Lumber Treatment:**

For lumber approximately 2 inches (50mm) or less thickness, use 1 gallon (3.78 liters) per 100 gallons (378 liters) of water. For lumber to be bulk piled, use 3 gallons (11.35 liters) per 100 gallons (378 liters) of water. Dip or spray the lumber until all surfaces are thoroughly wet.

**Timber Treatment:**

For timbers or lumber thicker than 2 inches (50mm), use 3 gallons (11.35 liters) per 100 gallons (378 liters) of water. For timbers to be bulk piled use 3 gallons (11.35 liters) per 100 gallons (378 liters) of water. Dip or spray until all surfaces are thoroughly wet.

**Proper Handling of Treated Lumber and Timbers**

For best results, use fresh logs as free from infection as possible before converting into lumber. Treat the lumber as soon as possible (within 12 to 24 hours) after cutting. Place lumber and timbers on sticks if possible for seasoning. Protect freshly treated lumber from exposure to rainfall immediately after treatment.

**ACCEPTED**

**MAY 6 1965**

Under the Federal Insecticide, Fungicide, and Rodenticide Act, the buyer assumes all risk of injury to the property. Seller makes no other warranty, expressed or implied.

Seller warrants that the material conforms to the chemical description on this label. The buyer assumes all risk of injury to the property. Seller makes no other warranty, expressed or implied.