

DO NOT USE IN EDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, RESTAURANTS OR OTHER AREAS WHERE FOOD IS COMMERCIALY PREPARED OR PROCESSED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.

**CAUTION:
KEEP OUT OF REACH
OF CHILDREN.**

- Pressurized.
- Do not puncture container or throw into fire or incinerator.
- Combustible mixture containing Hydrocarbons. Do not spray near open flame or while smoking.
- Exposure to prolonged sunlight or heat (in excess of 110 F) may cause bursting.
- Remove birds, pets, fish and children for one hour when spraying in rooms.
- May be harmful or fatal if swallowed.
- Avoid inhalation.
- If ingested, contact a physician immediately.
- Do not spray into eyes.
- Avoid skin contact.
- Avoid contamination of feed and foodstuffs.

ACTIVE INGREDIENTS:

Methoxychlor, technical*	3.000%
Pyrethrins	0.100%
Technical Piperonyl Butoxide**	0.500%
Isolamyl Thiocyanacetate	1.240%
Other related Terpenes	0.360%
Petroleum Distillate	39.400%

INERT INGREDIENTS:

55.000%
Total 100.000%

*Equivalent to 2,64% 2,2-bis
(p-Methoxyphenyl) - 1,1,1-tri-

ACCEPTED

MAR 20 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 6658-19 SUBJECT
TO ATTACHED COMMENTS.

WASP-A-WAY

KILLS WASPS, BEES,
HORNETS, YELLOW JACKETS

USDA REG. NO. 6658-19

CAUTION: KEEP OUT OF REACH OF CHILDREN.
See back panel for additional cautions.

Long range, Jet-stream, Insecticide, kills insects from a safe distance.

The jet stream allows you to stand 7 or 8 ft. away from the nest, giving user reasonable safety in killing Hornets, Bees, Wasps, and Yellow Jackets.

Used extensively by utility company's linemen for nests on utility poles.

DIRECTIONS:

TO SPRAY: Hold container upright, point valve opening away from operator and press spout. Aim at nests which may be on poles, in trees, bushes, under eaves, chimneys, cracks, or crevices in buildings, holes in the ground, under rocks, etc.

The jet stream allows you to stand 7 or 8 ft. away from the nest, giving user reasonable safety in killing Hornets, Bees, Wasps, and Yellow Jackets.

Used extensively by utility company's linemen for nests on utility poles.

DIRECTIONS:

TO SPRAY: Hold container upright; point valve opening away from operator and press spout. Aim at nests which may be on poles, in trees, bushes, under eaves, chimneys, cracks, or crevices in buildings, holes in the ground, under rocks, etc.

NET CONTENTS
1 LB. 2 OZ. (AVOIR.)

FOR ECONOMIC POISON REGISTERED UNDER NO. 6658-19 SUBJECT TO ATTACHED COMMENTS.

WASP-A-WAY

**KILLS WASPS, BEES,
HORNETS, YELLOW JACKETS**

USDA REG. NO. 6658-19

CAUTION: KEEP OUT OF REACH OF CHILDREN.
See back panel for additional cautions.

DANGER: Extremely flammable, contents under pressure. Do not use near fire, sparks or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

MIDCO PRODUCTS COMPANY
Division of Sigma International, LTD.
11697 Fairgrove Industrial Blvd.
Maryland Heights, Missouri 63043

- spray near open flame or while smoking.
- Exposure to prolonged sunlight or heat (in excess of 110 F) may cause bursting.
- Remove birds, pets, fish and children for one hour when spraying in rooms.
- May be harmful or fatal if swallowed.
- Avoid inhalation.
- If ingested, contact a physician immediately.
- Do not spray into eyes.
- Avoid skin contact.
- Avoid contamination of feed and foodstuffs.

ACTIVE INGREDIENTS:

Methoxychlor, technical*	3.000%
Pyrethrins	0.100%
Technical Piperonyl Butoxide**	0.500%
isobornyl Thioyanacetate	1.040%
Other related Terpenes	0.360%
Petroleum Distillate	39.400%

INERT INGREDIENTS:

55.000%

Total 100.000%

*Equivalent to 2.64% 2, 2-bis (p-Methoxyphenyl) — 1, 1, 1-trichloroethane; and 0.36% other isomers and reaction products.
**Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.