

USE DIRECTIONS:

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use C.P.S.D. with a cloth or mop and apply to walls, floors and other hard surfaces.

Sanitization

If used for sanitization of previously cleaned food equipment of food contact items, limit the level of active quaternaries to 200 ppm. (2.8 ounces per 5 gallons) rinse required at this level with potable water.

For heavy soil or organic matter, a pre-cleaning step is recommended.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A., Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	42
S. typhosa	27

Rinse empty container thoroughly with water and discard.

NET CONTENTS:

CONCENTRATED PINE SCENT DISINFECTANT

(C.P.S.D.)

**CLEANER
DEODORIZER**

**DISINFECTANT
FUNGICIDE**

Designed for Hospital and Institutional Use.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₁ , 30% C ₁₂ , 5% C ₁₃ , 5% C ₁₄)	
dimethyl benzyl ammonium chlorides	2.25%
n-Alkyl (68% C ₁₂ , 32% C ₁₃) dimethyl	
ethylbenzyl ammonium chlorides	2.25%
Sodium Carbonate	3.00%
Essential Oils	1.00%
INERT INGREDIENTS:	<u>91.50%</u>
	100.0%

DANGER

KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary and first aid statements.

C.P.S.D. is a cleaner, disinfectant, and sanitizer designed for institutional use, such as, hospitals, nursing homes, and schools where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. C.P.S.D. can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*, on inanimate hard surfaces.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. At this level **Potable Water Rinse** is required.

DANGER

Keep Out of Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

LPA Reg. No. 6658-28

ACCEPTED
MAY 23, 1974
6658-28

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR LOGIC POISON REGISTERED
ED UNDER NO. SUBJECT
TO ATTACHED CONDITIONS