

CAUTION

Harmful if swallowed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

1. PROHIBITION

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

2. PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

3. CONTAINER DISPOSAL - MORE THAN 30 GALLON DRUMS

(a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING, OR

(b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL, OR BURY IN A SAFE PLACE

CONTAINER DISPOSAL - LESS THAN 30 GALLON DRUMS

TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE

4. GENERAL

MILL SPRAY

ACTIVE INGREDIENTS:

Pyrethrins	0.25%
Piperonyl butoxide, technical*	0.54%
Petroleum distillate	99.20%
TOTAL	100.00%

*Equivalent to 0.43% (butylcarbityl) (6-propylpiperonyl) ether and 0.11% related compounds.

Dalco Mill Spray is an odorless and potent insecticide especially formulated for the control of flying and crawling insects inherent in Farmaceous and Bakery Industry as well as other food plants.

For the effective control of the following insects: Accessible Flour Weevils, Grain Beetles, Meal Moths, Rice Weevils, Caddises, Flat Grain Beetles, Dried Fruit Beetles, Chocolate Moths, Granary Weevils, Saw-Toothed Grain Beetles, Lesser Grain Borer, Larger Grain Borer, Angoumois Grain Moth, Mediterranean Flour Moth, Indian Meal Moth, Cigarette Beetles, Roaches, Water Bugs, Silver Fish, Ants, Fleas, Gnats, Vinegar and Fruit Flies, Carpet Beetles and certain other flying and crawling insects. This insecticide will not impart color, odor or taste to food products or equipment when used as directed.

FOR USE IN AEROSOL, ELECTRIC AND HAND SPRAYERS, FOGGING DEVICES OR STEAM VAPORIZERS

KEEP OUT OF REACH OF CHILDREN

CAUTION

**IF SWALLOWED DO NOT INDUCE VOMITING.
CALL A PHYSICIAN IMMEDIATELY.**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

6662-11

PM 17

1061

SMALL FLYING INSECTS

Directions for use with space spraying devices:

Close all doors, windows and other spaces through which fog may escape. Fog space treated, using one ounce MILL SPRAY for each 1,000 cubic feet of space.

Allow fog to remain in closed room for a period of not less than ten to twenty minutes, longer where possible. Air out room, sweep up and destroy fallen insects.

ACCEPTED

JUN 16 1981

Directions for spot spraying with hand or electric sprayers:

1. For all accessible stages of Granary insects stated above: Close all doors and windows of area treated. Spray floors, side walls, corners and cross beams. Stack goods with as much space between piles as possible, so that the operator has room to pass and spray over, under and between all stacked merchandise. Grain bins should be emptied as frequently as possible so that walls, floors and corners, etc., are covered with this spray. Spray weekly during warm weather and at least monthly during winter. Spray liberally after hot period when migrations start
2. Roaches, Water Bugs and Silver Fish: Apply at rate of 3-4 ounces per 1,000 cubic feet. Forcefully and thoroughly spray inside all cracks and crevices where insects appear. Especially spray into crevices where moisture collect, such as drains, water pipes and sinks. Mouldings and woodwork should also be treated when necessary. Wherever possible, spray directly on insects as they emerge from hiding places which are being sprayed. Repeat treatment as required
3. Flies, Mosquitoes, Vinegar and Fruit Flies: Apply at rate of 1 ounce per 1,000 cubic feet. Close doors and windows. Direct spray toward ceiling and fill entire room with fog. Keep treated space closed for a period of ten to twenty minutes. Sweep up and destroy fallen insects. Repeat treatment as frequently as required.

6662-11