

CAUTION

May be harmful if swallowed or absorbed through skin. If swallowed, get immediate medical attention. Do not breathe vapors, fumes or spray mist. Causes eye damage. Do not get in eyes, on skin or on clothing. For eye contact, flush with plenty of water and get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. Wash contaminated clothing before reuse. Do not contaminate feed or foodstuffs. Remove all pets and aquariums from area before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to run. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

A product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

1. PROHIBITION

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED.

2. PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS MUST BE DISPOSED OF ACCORDING TO FEDERAL, STATE OR LOCAL PROCEDURES UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT.

CONTAINER DISPOSAL - MORE THAN 30 GALLON DRUMS

(a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING, OR

(b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING, OR DISPOSE OF IN A SANITARY LANDFILL OR BY OTHER FEDERAL, STATE OR LOCAL PROCEDURES.

CONTAINER DISPOSAL - LESS THAN 30 GALLON DRUMS

TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.

4. GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATE PROCEDURES.

FOR INDUSTRIAL USE ONLY

DALCO DURSREZ

Another PROVEN SANITARY PRODUCT

ACTIVE INGREDIENTS

Pyrethrins	0.050%
*Piperonyl butoxide (technical)	0.100%
N-octyl bicycloheptene dicarboximide	0.166%
**Chlorpyrifos [0,0-diethyl 0,3,5-trichloro-2-pyridyl phosphorothioate]	0.500%
Aromatic petroleum distillate	0.285%
Petroleum distillate	98.859%
INERT INGREDIENTS	0.040%
TOTAL	100.000%

*Equivalent to 08% (butylcarbityl (6-propylpiperonyl) ether and 02% related compounds)
MGK 264 Insecticide Synergist

**U.S. Patent No. 3,244,886 - Dow Chemical Company

DALCO DURSREZ is another advanced insecticide developed for control of the following mentioned insect pests both by residual and contact application. Residual action will be obtained with a "wet" application - either by applying as a coarse spray or by brushing on surfaces to be treated. In food areas application is limited to crack and crevice treatment only. For control of the following insects: Roaches, Water Bugs, Spiders, Ants, Silverfish Flies, Mosquitoes, Gnats, Carpet Beetles, and Exposed stages of Dogstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Confused Flour Beetles, and Saw-Toothed Grain Beetles.

KEEP OUT OF REACH OF CHILDREN CAUTION

IF SWALLOWED - Call a physician or poison control center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED - Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN - Remove contaminated clothing and wash area with soap and warm water.

IF IN EYES - Flush eyes with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

ACCEPTED
Sold by **DALCO CHEMICAL COMPANY**

Division of DALCO CORPORATION

AUG 26 1981 CLEVELAND, OHIO

EPA REGISTRATION NO. 6662-27

EPA EST. NO. 15596-OH-1

NET CONTENTS _____ GALLONS

FOOD AREAS — APPLIED TO CRACK AND CREVICE

Includes: areas for receiving, storing, wrapping, boxing, preparing, etc. processing systems (mills, dairies). Areas where food is exposed should be considered a food area.

Apply DALCO INSECTICIDE to cracks and crevices using equipment stream of insecticide in points of construction between equipment to voids and hollow spaces in wall conduits, motor housings, etc. Resistant and non-resistant Cockroaches, Spiders, Silverfish Flies, Mosquitoes, Wasps, Hornet, and exposed stages of Meal Moths, Mediterranean Flour Confused Flour Beetles, and Saw-Toothed Grain Beetles.

Prior to application, de-energize application allow time for opening of motors or placing switches in the "off" position.

Care should be taken to avoid exposed surfaces or introducing contamination of food or food containers.

Directions for use as a

To obtain residual action DALCO is applied as a coarse spray or with a brush using one quart to approximately 100 sq. ft.

For Roaches, Waterbug, Spiders

Apply liberally around refrigerator, under side of tables, all cracks and moulding, and other woodwork facilities. Also around heating radiators, storage places of records, accessible interiors of vending machines.

Avoid contact of foodstuffs at time of application. Repeat treatment as often as necessary.

To Kill Flies, Mosquitoes and Gnats

Apply "wet" to exterior surfaces, loading docks, refuse dumps, etc. because of effects of wetting. Repeat treatment as often as necessary on wallpaper.

For Ants:

Apply to trails, runways and attention to baseboards, door thresholds of tables and chairs, and at the outside of the building. Control by pouring a small amount of material over with earth. Repeat treatment as often as necessary.

For Carpet Beetles:

Apply as a spot treatment along edges under carpeting, rugs and furniture, and wherever else these insects are found.

For Brown Dog Ticks:

Treat behind baseboards, crack rooms. Treat sleeping quarters of animals. Should be replaced with new animals or other animals. Repeat as often as necessary.



DALCO

DURSREZ

Another PROVEN SANITARY PRODUCT

ACTIVE INGREDIENTS

Pyrethrins	0.050%
*Piperonyl butoxide, technical	0.100%
[N-octyl bicycloheptene dicarboximide	0.166%
**Chlorpyrifos [0,0-dimethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.500%
Aromatic petroleum distillate	0.285%
Petroleum distillate	98.859%

INERT INGREDIENTS	0.040%
TOTAL	100.000%

*Equivalent to .08% (butylcarbityl (6-propylpiperonyl) ether and .02% related compounds)
 †MGK 264, Insecticide Synergist

**U.S. Patent No. 3,244,586 - Dow Chemical Company

DALCO DURSREZ is another advanced insecticide developed for control of the following mentioned insect pests both by residual and contact application. Residual action will be obtained with a "wet" application, either by applying as a coarse spray or by brushing on surfaces to be treated. In food areas application is limited to crack and crevice treatment only. For control of the following insects: Roaches, Water Bugs, Spiders, Ants, Silverfish, Flies, Mosquitoes, Gnats, Carpet Beetles, and Exposed stages of Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Confused Flour Beetles, and Saw-Toothed Grain Beetles.

KEEP OUT OF REACH OF CHILDREN CAUTION

IF SWALLOWED - Call a physician or poison control center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.
IF INHALED - Remove victim to fresh air. Apply respiration if indicated.
IF ON SKIN - Remove contaminated clothing and wash area with soap and warm water.
IF IN EYES - Flush eyes with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

ACCEPTED

Sold by **DALCO CHEMICAL COMPANY**

Division of DALCO CORPORATION

AUG 26 1981 CLEVELAND, OHIO

EPA REGISTRATION NO. 6662-27
 EPA EST. NO. 15596-OH 1
 EPA Reg. No. NET CONTENTS _____ GALLONS

FOOD AREAS — APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY

Use only as a residual for storage, packing, and distribution of foodstuffs, wrapping, handling, and edible waste storage and processing systems, and in dairies and bakeries. Sealing Areas where food is exposed and facilities in operation also should be considered a food area.

Apply DALCO INSECTICIDE in small amounts directly into cracks and crevices using equipment capable of directing a fine stream of insecticide in joints between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, control or switch boxes where Resistant and non-Resistant Cockroaches, Water Bugs, Ants, Spiders, Silverfish, Flies, Mosquitoes, Gnats, Carpet Beetles, Wasps, Hornet, and exposed stages of Drugstore Beetles, Indian Meal Moths, Mediterranean Flour Moths, Red Flour Beetles, Confused Flour Beetles, and Saw-Toothed Grain Beetles hide. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the food. Avoid contamination of food or food processing surfaces.

Directions for use as a residual spray.

To obtain residual action DALCO INSECTICIDE must be applied as a coarse spray or with a brush to moisten the surface using one quart to approximately 250 sq. ft. of surface.

For Roaches, Waterbugs, Spiders and Silverfish:

Apply liberally around refrigerator, sinks, cabinets, shelving, under side of tables, all cracks and crevices, around baseboards, moulding, and other woodwork, drains, plumbing and sanitary facilities. Also around heating pipes, pipe openings, beams and rafters, storage places of records and printed matter, as well as accessible interiors of vending machines and water coolers. Avoid contact of foodstuffs and food handling equipment. Repeat treatment as often as necessary.

To Kill Flies, Mosquitoes and Gnats:

Apply "wet" to exterior surfaces of screens, doors, windows, loading docks, refuse dumps and garbage cans. Exterior surfaces, because of effects of weathering should be treated frequently. Repeat treatment as often as necessary. Do not spray on wallpaper.

For Ants:

Apply to trails, runways and areas they visit. Pay particular attention to baseboards, door and window frames and sills, the legs of tables and chairs, and all cracks and crevices opening to the outside of the building. Control of colonies may be obtained by pouring a small amount of insecticide into ant hills and closing over with earth. Repeat treatment as often as necessary.

For Carpet Beetles:

Apply as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

For Brown Dog Ticks:

Treat behind baseboards, cracks, and around edge of infested rooms. Treat sleeping quarters of household pets. Food bedding should be replaced with new after treatment. Do not treat pets or other animals. Repeat as often as necessary.