

27 SEP 1993

Mr. John L. White  
Gro Green  
717 Elk Street  
Buffalo, New York 14210

Dear Mr. White:

SUBJECT: Gro Green  
EPA Registration No. 6665-8  
Label Amendment  
Your Submission Dated August 25, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable with the following provisions:

1. Please make the following typographical changes:
  - a. Under the Caution section, correct the spelling of "pants" ,and the spelling of the word "exposed".
2. Under the Environmental Hazards section make the following changes:
  - a. Correct the spelling of "invertebrates" and "runoff".
  - b. The third sentence should read as follows: "Do not apply directly to water."

A stamped copy is enclosed for your records. Please submit five (5) final printed copies for the referenced label, incorporating the above changes, before releasing the product for shipment.

Sincerely yours,

Joanne I. Miller  
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (H7505C)

Enclosure		CONCURRENCES					
SYMBOL							
SURNAME							
DATE							

# GRO GREEN

## WEED'n FEED 60

- \*APPLY ANYTIME DURING GROWING SEASON SPRING - SUMMER - FALL
- \*CONTROLS OVER 60 TYPES OF UGLY WEEDS
- \* KILLS DANDELIONS AND OTHER BROADLEAF WEEDS COMPLETELY - ROOTS AND ALL
- \* FEEDS YOUR LAWN WITH SUPERTURF TO PRODUCE A DEEP GREEN, VIGOROUS COMPETITIVE TURF.

### 26-3-4

#### ACTIVE INGREDIENTS

2,4-DICHLOROPHOXYACETIC ACID\* ..... 0.87%  
 ISOCTYL ESTER OF 2-(2-MENTHYL-4-CHLORO-PHOXY)  
 PROPLONIC ACID\*\* ..... 0.90%

INERT INGREDIENTS..... 98.23%

TOTAL..... 100.00%

CHLORINE (Cl) MAXIMUM..... 2.5%

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

27 SEP 1993

#### GUARANTEED ANALYSIS

TOTAL NITROGEN (N)..... 26.0%

1.0% AMMONIACAL NITROGEN

25.0% UREA NITROGEN

AVAILABLE PHOSPHORIC ACID (P2O5)..... 3.0%

SOLUBLE POTASH (K2O)..... 4.0%

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, this product is  
registered under EPA Reg. No.

6665-8

PRIMARY PLANT FOOD DERIVED FROM UREA, DIAMMONIUM PHOSPHATE AND MURIATE OF POTASH

FEEDS 5,000 SQ. FT.  
(50 X 100)

KEEP OUT OF REACH OF CHILDREN

NET WT. 17 LBS.  
(7.8 kg)

#### CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

AND STATEMENT OF PRACTICAL TREATMENT

EPA REG. NO. 6665-8

EPA EST. NO. 6665-NY-01

WEED'N FEED 60

(REAR PANEL)

GRO GREEN

FEEDS 5,000 SQ. FT. ✓  
(50 X 100) ✓

NET WT. 17 LBS. ✓  
(7.8 kg) ✓

### WEED'N FEED 60

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

AVOID CONTACT WITH THE SKIN, EYES OR CLOTHING. AVOID BREATHING DUST. WASH THOROUGHLY AFTER HANDLING. CAUSES MODERATE EYE INJURY.

WHEN USING THIS PRODUCT, WEAR LONG SLEEVED SHIRT, LONG PANTS, SOCKS AND SHOES, AFTER USING THIS PRODUCT, REMOVE CLOTHING AND LAUNDRER SEPARATELY BEFORE REUSE AND PROMPTLY AND THOROUGHLY WASH HANDS AND EXPOSED SKIN WITH SOAP AND WATER. THE MAXIMUM NUMBER OF BROADCAST APPLICATIONS PER TREATMENT SITE IS 2 PER YEAR. DO NOT ALLOW PEOPLE (OTHER THAN APPLICATOR) OR PETS ON TREATMENT AREA. DURING APPLICATION, DO NOT ENTER TREATMENT AREA UNTIL DUST HAS SETTLED.

#### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: GET MEDICAL ATTENTION. ✓  
IF ON SKIN: WASH SKIN WITH SOAP AND WATER. ✓  
IF IN EYES:: IMMEDIATELY FLUSH EYES WITH WATER FOR 15 MINUTES.. ✓  
IF IRRITATION DEVELOPS, GET MEDICAL ATTENTION.

#### ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO AQUATIC ~~INVERTEBRATES~~ <sup>invertebrates</sup>. DRIFT OR ~~RUNOFF~~ <sup>Runoff</sup> MAY ADVERSELY EFFECT AQUATIC INVERTEBRATES AND NON TARGET PLANTS. ~~DO NOT APPLY DIRECTLY TO WATER, OR TO AREAS WHERE SURFACE WATER IS PRESENT OR TO INTERTIDAL AREAS BELOW THE MEAN HIGH WATER MARK. DO NOT CONTAMINATE WATER WHEN DISPOSING OF EQUIPMENT WASHWATERS.~~ ✓

(REAR PANEL)

**DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

GRO-GREEN WEED'N FEED 60 IS A STABLE MIXTURE OF TWO HERBICIDES. IT IS FOR USE ON HOME LAWNS, TURF (EXCLUDING PASTURES, SOO FARMS, AND TURF GROWN TO PRODUCE SEED) AND GOLF FAIRWAYS, APRONS, TEES AND ROUGHS, PARKS, CEMETERIES AND SIMILAR NON-CROP AREAS.

THIS PRODUCT MAY BE USED ON BLUEGRASS, FESCUE, RYE, BERMOUDA, BAHIA, ZOYSIA, CENTIPEDE AND ST. AUGUSTINE GRASS. DO NOT USE ON DICHONDRA AND BENTGRASS.. DO NOT USE THIS PRODUCT WHERE DESIRABLE CLOVERS ARE PRESENT OR ALLOW THE PRODUCT TO "WIND DRIFT" ONTO FLOWERS, VEGETABLES, ORNAMENTALS, SHRUBS, TREES OR OTHER DESIRABLE PLANTS


THIS PRODUCT IS DESIGNED TO PROMOTE LUSH GREEN GROWTH AND CONTROL MANY BROADLEAF WEEDS IN LAWNS. SOME OF THESE WEEDS ARE:

BLACK MEDIC, BUCKHORN, BURDOCK, CHICORY, CHICKWEED, CLOVER, DOCK, DANDELION, ENGLISH DAISY, GROUND IY, HAEALALL, LAMB'S QUARTER, MALLOW, MORNING GLORY, PIGWEED, PLANTAIN, POISON IY, POISON OAK, PURSLANE, RAGWEED, RED CLOVER, RED SORREL, STITCHWORT, SPEEDWELL, SPRUGE, WHITE CLOVER, WILD CARROT, WILD GARLIC, WILD ONION, WILD LETTUCE, YARROW AND OTHER BROADLEAF WEEDS.

**WHEN TO APPLY:** BEST RESULTS ARE OBTAINED WHEN WEEDS ARE ACTIVELY GROWING SPRING, OR EARLY FALL.

**IMPORTANT:** APPLY WHEN GRASS IS MOIST (AFTER A RAIN, SPRINKLING, OR DEW) DO NOT water lawn after material is applied. For most effective broadleaf weed killing action, avoid unnecessary disturbances, including watering of treated areas for 48 hours after application. Watering will wash off weed killing material. Avoid contact with valuable shrubs, plants or flowers.. Do not over-apply. Do not reseed for at least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.

**NOTE:** When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, overapplication may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rate should be reduced 50% to avoid possible dehydration or browning of the grass.



(Rear panel contd)

**HOW TO APPLY:** This 17 pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, crisscrossing the area at half the rate each time is also acceptable. Lawns that are heavily overrun with weeds and that are in poor condition may require more than one application of the product. A suggested second application should be made in approximately 30 days.

The following settings are approximate for applying contents of this package at a suggested rate of 3.4 pounds per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 sq. ft. and adjust to apply at the rate of .85 lb. per 250 sq. ft. Clean spreader thoroughly after use.

**SPREADER SETTINGS-**

Quick & Easy - We recommend the Cyclone (roto, broadcast) spreaders.

- 1. They cover 5,000 sq. ft. (50' x 100') in about 15 min.
- 2. Overlap 6-8" and you will get professional results without streaking.

On standard models set all makes about 1/5 of total opening.

Cyclone (Roto) Type.....	4
Scotts-Standard Models Only.....	5
Central, Greenfield Cross Country.....	6


These settings are furnished as a guide ONLY - Age, condition <sup>of</sup> spreader, speed of operation and roughness of terrain can cause variations in rates applied.

Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash material from concrete surfaces because fertilizers which contain iron may cause discoloration upon oxidation.

**STORAGE:** Always Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near foodstuffs or feed. To prevent cross contamination, do not store near other fertilizers, or near herbicides, insecticides, or fungicides.

**PRODUCT DISPOSAL:** To dispose of bags which contain unused product, securely wrap bag in several layers of newspaper and discard in trash.

**CONTAINER DISPOSAL:** Do not reuse empty bag. Fold empty bag and discard in trash.



(Rear panel contd)

The Manufacturer and Seller makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the face hereof. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Manufactured by: **GRO-GREEN PRODUCTS, 717 ELK ST., BUFFALO NEW YORK 14210**

(ERP, WPS, WET) (080293 JLW)

