pm23	6665-8 1/5
Please read instructions on reverse before completing form. United States Environmental Protection Washington, DC 20	
Applicati	on for Pesticide - Section I
1. Company/Product Number 6665-8 4. Company/Product (Name)	2. EPA Product Manager 3. Proposed Classification Joanne, I. Miller X PM# X
Gro-Green WEED'N FEED 60 5. Name and Address of Applicant (Include ZIP Code) GRO-GREEN PRODUCTS, INC. 717 Elk Street Buffalo, NY 14210 Check if this is a new address	23 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name
	Section - II
Amendment - Explain below. Resubmission in response to Agency letter dated Notification - Explain below. Explanation: Use additional page(s) if necessary. (For section Adding: Fertilizer & Marketing hype and an additional brand name: (, APR 1 8 1996
	Section - III
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes* No * Certification must be submitted	Water Soluble Packaging 2. Type of Container Yes Metal No Plastic If "Yes" No. per Package wgt container
3. Location of Net Contents Information 4. Size(s) R Label Container	tetail Container 5. Location of Label Directions On Label On Labeling accompanying product ograph er glued neiled
	Section - IV
1. Contact Point [Complete items directly below for identificat	tion of individual to be contacted, if necessary, to process this application.)
Name Verona M. Sawyer	Title Consultant Telephone No. (Include Area Code)
Certific I certify that the statements I have made on this form ar I acknowledge that any knowingly false or misleading st both under applicable law.	nd all attachments thereto are true, accurate and complete.
2. Signature Wind Malavy	3. Title Consultant
4. Typed Name Verona M. Sawyer	^{5. Date} March 1, 1996
EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.	White - EPA File Copy {original} Yellow - Applicant Cop

(Front Panel)

GRO GREEN

WEED'N FEED 60

*APPLY ANYTIME DURING GROWING SEASON SPRING - SUMMER - FALL *CONTROLS OVER 60 TYPES OF UGLY WEEDS *KILLS DANDELIONS AND OTHER BROADLEAF WEEDS COMPLETELY - ROOTS AND ALL *FEEDS YOUR LAWN WITH SUPERTURF TO PRODUCE A DEEP GREEN, VIGOROUS COMPETITIVE TURF.

28-3-4

ACTIVE INCREDIENTS:	
2,4-Dichlorophenoxyacetic Acid	0.87%
Isooctyl Ester of 2-(2-Methyl-4-chlorophenoxy)propionic Acid	0.90%
INERT INCREDIENTS:	<u>98.23%</u>
TOTAL	100.00%

CUARANTEED ANALYSIS

TOTAL NITROGEN (N)	28.0%
1.0% AMMONIACAL NITROGEN	
27.0% UREA NITROGEN	
AVAILABLE PHOSPHORIC ACID (P205)	3.0%
SOLUBLE POTASH (K ₂ O)	4.0%

Chlorine (Cl) Maximum 2.5%

PRIMARY PLANT FOOD DERIVED FROM UREA, DIAMMONIUM PHOSPHATE AND MURIATE OF POTASH

FEEDS 5,000 SQ. FT. KEEP OUT OF REACH OF CHILDREN NET WT. 16 LBS. (50 X 100) (7.25 kg)

CAUTION SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

EPA REG. NO. 6665-8

EPA EST. NO. 6665-NY-01

(BACK PANEL)

GRO GREEN

FEEDS 5,000 SQ. FT. (50 X 100)

NET WT.	16	LBS.	,	ļ	,
(7.25	kg)			

WEED'N FEED 60

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

2/5

WEED'N FEED 60

Page 2

Avoid contact with the skin, eyes or clothing. Avoid breathing dust. Wash thoroughly after handling. Causes moderate eye injury. When using this product, wear long sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse and promptly and thoroughly wash hands and exposed skin with soap and water. The maximum number of broadcast applications per treatment site is 2 per year. Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until dust has settled.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:	Get medical attention.
IF ON SKIN:	Wash skin with soap and water.
IF IN EYES:	Immediately flush eyes with water for 15 minutes.
	If irritation develops, get medical attention.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely effect aquatic invertebrates and non target plants. Do not apply directly to water.

DO NOT contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product. Use strictly in accordance with label precautionary statements and directions. FOR HOMEOWNER USE ONLY. GRO-GREEN WEED'N FEED 60 is a stable mixture of two herbicides. It is for use on home lawns, turf (excluding pastures, sod farms).

This product may be used on bluegrass, fescue, rye, bermuda, bahia, zoysia, centipede and St. Augustine grass. DO NOT USE ON DICHONDRA AND BENTGRASS. DO NOT USE this product where desirable clovers are present or allow the product to "wind drift" onto flowers, vegetables, ornamentals, shrubs, trees or other desirable plants.

This product is designed to promote lush green growth and control many broadleaf weeds in lawns. Some of these weeds are:

Black Medic, Buckhorn, Burdock, Chicory, Chickweed, Clover, Dock, Dandelion, English Daisy, Cround Ivy, Healall, Lambsquarters, Mallow, Morning Glory, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Red Clover, Red Sorrei, Stitchwort, Speedwell, Spurge, White Clover, Wild Carrot, Wild Garlic, Wild Onion, Wild Lettuce, Yarrow, and other broadleaf weeds.

WHEN TO APPLY: Best results are obtained when weeds are actively growing in Spring or early Fall.

IMPORTANT: Apply when grass is moist (after a rain, sprinkling, or dew). DO NOT water lawn after material is applied. For most effective broadleaf weed killing action, avoid unnecessary disturbances, including watering of treated areas, for 48 hours after application. Watering will wash off weed killing material. Avoid contact with valuable shrubs, plants or flowers. Do not over-apply. Do not reseed for at

WEED'N FEED 60

least 3 to 4 weeks after application. Do not apply to newly seeded or sodded lawn until after 3 mowings.

NOTE: When applying to Southern Grasses - under conditions of inadequate moisture, high temperature and high humidity, over application may cause minor transitory discoloration on Centipede and St. Augustine grasses. It is recommended that during hot, dry conditions, application rates should be reduced 50% to avoid possible dehydration or browning of the grass.

HOW TO APPLY: This 16 (or 20) pound bag should be used on 5,000 square feet. Apply evenly with a lawn spreader as a one pass application. A two pass application, crisscrossing the area at half the rate each time is also acceptable. Lawns that are heavily overrun with weeds and that are in poor condition may require more than one application of the product. A suggested second application should be made in approximately 30 days.

The following settings are <u>approximate</u> for applying contents of this package at a suggested rate of 3.2 pounds (4 pounds for 20 pound bag) per 1,000 square feet. Settings are based on an average walking speed. Reduce setting for slower speed; raise setting for higher speed. Check your spreader on 250 sq. ft. and adjust to apply at the rate of .08 lb. (1 lb. for 20 pound bag) per 250 sq. ft. Clean spreader thoroughly after use.

SPREADER SETTINGS -

Quick & Easy - We recommend the Cyclone (roto, broadcast) spreaders.

1. They cover 5,000 sq. ft. (50' X 100') in about 15 min.

2. Overlap 6-8" and you will get professional results without streaking.

On standard models set all makes about 1/5 of total opening.

Cyclone (Roto) Type	4
Scotts-Standard Models Only	5
Central, Greenfield Cross Country	6

These settings are furnished as a guide ONLY - Age, condition of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

Sweep all fertilizer materials from concrete surfaces immediately after application. Do not wash material from concrete surfaces because fertilizers which contain iron may cause discoloration upon oxidation.

STORAGE: Always store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near foodstuffs or feed. To prevent cross contamination, do not store near other fertilizers, or near herbicides, insecticides, or fungicides. PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap original bag in several layers of newspaper and discandin

trash. CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard

in trash. The Manufacturer and Seller make no warranties, express or implied, concerning this,

product or its use, which extend beyond the description on the face hereof.' Buyer'''' assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions. (RV 030196)

Manufactured by: GRO-GREEN PRODUCTS, 717 ELK ST., BUFFALO NEW YORK 14210

Page

3

WEED'N FEED 60

NITROGEN PHOSPHATE POTASH Produces lush dark Promotes root growth Improves lawn's green plant growth and development hardiness and disease resistance

Essential for plants' protein development Essential element for all living plant tissue Strengthens lawn

against winter damage

Contains Essential Iron for increased greening - Contains Controlled -Release Nitrogen

Covers Up to 5,000 Square Feet. Weeds contacted by this product gradually die and disappear from the lawn. This product is a premium grade herbicide and turf food combination which controls a wide spectrum of broadleaf weeds while providing both fast and long feeding action.

THE GREEN CHARM LAWN CARE PROGRAM

For optimum lawn care we recommend the following program:

- 1. CREEN CHARM Crabgrass Preventer Plus Fertilizer
- 2. GREEN CHARM Weed & Feed
- 3. GREEN CHARM Lawn Food
- 4. GREEN CHARM Winterizer

USE THIS FORMULA TO CALCULATE THE AMOUNT OF PRODUCT YOU NEED

х

=

₽.

Length of Property

Width of Property

2

Total Square Feet of Property

Total Square Feet of Non-Lawn Areas

Total Square Feet of Coverage Needed

Page 4