



prentox

ROTENONE FISH TOXICANT POWDER

DIRECTIONS FOR USE (Cont'd)

AMOUNTS OF ROTENONE NEEDED FOR SPECIFIC USES

Amounts of Rotenone needed for specific uses are listed in the following table. The amount of Rotenone needed for a given use is based on the amount of Rotenone in the product being used. The amount of Rotenone in the product is listed in the table.

| Type of Use | Parts Per Million of Rotenone | No. of Acre Feet Covered by One Pound |
|-------------|-------------------------------|---------------------------------------|
|-------------|-------------------------------|---------------------------------------|

For example, if you are using a product containing 5% Rotenone, you would need 1.93 pounds of product to cover 1 acre foot of water.

PRE MIXING AND METHOD OF APPLICATION

Pre-mix Rotenone with water in a clean container. Add the Rotenone to the water and mix thoroughly. Apply the mixture to the water body.

DETOXIFICATION

Rotenone is broken down by sunlight and bacteria. It is also broken down by the fish themselves. The water body should be aerated and the fish should be fed during the detoxification process.

REMOVAL OF TASTE AND ODOR

Rotenone can cause a taste and odor problem in the water. This can be removed by aeration and feeding the fish.

RE STOCKING AFTER TREATMENT

Do not restock the water body until the water is clear and the fish are healthy.

CAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
 Avoid contact with skin. Avoid breathing dust. Wear clean clothing. Wash thoroughly after using.
ENVIRONMENTAL HAZARDS
 Do not contaminate water by cleaning of equipment or disposal of wastes. Rotenone is toxic to fish eggs at 0.5-1.0 ppm.

ACTIVE INGREDIENTS:
 Rotenone - Minimum Guaranteed 5.0% w/w
 Other Cube Resin 10.0%
INERT INGREDIENTS 85.0%
 100.0% w/w

ROTENONE ASSAY _____ % ROTENONE

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

DIRECTIONS FOR USE
 Read the Federal Law to use this product in a manner consistent with its labeling.

NOTE TO USER
 Amounts of Rotenone according to actual assay. For example, if the assay is 7% use $5/7 \times 2.70 = 1.93$ pounds of 5% Rotenone.

5% Rotenone Powder
 Apply this product only as specified on this label. Do not use by or under permit from State and Federal Fish and Wildlife Agencies.

DIRECTIONS FOR USE IN PONDS, LAKES AND RESERVOIRS
 Determine water temperature, pH, and turbidity for each type water. Because these factors affect the effectiveness of pesticides, consult your State Game and Fish Commission before use to determine the correct amount of product needed for the type kill desired.

HOW TO MEASURE ACRE-FEET: An ACRE FOOT is a unit of volume of water having the area of one acre and a depth of one foot. To determine acre-feet in a given body of water, mark a line across the water body taking depths with a sounding line. Add the soundings and divide by 43,560 to determine the average depth. Multiply the average depth by the total surface to find the acre-feet to be treated. If surface acres is unknown, contact your State Game Service, which can determine this from aerial photos.

E.P.A. Reg. 655-691 E.P.A. Est. No. 655-NJ-1

NET WEIGHT 30 POUNDS

STORAGE AND DISPOSAL
PROHIBITIONS: Do not contaminate water, food, or feed. Do not use in streams, rivers, or other public waters. Do not use in areas where it is prohibited.
PESTICIDE DISPOSAL: Pesticide sprays, solutions, or suspensions that cannot be used are not to be disposed of in the environment. They must be disposed of in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act.
CONTAINER DISPOSAL: Empty containers should be triple rinsed and disposed of in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act.

ACCEPTED
 NOV 18 1981
 EPA REG. NO. 655-691



Manufactured by
prentiss
 Drug & Chemical Co., Inc.
 Plant: 338 Wilson Avenue
 Newark, N.J. 07105
 Office: 363 7th Avenue
 New York, N.Y. 10001

DO NOT RE-USE CONTAINER.
DISPOSE OF EMPTY CONTAINER BY DEEP BURIAL.

STATEMENT OF PRACTICAL TREATMENT:
If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.

Avoid use of all oils. Have patient lie down and keep warm. Do not induce vomiting or give anything to an unconscious person. Get medical attention. If on skin or eyes, flush with plenty of water.

DUE TO COMPACTION, CAN SHOULD BE SHAKEN BEFORE OPENING.

NET WEIGHT, 1 Pound

UNITED STATES DEPARTMENT OF THE INTERIOR
U. S. FISH & WILDLIFE SERVICE
WASHINGTON, D. C. 20240

EPA Reg. No. 6704-36
EPA EST. No. 6704-ID-1

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

ZINC PHOSPHIDE RAT POISON

DANGER: KEEP OUT OF REACH OF CHILDREN and domestic animals. Poisonous if swallowed. Do not breathe dust fumes. Avoid contact with skin. Wash hands after using. Do not contaminate feed and foodstuffs. Avoid contact with birds. See statement of practical treatment on left panel.



POISON

ACTIVE INGREDIENTS

| | |
|-----------------------------|-----|
| Zinc Phosphide | 63% |
| Antimony Potassium Tartrate | 24% |
| INERT INGREDIENTS | 13% |



POISON

DIRECTIONS: placing zinc phosphide contents of can as ground meat or poultry mash, etc. Place round in intervals, where be placed in tar not accessible animals.

NOTE: Dogs and this type. Complete completion of the

ACCEPTED

NOV 18 1966

Product name
For product name
as amended for the
registered name
EPA Reg. No. 6704-36



ER.
DEEP BURIAL.
T:
ater and induce
finger.
own and keep
anything to an
tion. If on skin
BEFORE OPENING.
E INTERIOR
CE

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

ZINC PHOSPHIDE RAT POISON


DANGER: KEEP OUT OF REACH OF CHILDREN and domestic animals. Poisonous if swallowed. Do not breathe dust fumes. Avoid contact with skin. Wash hands after using. Do not contaminate feed and foodstuffs. Avoid contact with acids. See statement of practical treatment on left panel.

ACTIVE INGREDIENTS
Zinc Phosphide 63%
Antimony Potassium Tartrate 24%
INERT INGREDIENTS 13%



DIRECTIONS: Use rubber gloves when mixing or placing zinc phosphide baits. Gradually mix entire contents of can with sixty-four pounds of bait, such as ground meat, fish, canned dog food or cat food, poultry mash, etc. Do not use foods which will be attractive to children, such as cookies, candy, nuts, etc. Place rounded teaspoon piles of bait at 8-10 foot intervals, where rats feed, water or travel. Baits must be placed in tamper-proof bait boxes or in locations not accessible to children, pets, and domestic animals.

NOTE: Dogs and cats will actively search out baits of this type. Collect and destroy uneaten baits after completion of the control program.



ACCEPTED
NOV 18 1981
Under the Federal
Fungicide and Rodenticide
Act as amended, for the year
registered under
EPA Reg. No. 6704-36

