

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

DANGER

Keep away from humans, domestic animals and pets. May be fatal or harmful if swallowed. Avoid skin contact. Do not breathe dust. Avoid contamination of feed or food stuffs. Avoid contact with acids.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and fish. Birds and other wildlife feeding on treated bait may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur.

**ENDANGERED SPECIES
CONSIDERATIONS**

Whooping Crane (*Grus Americana*)

Do not use this product 30 days prior to arrival and 30 days after the whooping crane leaves known crane habitat.

Attwater's greater prairie chicken (*Tympanuchus cupido attwateri*).

Do not use this product in the presently occupied range of the Attwater greater prairie chicken in the following Texas counties: Arkansas, Austin, Brazoria, Colorado, Dewitt, Fort Bend, Galveston, Goliad, Harris, Refugio, Victoria, Waller and Wharton.

Yellow Shouldered Black Bird (*Agelaius xanthomus*) and Puerto Rican Plain Pigeon (*Columba inornata wetmorei*).

This product must not be used in the following areas except in tamper-proof bait boxes (within 10 kilometers of central Aquirre, Lago Cicra, Ceiba, San German; 15 kilometers at La Esperanza; south of highway 2 from city at Mayaguez to the city of Ponce and all of Mona Island, Puerto Rico).

Utah Prairie Dog (*Cynomys parvidens*)

Do not use this product in the range of the Utah Prairie dog. (Utah)

Salt marsh harvest mouse (*Reithrodontomys raviventris*)

Do not use this product within 1/2 mile of salt marsh vegetation and/or brackish water wetlands which are located 1) near or adjacent to San Pablo Bay and San Francisco Bay or 2) in the Sacramento River below or adjacent to the confluence of the Sacramento River and the San Joaquin River. (California)

Morro Bay Kangaroo Rat (*Dipodomys heermanni morrensis*)

Do not use this product within 2-1/2 miles of Baywood Park which is located on Morro Bay (California)

Aleutian Canada goose (*Branta canadensis leucoparia*)

Do not use this product from October to March in the federally closed goose hunting areas in the State of California. See current Duck and Goose Hunting game laws for current map.

RESTRICTED USE PESTICIDE

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

ZINC PHOSPHIDE RAT POISON

Active Ingredients:

Zinc Phosphide..... 63%

Inert Ingredients..... 37%

TOTAL 100%

KEEP OUT OF REACH OF CHILDREN

DANGER—POISON



ACCEPTED

DEC 9 1985

U.S. DEPARTMENT OF THE INTERIOR
FISH & WILDLIFE SERVICE
WASHINGTON, D.C. 20240
EPA EST. NO. 6704-1D-1
EPA REG. NO. 6704-36

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL

IMMEDIATELY!

STATEMENT OF PRACTICAL TREATMENT

Any person applying zinc phosphide products and experiencing signs or symptoms such as nausea, abdominal pain, tightness in the chest or weakness, should be seen by a physician immediately.

If swallowed, drink 1-2 glasses of water and induce vomiting by touching the back of the throat with the finger. Avoid the use of all oils. Have person lie down and keep warm. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin or eyes, flush with plenty of water.

U. S. DEPARTMENT OF THE INTERIOR
FISH & WILDLIFE SERVICE
Washington, D. C. 20240
EPA EST. NO. 6704-1D-1
EPA REG. NO. 6704-36

Net Weight oz.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of Norway rats, and roof rats in rat burrows and in and around homes, industrial, commercial, agricultural, and public buildings. Do not expose poison bait in areas accessible to livestock and non-target wildlife.

Wear an approved respirator and rubber gloves. Apply in a well ventilated area.

Due to compaction of contents, can should be shaken before opening.

MIXING: Mix entire contents of can (1 oz.) with 4 pounds of fresh meat, such as ground beef, canned dog or cat food, fish, or poultry mash. Mix bait thoroughly.

BAITING: Place rounded teaspoons of bait in piles at 8-10 foot intervals where rats feed, water and travel. Place baits in tamper-proof bait boxes or in locations not accessible to children, pets, or domestic animals.

If baited areas are accessible to dogs, cats, or carnivorous or omnivorous non-target wildlife larger than Norway rats, bait stations must be of a design and strength which denies these animals access to bait. Secure and immobilize bait stations if necessary to deny these non-target animals access to bait.

NOTE: Dogs and cats will actively search out baits of this type. Collect and destroy uneaten baits after completion of the control program.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of in a sanitary landfill or by incineration if allowed by State and local authorities. If burned, stay out of smoke.

pm 16 6704-36 10F1

1/2

PM 31
4875-5

1991



Disinfectant Sanitizer
Deodorizer Virucide

Active Ingredients	
n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₀)	
dimethyl benzyl ammonium chlorides	5%
n-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl	
ethyl benzyl ammonium chlorides	5%
Inert Ingredients	90%
	100%

Sterine 100 is a concentrate and should be diluted before using.

STERINE 100 provides sanitizing disinfection against *Escherichia Coli* and *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Additive Amendment of the Federal Food, Drug, and Cosmetic Act requires a minimum of 200 ppm active level without requiring a disinfectant.

AT 3 ounces per each 5 gal. dilution, Sterine 100 is an acceptable disinfectant against *Salmonella choleraesuis* and *Pseudomonas aeruginosa*.

VRUCIDAL ACTIVITY - This product is effective against *Herpes simplex* (causative agent of genital herpes), *Herpes zoster* (shingles), and *Herpes varicelliformis* (chicken pox). **EFFICACY TESTS HAVE DEMONSTRATED VIRUCIDAL ACTIVITY IN THE PRESENCE OF**

DEODORIZATION - STERINE 100 deodorizes such as garbage storage areas, empty cans, and other areas prone to odors caused by micro organisms.

MOLD & MILDEWSTAT - STERINE 100 prevents mold and mildew growth on hard non-porous inanimate surfaces.

SANITIZATIONS - When used for sanitizing hard non-porous food contact surfaces, STERINE 100 is an effective sanitizer with a minimum active concentration of 200 ppm.

DO NOT CONTAMINATE WATER, FOOD, OR STORAGE - Store in a place no lower than the container. **CONTAINER DISPOSAL** - Do not reuse. Return empty drum to a reconditioning or recycling facility or other procedures approved by state or local authorities as permitted by license as applicable.

PESTICIDE DISPOSAL - Pesticide mixtures, spray mixtures or residues should be disposed of by use according to label instructions or by use according to label instructions of the Hazardous Waste representative.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STERINE 100 has been designed specifically for hospitals, food processing plants, dairies, restaurants, bars and other institutions where disinfection and sanitization is of prime importance.

DISINFECTION - To disinfect previously cleaned hard inanimate surfaces (such as walls, floors, table tops) apply STERINE 100 with a mop, cloth, sponge or mechanical sprayer so as to wet thoroughly. Allow to remain wet for 10 minutes.

DILUTION RATES-General Disinfection-add 3 ounces per 5 gallons of water. Hospital Disinfection-add 3.5 ounces per 5 gallons of water. Water used for making up the solutions should be clean potable water, solution vessel should be thoroughly cleaned and free of contamination. For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1.5 ounces STERINE 100 per gallon of water for 10 minutes. For disinfection, a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

DEODORIZER - To deodorize, apply STERINE 100 as indicated under the heading "General Disinfection" above.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard nonporous surfaces (such as floors, walls, table tops), add 3 ounces STERINE 100 per gallon of water. Apply the solution with a cloth, mop or sponge making sure to wet all surfaces completely. Let air dry. Prepare a fresh solution for each use. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZATION - Recommended for use in restaurants, dairies, food processing plants, bars etc. Remove all gross food particles and soil from areas which are to be sanitized with a good detergent by a pre-rinse, pre-soak or pre-scrape treatment. Rinse with potable water. To sanitize previously cleaned and rinsed non-porous food contact surfaces, prepare 200 ppm active quaternary solution by adding 1 ounce STERINE 100 to 4 gallons of water or 2.5 ounces to 10 gallons or 5 ounces to 20 gallons of water. To sanitize immobile items (such as tanks, chopping blocks, counter tops), flood the area with 200 ppm STERINE 100 solution for at least 60 seconds making sure to wet all surfaces completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent. To sanitize mobile items (such as drinking glasses, eating utensils), immerse in a 200 ppm solution of STERINE 100 for at least 60 seconds making sure to immerse completely. Remove and let dry. Prepare a fresh solution daily or more frequently as soil is apparent.

PRECAUTIONARY STATEMENTS
Hazard to Humans and Domestic Animals
DANGER

KEEP OUT OF REACH OF CHILDREN. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.


STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA REG. NO. 4875-5
EPA EST. NO. 4875-NJ-1



KEEP OUT OF REACH OF CHILDREN
DANGER

see side panels for additional precautionary statements

NET CONTENTS 1 gallon

INDEPENDENCE CHEMICAL COMPANY
GLOUCESTER CITY, NEW JERSEY 08030