

# **PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS)**

For use by trained operators only. May be fatal if swallowed or absorbed through skin. Avoid contact with skin and eyes. May produce severe burns; care must be exercised in handling the concentrated form of LAMPRECID. Protective clothing, rubber gloves, and face masks are necessary for the minimum protection of handlers. Wash thoroughly after handling.

Directions for use must be strictly followed to minimize hazard to non-target organisms. Do not contaminate water by cleaning, refilling, or disposal of wastes.

Local, State, and Provincial Fish and Game Agencies must be contacted before product is applied. Municipalities that use streams requiring treatment as potable water sources must be notified of the impending treatment at least 24 hours prior to application. Agricultural irrigators that use streams requiring treatment as a source of irrigation water must be notified of the impending treatment at least 24 hours prior to application. Agricultural irrigators must turn off their irrigation system for a 24-hour period during and after treatment.

Not to be used by unauthorized persons. No. 2034

# **STORAGE AND DISPOSAL**

Do not contaminate water by cleaning, refilling, or disposal of wastes.

**STORAGE:** Containers of LAMPRECID should be stored in an area where the risk of fire or explosion is minimized.

**DISPOSAL:** LAMPRECID should not be used in a way that should be disposed of in a way that is approved for pest control.

Approved for pest control only. Do not use in a way that is approved for pest control.

Approved for pest control only. Do not use in a way that is approved for pest control.

# **RESTRICTED USE PESTICIDE ONLY FOR SALE TO AND APPLICATION BY CERTIFIED APPLICATORS OF THE U.S. FISH AND WILDLIFE SERVICE FISHERIES AND OCEANS CANADA, AND PROVINCIAL AND STATE FISH AND GAME EMPLOYEES OR PERSONS UNDER THEIR DIRECT SUPERVISION. SEA LAMPREY LARVICIDE LAMPRECID**

ACTIVE INGREDIENT		
2, 2, 2-TRIFLUORO 4-NITRO-m-CRESOL, SODIUM SALT:	39.9	
EQUIVALENT TO 36.1% FREE CRESOL		
INERT INGREDIENT	60.1	
	TOTAL 100.00	
THIS PRODUCT CONTAINS	LBS. OF	PER GALLON

**DANGER - POISON**

**STATEMENT OF PRACTICAL TREATMENT**  
**NO KNOWN EFFECTIVE ANTIDOTE.**  
**IF SWALLOWED, CALL PHYSICIAN IMMEDIATELY. INDUCE VOMITING** by giving milk or white of egg beaten in water, then a tablespoon of salt in glass of warm water and repeat until vomit fluid is clear. Repeat milk or white of egg beaten with water.  
**IF ON SKIN, flush liberally with water for at least 15 minutes and wash with soap if possible.**  
**IF IN EYES, flush liberally with water for at least 15 minutes; get medical attention.**

**SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

MADE BY  
TOWN COUNTRY  
PACKED FOR  
TOWN STATE  
ESTABLISHMENT NO.  
EPA REGISTRATION NO.

Hoechst Aktiengesellschaft  
6530 Frankfurt am Main 8, Germany  
U.S. FISH AND WILDLIFE SERVICE  
WASHINGTON, D.C. 20241  
EPA REGISTRATION NO.  
NET CONTENTS

**Hoechst**



# **DIRECTIONS FOR USE**

For use by trained operators only. May be fatal if swallowed or absorbed through skin. Avoid contact with skin and eyes. May produce severe burns; care must be exercised in handling the concentrated form of LAMPRECID. Protective clothing, rubber gloves, and face masks are necessary for the minimum protection of handlers. Wash thoroughly after handling.

Directions for use must be strictly followed to minimize hazard to non-target organisms. Do not contaminate water by cleaning, refilling, or disposal of wastes.

Local, State, and Provincial Fish and Game Agencies must be contacted before product is applied. Municipalities that use streams requiring treatment as potable water sources must be notified of the impending treatment at least 24 hours prior to application. Agricultural irrigators that use streams requiring treatment as a source of irrigation water must be notified of the impending treatment at least 24 hours prior to application. Agricultural irrigators must turn off their irrigation system for a 24-hour period during and after treatment.

Not to be used by unauthorized persons. No. 2034

**STORAGE AND DISPOSAL**

Do not contaminate water by cleaning, refilling, or disposal of wastes.

**STORAGE:** Containers of LAMPRECID should be stored in an area where the risk of fire or explosion is minimized.

**DISPOSAL:** LAMPRECID should not be used in a way that should be disposed of in a way that is approved for pest control.

Approved for pest control only. Do not use in a way that is approved for pest control.

Approved for pest control only. Do not use in a way that is approved for pest control.