

6704-45

2/10/2011

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

FEB 10 2011

Terrance Hubert
U.S. Fish and Wildlife Service
Arlington Square Bldg., MS 725
Washington, D.C. 20240

Subject: TFM HP Sea Lamprey Larvicide
EPA Registration No. 6704-45
Date Submitted: January 31, 2011
Amended Labeling/Revised Storage and Disposal Statements

Dear Dr. Hubert:

The label referred to above, submitted in connection with the registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. Within 45 days from the date of this notice, two copies of a final printed label must be submitted. If you have any questions, contact Joanne Edwards at (703) 306-6736, or electronically at Edwards.joanne@epa.gov.

Sincerely,

Venus Eagle, Product Manager 1
Insecticide-Rodenticide Branch
Registration Division (7505C)

[FRONT PANEL]

RESTRICTED USE PESTICIDE

DUE TO ACUTE HAZARDS TO THE EYE AND SKIN AND TO NON-TARGET ORGANISMS, NEED FOR HIGHLY SPECIALIZED APPLICATOR TRAINING, AND NEED FOR SPECIALIZED EQUIPMENT.

ONLY FOR SALE TO AND APPLICATION BY CERTIFIED APPLICATORS OF THE U.S. FISH AND WILDLIFE SERVICE, FISHERIES AND OCEANS CANADA AND PROVINCIAL AND STATE FISH AND GAME EMPLOYEES

**TFM HP
Sea Lamprey Larvicide**

Active Ingredient:	
TFM, 3-Trifluoromethyl-4-nitrophenol, sodium salt	36.5%
Inert Ingredients:	63.5%
TOTAL:	100.0%

*Equivalent to (33.0%) 3-Trifluoromethyl-4-nitrophenol

This product contains ___ lbs. of TFM per gallon

Batch No. _____ Net Contents _____ lbs.

KEEP OUT OF REACH OF CHILDREN
DANGER-POISON



FIRST AID

ACCEPTED
FEB 10 2011
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 6704-45

Have label with you when obtaining treatment advice.

If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice • Have person sip a glass of water, if able to swallow • Do not induce vomiting unless told to do so by poison control center or doctor
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately, with plenty of water, for 15-20 minutes. • Call a poison control center or doctor immediately for treatment advice.

[FRONT PANEL]

If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a poison control center or doctor immediately for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor immediately for treatment advice.
<p>Hot Line Number: You may also contact 1-800-858-7378 for health concerns, emergency medical treatment information or pesticide incidents</p>	

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured For:

Fish and Wildlife Service
 United States Department of Interior
 18th and C Streets, NW
 Washington, DC 20240

EPA Reg. No. 6704-45

EPA Est. _____

[LEFT PANEL]
PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Acute Hazards: Corrosive. Causes irreversible eye damage and skin burns. May be fatal if swallowed. Harmful if absorbed through skin or inhaled.

Hazard Avoidance: Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Wear protective clothing as listed under "Personal Protective Equipment." Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT:

Handlers must wear:

- Coveralls or rubber apron over long-sleeved shirt and long pants
- Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, or polyvinyl chloride [PVC], Viton)
- Chemical-resistant footwear plus socks
- Protective eyewear (goggles or face shield)

Applicators who apply diluted product must wear:

- Chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, or polyvinyl chloride [PVC], Viton)

USER SAFETY REQUIREMENTS:

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This chemical is toxic to fish and aquatic invertebrates. Non-target organisms may be killed at rates recommended on this label. Directions for use must be strictly followed to minimize hazards to non-target organisms. **Do not** contaminate water by the cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Combustible. Do not use and store near open flame.

Not to be used by unauthorized personnel.

[RIGHT PANEL]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CATEGORY OF APPLICATOR: Aquatic Pest Control.

USE RESTRICTIONS:

For control of Sea Lamprey Larvae (*Petromyzon marinus*) in the Great Lakes Basin, the Lake Champlain system and the Finger Lakes.

Aerial applications of this product are prohibited.

Local, State, and Provincial Fish and Game Agencies must be contacted before product is applied. Municipalities that use streams requiring treatment as potable water sources must be notified of the impending treatment at least 24 hours prior to application. Known agricultural irrigators that use streams requiring treatment as a source of irrigation water must be notified of the impending treatment at least 24 hours prior to application. Agricultural irrigators must turn off their irrigation system for a 24-hour period during and after treatment.

PRETREATMENT DIRECTIONS:

Pretreatment surveys are always made to determine the presence of sea lamprey larvae. All waters in the Great Lakes Basin, the Lake Champlain system, and the Finger Lakes selected for treatment must first be analyzed on site to determine both the minimum concentration of TFM HP required to kill sea lamprey larvae and the maximum concentration that can be applied without causing undue mortality of non-target organisms. "Analysis" constitutes live animal toxicity tests, or the use of a multiple regression relating toxicity test results to on-site determination of total alkalinity and pH of the body of water.

APPLICATION DIRECTIONS:

When applying this product, do not apply in a way that will cause the concentrated product to contact unprotected workers or other persons, either directly or through drift.

Persons applying TFM HP must follow the Standard Operating Procedures for Application of Lampricides in the Great Lakes Fishery Commission's Integrated Management of Sea Lamprey Control Program, and ensure that the correct application rates are used. Prior to and during the application of this chemical, take appropriate actions to notify public water users including notification actions specified in this manual.

The concentration of TFM HP needed to kill sea lamprey larvae may vary depending upon water chemistry. Measure volume or flow-rate and add the amount of TFM HP necessary at rates based on the foregoing analysis. Dispense TFM HP by application devices sufficiently accurate to maintain predetermined concentration. Concentration in the body of water must be monitored either by spectrophotometric analysis or high-performance liquid chromatography. TFM HP may be used by itself in the treatment of waters in the Great Lakes Basin, the Lake Champlain system, and the Finger Lakes. At times, however, formulations of Bayluscide (EPA REG. NO. 6704-88) may be used in combination with TFM HP (EPA REG. NO. 6704-45) for control of sea lamprey larvae. Application of Bayluscide may be as a simultaneous addition with TFM HP to reduce the amount of TFM HP required or as a subsequent addition downstream to enhance TFM HP larvicidal activity. Prior to using Bayluscide- TFM HP, pretreatment surveys must be made to determine the presence of larvae. When using Bayluscide in combination with TFM HP, mix in proportions that result in a final concentration of Bayluscide of not more

[RIGHT PANEL]

than 2% of TFM HP by weight (based on active ingredient). Bayluscide may be added to TFM HP in two ways:

1. One method of application is to apply both lampricides at the primary application site. TFM HP is metered into the stream while Bayluscide is applied with a separate pump system in amounts calculated to deliver the desired ratio of Bayluscide to TFM HP. Bayluscide is applied separately to provide a uniform application and to enhance control of concentration.
2. A second application method is to apply Bayluscide into an existing TFM HP block. Because a TFM HP block can be diluted by ground water, swamp seepage, untreated tributaries, occasional rain, or other conditions that cannot be included when the application rates are calculated, the toxicity of the block in the stream must be raised by the addition of TFM HP or Bayluscide. The latter may be used in place of TFM HP. In these situations, TFM HP alone is pumped into the stream at the primary application site. Bayluscide is introduced into the TFM HP block at a point or points downstream in amounts calculated to produce the desired Bayluscide to TFM ratio.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. ~~Delete~~ **Open dumping is prohibited.**

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

SPILLS: Handle and open container in a manner that will prevent spillage. If the container is leaking or material is spilled for any reason or cause, contain spill with a barrier of absorbent material. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed below. In spill or leak incidents, keep unauthorized people away. For decontamination procedures or any other assistance that may be necessary, contact Chemtrec at 1-800-424-9300.

PESTICIDE DISPOSAL: ~~Delete TFM HP spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.~~ **Replace with** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: ~~Delete Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or reconditioning if appropriate, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.~~

Replace with Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling if available or puncture and dispose in sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations.