



DIRECTIONS FOR USE: (0.3% Dieldrin Grain)

Field mice: (Microtus, Pitymys, and Peromyscus)

Place teaspoon quantities of bait in surface trails or at the mouth of holes leading to underground burrow systems. For hand surface baiting, throw tablespoon quantities of bait into heavy cover along tree rows, rock out-crops, and fence lines. Cyclone seeders may also be used for broadcast application; do not broadcast over growing crops. Do not allow bait to be exposed on bare ground. Six-ten pounds of bait material treat approximately one acre.

Pocket gophers: Find underground runway by probing with iron bar or broomstick. Insert 1 tablespoon of bait and cover opening with a piece of soil. Do not permit dirt to cover bait. "Burrow builders" may be used for treating extensive areas. One pound will treat five to eight acres when applied by hand. One to two pounds will treat one acre when applied with the burrow builder.

Kangaroo rats and ground squirrels: Scatter one teaspoon of bait over a square foot of clean ground within two or three feet of burrow entrance. One pound will treat ten to fifteen acres depending on animal population density.

Cotton rats: Place one tablespoon of bait every fifteen feet in rat runways under grass, weed, brush or crop cover. In row crops, where leaf structure is spread to make partial ground cover, place one tablespoon of bait beside the plant stems at fifteen foot intervals every third to fifth row. Five pounds will treat one acre. In heavy cover, ten pounds may be necessary.

Prairie dogs: Prebait once with unpoisoned grain. Three days after prebaiting, scatter tablespoon quantities of bait at the edge of mounds where soil and forage meet, preferable on the side away from the pile of dirt which has been removed from the burrow. One pound of bait will treat two acres.

Texas rock squirrels: Place one tablespoonful of bait under steel, grass or rock cover and in mouth of rock dens and hiding places. One pound will treat eight acres.

Jackrabbits: Construct flat-topped earthen mounds, about 15" in diameter and 3 to 4 inches high, in staggered formation about 10 feet apart along fence rows or turnrows near trails where rabbits emerge from pasture to feed on crops. On each mound place at least one heaping tablespoonful of bait. One pound will treat five acres.

