

**0.35% STRYCHNINE TREATED
GRAIN BAIT FOR POCKET GOPHERS**

DANGER  **POISON**

Active Ingredient:
Strychnine Alkaloid 0.35%
Inert Ingredients 99.65%
TOTAL 100.00%

DANGER: Keep Out of Reach of Children:
Danger: Convulsive Poison. Keep away from children and domestic animals. Do not contaminate feed and foodstuffs.

ANTIDOTE: Call A Physician Immediately!!
If Swallowed: If less than ten minutes have passed since the poison was taken, drink one or two glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Have victim lie down in a quite darkened room and keep him warm until the physician arrives.

Where placement of strychnine treated grain presents a hazard to wildlife, pets or livestock, all placements must be made underground. Grain baits exposed on bare ground may be hazardous to birds.

DIRECTIONS FOR USE: Remove burrow plug from the flat side of the burrow fan. Use long handled spoon and insert 1 teaspoon of bait into main runway system. Close tunnel with soil. Do not permit soil to cover bait. One pound will treat five to eight acres when applied by hand.

BURN EMPTY BAIT CONTAINERS

UNITED STATES DEPARTMENT OF THE INTERIOR
U.S. FISH & WILDLIFE SERVICE
Washington, D. C. 20240

LPA REG. NO. 6704-82
EPA EST. NO. 6704-1D-1

Net Weight 50 lbs.

ACCEPTED
JUL 14 1978
Insecticide
Approved for use on pocket gopher
6704-82