

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 401 "M" St., S.W. Washington, D.C. 20460

6704-92

January 13, 2003

Term of Issuance:

EPA Reg. Number:

Name of Pesticide Product

Bayluscide 20% Emulsifiable Concentrate

Name and Address of Registrant (include ZIP Code):

NOTICE OF PESTICIDE:

Reregistration

x Registration

(under FIFRA, as amended)

U.S. Department of Interior Fish and Wildlife Service 18th and C Streets, NW Washington, DC 20240

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a posticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is registered in accordance with sec. 3(c)(5)(A) of the Federal Insecticide, Fungicide and Rodenticide Act provided that:

A. before you release the product for shipment, you submit two copies of the final printed label.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Enclosures.

1. Stamped Label

2. Minimum Type Sizes for Final Printed Label.

Signature of Approving Official:

Date:

January 13, 2003

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch

Registration Division (7504C)

EPA Form 8570-6

Letter filed

Disk 92,A:\Niclosamide\6704-92, Notice of Registration, 1-8-2002.wpdJanuary 8, 2003

[Front Panel]

RESTRICTED USE PESTICIDE

Due to Eye Corrosiveness to Humans; Aquatic Organism Toxicity, Need for Specialized Equipment and Highly Specialized Applicator Training.

For retail sale to, and use only by, USDI FWS, State Fish and Game, Fisheries and Oceans Canada, and Provincial Certified Applicators trained in sea larvae control or persons under their direct supervision.

BAYLUSCIDE 20% EMULSIFIABLE CONCENTRATE

Active Ingredient:	
Niclosamide	20.6%
Inert Ingredients:	79.4%
TOTAL:	100.0%

CEPTED DANGER JAN 1 3 2003

Corrosive to the eye and Skin Sensitizer

FIRST AID

Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended, for the posticide registered under EFA Reg. No. 6704-92

Have label with you when obtaining treatment advice.

•Call a poison control center or doctor immediately for treatment advice.
•Have person sip a glass of water if able to swallow.
•Do not induce vomiting unless told to do so by the poison control center or doctor.

If on skin or clothing
•Take off contaminated clothing.
•Rinse skin immediately with plenty of water for 15-20 minutes.
•Call a poison control center or doctor immediately for treatment

advice.

Page 2 of 7

If inhaled	 •Move person to fresh air. •If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. •Call a poison control center or doctor immediately for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. No specific antidote is available. Treat symptomatically. See additional PRECAUTIONARY STATEMENTS on Left/Right/Side Panel.

[Left Panel]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Acute Hazards: Corrosive. Causes irreversible eye damage. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Hazard Avoidance: Do not get in eyes, on skin, or on clothing. Wear protective clothing and protective eyewear as listed under "Personal Protective Equipment." Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT:

Handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as nitrile or butyl))
- Socks and shoes
- Protective eyewear (goggles, face shield, or safety glasses)

Page 4 of 7

[Right Panel]

User Enfety Requirements:

Follow manufacturer's instructions for cleaning/maintaining Personal Protective Equipment (PPE). If no such instructions are provided for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This chemical is toxic to fish and aquatic invertebrates. Nontarget organisms (such as freshwater clams and mussels) may be killed at rates recommended on this label. Directions for use must be strictly followed to minimize hazards to non-target organisms. **Do not** contaminate water by the cleaning of equipment or disposing of equipment washwaters.

PERMITS

Obtain any permits needed from local, State, Provincial, and Federal wildlife authorities.

POTABLE WATER

At least 24 hours prior to application, notify municipalities and agricultural irrigators that potable and irrigation water will be treated. Agricultural irrigators must turn off their irrigation systems for a 24-hour period during and after treatment.

UNAUTHORIZED PERSONNEL

May not be used by unauthorized personnel.

Page 5 of 7

UNITED STATES DEPARTMENT OF	Manufacturing by
INTERIOR	Pro-Serve
Fish and Widlife Service	400 E. Brooks Road
18th and C Streets, NW	P.O. Box 161059
Washington, DC 20240	Memphis, TN 38186-1059
EPA Reg. No. 6704-OE	EPA Est. No. 33560-TN-01

Net Contents: ____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL:

Read the entire label and Sea Lamprey Control Document No. SLC-92-001.3 [Manual for Application of Lampricides in the U.S. Fish and Wildlife Service Sea Lamprey (*Petromyzon marinus*) Control Program] for correct rates of application. This product must be used strictly in accordance with both label's precautionary statements and applicable use directions, as well as with all applicable State and Federal laws and regulations.

Before using this product, obtain all necessary permits.

GENERAL INFORMATION:

This product contains a fast-acting fish toxicant which kills sea lamprey larvae in 1-2 hours. The mode of action is uncoupling of oxidative phosphorylation. As many types of nontarget species are potentially vulnerable to Bayluscide, it is necessary to use care and to follow the requirements of this label to minimize impacts.

USE RESTRICTIONS:

Use Pattern:

Baylusicide 20% Emulsifiable Concentrate may be used as an additive in combination with TFM (EPA Reg. No. 6704-45) for control of sea lamprey (*Petromyzon marinus*) in waters in the Great Lakes Basin, the Lake Champlain system, and the Finger Lakes. Application of Bayluscide 20% Emulsifiable Concentrate may be made as a simultaneous addition with TFM to reduce the amount of TFM required or as a subsequent addition downstream to enhance TFM larvicidal activity.

Page 6 of 7

Pre-Application Notification:

Prior to and during the application of this chemical, take all appropriate actions to notify public water users including notification actions specified in the application manual referred to above.

Aerial Application:

Aerial application of this product is prohibited.

Pretreatment Surveys:

Prior to using Bayluscide 20% Emulsifiable Concentrate-TFM, pretreatment surveys must be made to determine populations of larvae. All waters selected for treatment must first be analyzed on site to determine both the minimum concentration of material required to kill lamprey larvae and the maximum concentration that can be applied without causing undue fish mortality. "Analysis" constitutes live animal toxicity tests or the use of a regression established by past toxicity tests and the total alkalinity and pH of the water.

Lethal Concentration:

Lethal concentration may vary depending upon water chemistry and temperature. Carefully calculate stream discharge and add the amount of lampricide necessary to kill lamprey larvae with minimal fish mortality. Use application devices that accurately deliver Bayluscide at calculated rates. Bayluscide concentrations will be monitored by gas chromatography or by high-performance liquid chromatography to insure that minimum lethal concentrations for sea lampreys are maintained and calculated maximum concentrations are not exceeded.

Application Directions:

Prior to and during the application of this chemical, take appropriate actions to notify public water users including notification actions specified in the Sea Lamprey Control Document No. SLC-92-001.3. When using Bayluscide 20% Emulsifiable Concentrate as an additive in combination with TFM, mix in proportions that result in a final concentration of Bayluscide 20% Emulsifiable Concentrate of not more than 2% of TFM by weight (based on active ingredient). Bayluscide 20% Emulsifiable Concentrate may be added to TFM in two ways:

- 1. One method of application is to apply both lampricides at the primary application site. TFM is metered into the stream while Bayluscide 20% Emulsifiable Concentrate is applied with a separate pump system in amounts calculated to deliver the desired ratio of Bayluscide to TFM.
- 2. A second application method is to apply Bayluscide 20% Emulsifiable Concentrate into an existing TFM bank. Because a TFM bank can be diluted by ground water, swamp seepage, untreated tributaries, occasional rain, or other conditions that cannot be included when the application rates are calculated, the toxicity of the bank in the stream must be raised by the addition of TFM or Bayluscide. The latter may be used in place of TFM. In these situations,

Page 7 of 7

TFM alone is pumped into the stream at the primary application site. Bayluscide 20% Emulsifiable Concentrate is introduced into the TFM bank at a point or points downstream in amounts calculated to produce the desired Bayluscide to TFM ratio.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

STORAGE: Store only in original container, in a dry place inaccessible to children, pets, and domestic animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent), and then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.