

### Amway<sub>o</sub>

## GERMICIDAL CONCENTRATE

Dependable Disinfectant for the Home

STORAGE AND DISPOSAL

1) PROHIBITIONS

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL OPEN DUMPING IS PROHIBITED DO NOT REUSE EMPTY CONTAINER

2) PESTICIDE DISPOSAL

PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LAND-FILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

3) CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE

4) GLNERAL

CONSULT FEDERAL, STATE, OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

### **DISINFECTS** • SANITIZES

E.P.A. REG. NO. 6718-18-ZA E.P.A. EST. NO. 6718-MI-1

1 2

BOLD DNLY BY AMWAY

BATISFACTION GUARANTEED

Mfd by Amway Corp., Ada, Mich., 49355 ©Copyright Amway Corp., U.S.A. 1979 All Rights Reserved E-8706 IA9417

# Amway<sub>®</sub>

### GERMICIDAL CONCENTRATE

Dependable Disinfectant for the Home

### PRECAUTIONARY STATEMENTS - DANGER

Harmful or fatal if swallowed. Corrosive. Causes eye damage and skin irritation. Do not get in eing. Wear goggles or face shield and rubber gloves when handling concentrate. Avoid contaminatin case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. F. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantition or if these are not available, drink large quantities of water. Avoid alcohol. Call in NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. We tory shock, respiratory depression and convulsion may be needed.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with it Disinfecting Floors, Bathtubs, Shower Stalls, Toilet Seats, Diaper Pails: Clean surfaces with a L.O.C.\* Regular Liquid Organic Cleaner per gallon of water, rinse, then disinfect by wiping or spoz Germicidal per 3 gallons of water and allow to dry on surface. Disinfecting Refrigerators, Cu Food must be removed. Clean surfaces thoroughly with L.O.C. Regular (as above). Prepare 1 fl. o (as above) and wipe or spray on. Rinse with water before allowing surfaces to contact food. Disinfect hard surfaces (as above). After washing, let dishes and utensils stand for 10 minutes in sol cidal per 3 gallons of water and rinse well before using. Disinfecting Laundry: Add 3/4 fl. oz. Go foot front-loading machines, use 1/2 fl. oz. (See Technical Bulletin SA-2003 for additional use direct

#### SANITIZING DISHES IN COMMERCIAL EATING AND DRINKING ESTABLISHMEN

Eating Utensils, 3 sink system — Hand Washing

- 1) Scrape food from utensils before washing.
- 2) Sink No. 1: Use L.O.C. Regular (1 fl. oz./gallon) in hot water. For heavily soiled utensils, refrequently.
- 3) Sink No. 2: Rinse dishes and utensils in clear, hot water in this sink. Change an often as nece
- 4) Sink No. 3: Use 1/3 fl. oz. of Amway Germicidal Concentrate for each 2 gailons of water; this p tion of active ingredient. Dip dishes and utensils for two micutes. Change solution three t solution becomes soiled.
- 5) Let dishes and utensils air dry.

Precaution: Do not contaminate food with Amway Germicidal Concentrate Seletion.

V<sub>0</sub>

# NCENTRATE

the Home

#### RENTS — DANGER

k.n irritation. Do not get in eyes, on skin or on clothconcentrate. Avoid contamination of food. FIRST AID: ster for at least 15 minutes. For eyes, call a physician. drink promptly a large quantity of milk, egg whites, of water. Avoid alcohol. Call a physician immediately. the use of gastric lavage. Measures against circula-

### R USE

### a manner inconsistent with its labeling.

ails: Clean surfaces with a solution of 1 fl. oz. of then disinfect by wiping or spraying a solution of 1 fl. Disinfecting Refrigerators, Cupboards, Bread Boxes: that (as above). Prepare 1 fl. oz. per 3 gallons solution at rfaces to contact food. Disinfecting Sickrooms: Uslas stand for 10 minutes in solution of 1 fl. oz. Germing Laundry: Add 3/2 fl. oz. Germicidal to final rinse. A 2003 for additional use directions.)

#### NO DRINKING ESTABLISHMENTS

or heavily soiled utensils, replace this solution

sink. Change as often as necessary,

ch 2 gallons of water; this provides a 200 ppm solutes. Charge solution three times daily or when the

entratu Solution.

ACCEPTED

JUL 1 7 1981

enter for the personde.

**DISINFECTS** • SANITIZES

ACTIVE INGREDIENTS: n alkyl ( $C_{14}$  -  $50^{\circ}$  o  $C_{12}$  -  $40^{\circ}$  o  $C_{16}$  -  $10^{\circ}$  or dimethyl benzyl ammonium chlorides  $\nearrow$ ethy: alcohol INERT\_INGREDIENTS

**DANGER** 

KEEP OUT OF REACH OF CHILDREN.
SEE BACK PANEL FOR PRECAUTIONARY STATEMENTS

NET: 2.5 GAL. 9.5 L

