

PH 17 2712 0 125

JAN 30 1991

Anway Corporation
7575 East Fulton Road
Ada, MI 49355-0001

Attention: Emory Mark Van Dunk

Gentlemen:

Subject: Resmethrin and Allethrin Registration Standards
Quick Killing Bug Spray
EPA Registration no. 6718-20
Your Submissions Dated February 1 and December 15, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The label that was submitted on behalf of Resmethrin Registration Standard is the most appropriate label for this product. Therefore, we have selected this label as the acceptable label for the product.

Sincerely yours,

PHM
Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (M7505C)

Enclosure

BEST AVAILABLE COPY

62450:I:A-4:Johnson:L17-11:KEVRIC:01/24/91:PERM:CL:WO:EK:DD

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

16 OZ. (1 LB.)

NEW ART/PAPER LABEL

Background: PMS 102 Yellow

All cautions: Warm Red

Except where indicated all other type will be PMS Black

(Left Panel)

Quick-Killing

BUG SPRAY (PMS Warm Red)

for house & garden

ACTIVE INGREDIENTS:

*Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-
 3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.200%w/w
 d-trans Allethrin 0.125%

INERT INGREDIENTS: 99.675%
 100.000%w/w

*Cis/trans isomers ratio: max. 30% (±)cis and min. 70% (-)trans.


†U.S. Patent No. 3,465,007

E.P.A. Reg. No. 6718-20-AA E.P.A. Est. No. 6718-MI

World Globe (PMS 457 Olive)

Amway^R

MADE IN U.S.A.



PMS Warm Red

KEEP OUT OF REACH OF CHILDREN - 3/32" Bold Type All Capitals

CAUTION - 9/64" Bold Type All Capitals

HARMFUL IF SWALLOWED. CONTENTS UNDER PRESSURE. Read carefully other cautions on side panel

NET WT. 16 OZ. (1 LB.) 3/32" Bold Type All Capitals 5/64" Type

(Right Panel)

Quick-Killing

BUG SPRAY

Kills houseflies, mosquitoes, gnats, wasps, roaches, earwigs, two-spotted mites, sowbugs, spiders, ants, biting flies, aphids (plant lice), leafhoppers, exposed thrips, adult whiteflies.

OUTDOORS - TO REDUCE ANNOYANCE FROM FLYING INSECTS: Reduce mosquitoes, gnats (midges), houseflies, biting flies and pyralid and noctuid flying moths by spraying their resting areas. Follow precautions on left panel. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

TO PROTECT ORNAMENTAL PLANTS: To control aphids, exposed thrips, adult whiteflies, leafhoppers, two spotted mites, on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, viburnum, euonymus, oaks, maples, locust, forsythia and althea; and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisies, geraniums, marigolds, daphne, fatshedera, ivy, tobira, queen sago and broad leaf acacia for control of aphids, exposed thrips, adult whiteflies, leafhoppers. Spray as directed above.

USE WITH CAUTION on azaleas, junipers, roses, including hybrid tea roses, flowering quince, ash and camellias. These plants may be subject to leaf or flower burn under certain conditions of use.

For adult whiteflies, two-spotted mites and mealybugs be sure to direct spray to contact these pests. Thoroughly cover the infested area. Use several repeat applications at two day intervals if necessary.

TO PROTECT HOUSE PLANTS: Spray infested African violets, philodendron, geraniums, begonias.

BEST AVAILABLE COPY

coleus for listed pests. Leave the sprayed area when done indoors, and ventilate area after treatment is complete.

NUISANCE PESTS - ON OR ENTERING BUILDINGS: Wasps: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings. Spiders: Direct short burst of spray on spiders and repeat as necessary. Earwigs: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances.

(Left Panel)

PRECAUTIONARY STATEMENT -3/32" Bold Type All Capitals

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - 5/64" Bold Type All Capitals

CAUTION - 5/64" Bold Type All Capitals

5/64" Type [Harmful if swallowed. Avoid contamination of feed or foodstuffs. Remove pets, birds, and cover fish aquariums before spraying. Do not use on edible crops. Intentional misuse by deliberately concentrating or inhaling the contents can be harmful or fatal.

ENVIRONMENTAL HAZARDS - 5/64" Bold Type All Captials

5/64" Type [This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL/CHEMICAL HAZARDS - 5/64" Bold Type All Capitals

5/64" Type [Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

BEST AVAILABLE COPY

DIRECTIONS FOR USE - 5/64" Bold Type All Capitals

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

NOTICE: When used in bakeries, restaurants, and food processing establishments, foods should be removed or covered before treatment. All food processing surfaces should be covered before treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

STORAGE AND DISPOSAL - 3/32" Bold Type All Capitals

STORAGE: Keep in locked storage area.

CONTAINER DISPOSAL: Replace cap and discard in trash. Do not incinerate or puncture.

PRODUCT DISPOSAL: Securely wrap original container in several layers of newspapers and discard in trash.

INDOORS - TO CONTROL HOUSEHOLD PESTS: For Houseflies, Mosquitoes, and Gnats: Close all doors and windows. Point nozzle upward. Direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

For Crawling Insects: Roaches, earwigs, sowbugs, spiders. Spray thoroughly into hiding places such as cracks, crevices, moist areas, opening around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray on ants where possible. Repeat as necessary.

Mfd. by Amway Corp., Ada, MI 49355 U.S.A.

© 1989, AMWAY CORPORATION, U.S.A.

